



Type	Versions	Last Updated
Application	10.5.3	13 September 2026
Help Guide	10.5.3:1	13 September 2026

Introduction

MemberCheck is an AML/CTF compliance service that empowers organisations to efficiently verify individuals and businesses against global sanctions, financial regulatory, law enforcement, and politically exposed person (PEP) lists. Our solution delivers immediate, up-to-date intelligence on potential exposure to money laundering, terrorism financing activities, and reputational risks, all in a cost-effective, streamlined manner.

Comprehensive Service Offerings: Our secure, web-based platform combines multiple verification services to provide a complete compliance solution, including:

- Document and Identity Verification
- Business Registration and Enhanced Company Profile checks
- AML Risk Assessment checks
- Jurisdiction Risk checks
- Advanced Media checks
- Compromised Email checks

Dual Access Options: Access our intuitive web-based dashboard for easy screening and due diligence, or seamless API integration for automated, high-volume processing that integrates directly with your existing systems.

Premium Data Sources: Pre-configured with multiple authoritative databases from leading providers including Acuris Risk Intelligence, LexisNexis WorldCompliance, and MemberCheck's proprietary intelligence feeds, ensuring comprehensive coverage and accuracy.

The service assists reporting entities in meeting their obligations under the AML/CTF Act 2006 (Australia), the AML/CFT Act 2009 (New Zealand) and other AML/CTF legislation worldwide.

Multi-region Service

MemberCheck operates in multiple regions worldwide, giving clients data sovereignty in their chosen location.

Service Region	Location	Link	Release Version
Oceania region (Global Service)	Australia	https://app.membercheck.com	10.5.3
Asia-Pacific region (Global Service)	Indonesia	https://app.id.membercheck.com	10.5.3
European region (Global Service)	Germany	https://app.eu.membercheck.com	10.5.3
Gulf region (Regional Service)	Oman	https://app.z.membercheck.com	10.5.3

Supported Browsers

MemberCheck is best viewed using the latest versions of major browsers such as

- Mozilla Firefox
- Google Chrome
- Microsoft Edge and
- Apple Safari.

Get in Touch

We're here to help! Whether you need technical support, have a sales enquiry, or want to discuss product requirements, our team is ready to assist you.

Contact Options

Technical Support

Need help with implementation, troubleshooting, or have questions about our documentation? Our [support team](#) is standing by to get you back on track.

Sales Enquiries

Interested in our products or need pricing information? Our [sales team](#) can provide tailored solutions for your organisation.

Product Requirements

Have feedback, feature requests, or specific product requirements? We'd love to hear from you and explore how we can better serve your needs. Reach out to your Account Manager or the support team.

Accessing the Service

Accounts and Regions

The MemberCheck service operates across multiple regions worldwide, providing clients with data sovereignty in their chosen region. Organisation and user accounts are region-specific and are not automatically transferable between regions. If you require your organisation account to be transferred to a different region, please reach out to your Account Manager.

Access to the system is by invitation by your organisation Compliance Officer. When a user is onboarded to the service, details for login and region are included in the onboarding email. Please take note of the username if it is in the format of a username or email address.

All accounts include access to both the web portal and API.

API Access

All user accounts have API access enabled. Users can generate an API key from their user profile screen. Only one (1) API key can be active at any one time.

API access is available for all user accounts. To start, users can generate an API key within the user profile screen.



Maintaining Uninterrupted API Access

To prevent service disruption once integrated with MemberCheck, we recommend creating a dedicated service account and generating the API key on that account. This ensures API access continues unaffected when team members leave your organisation and their accounts are deactivated.

API keys are unique to each environment and region, including the demo service. If you maintain accounts in both Production and Demo environments, or have migrated between regions, ensure you use the correct **environment and region-specific key and URL** for successful authentication and authorisation.

Helpful References

- [Generate an API Key](#)
- [API URLs](#)


User Roles and Permissions


User Roles

Access to the system is regulated by assigning users to one of the role-based user types. Users may be assigned to multiple suborganisations, however, they will retain the same user role type across these suborganisations.

Each organisation or suborganisation can have up to **3 Compliance Officers** assigned and unlimited number of users for the other roles.

Role	Number of users (per organisation or suborganisation)
Compliance Officer	Up to 3
Advanced User	Unlimited
Standard User	Unlimited
Billing Officer	Unlimited
Data Entry Operator	Unlimited
Auditor	Unlimited





The roles are summarised as follows from the highest level of access to lowest.

Role	Overview
------	----------

**Compliance
Officer**

*Up to three per
organisation
or suborganisation*

- Set up and manage organisations and organisation hierarchies.
- Set up and manage MemberCheck users.
- Scan member against the watchlists, in single scans or in batch file scans.
- Scan corporate entities against the watchlists, in single scans or in batch file scans.
- Review results of ALL scans conducted by any user, for all organisations for which he/she is the Compliance Officer.
- Implement due diligence decisions on scan matches and allocate assessed risk to true matches.
- Generate activity reports, which summarise the organisation's scanning activity.
- Generate due diligence reports, which show scan match results, due diligence decisions and assessed risk allocated.
- View and edit own and all user details, for all organisations he/she is assigned.
- Receives email notification of the results of each scan performed for any of the organisations in the hierarchy for which he/she is the Compliance Officer, unless an alternative Organisation email have been set up for the organisation to receive scan notifications.

Advanced User

*Multiple per
organisation
or suborganisation*

- Scan members against the watchlists, in single scans or in batch file scans.
- Scan corporate entities against the watchlists, in single scans or in batch file scans.
- Review results of ALL scans conducted by any user, for all organisations to which he/she is assigned.
- Implement due diligence decisions on scan matches and allocate assessed risk to true matches.
- Generate activity reports, which summarise the organisation's scanning activity.
- Generate due diligence reports, which show scan match results, due diligence decisions and assessed risk allocated.
- View and edit own user details.

Standard User

*Multiple per
organisation
or suborganisation*

- Scan members against the watchlists, in single scans or in batch file scans.
- Scan corporate entities against the watchlists, in single scans or in batch file scans.
- Review results of scans conducted by self, for all organisations to which he/she is assigned.
- Implement due diligence decisions on scan matches and allocate assessed risk to true matches.
- Generate activity reports, which summarise the organisation's scanning activity.
- Generate due diligence reports, which show scan match results, due diligence decisions and assessed risk allocated.
- View and edit own user details.

Billing Officer

*Multiple per
organisation
or suborganisation*

- Review results of scans conducted, for all organisations to which he/she is assigned.
- Generate activity reports, which summarise the organisation's scanning activity.
- Generate due diligence reports, which show scan match results and due diligence decisions.
- View and edit own user details.

Data Entry Operator

Multiple per organisation or suborganisation

- Scan members against the watchlists, in single scans or in batch file scans.
- Scan corporate entities against the watchlists, in single scans or in batch file scans.
- View and edit own user details.

Auditor

Multiple per organisation or suborganisation

- Read-only access to all features available to the Compliance Officer

Feature Permission Matrix

The table below provides an overview of access by user role:

Feature	Compliance Officer	Advanced User	Standard User	Billing Officer	Data Entry Operator	Auditor
Run single scans for individuals	✓	✓	✓	✗	✓	✗
Run batch scans for individuals	✓	✓	✓	✗	✓	✗
Run corporate single scans	✓	✓	✓	✗	✓	✗
Run corporate batch scans	✓	✓	✓	✗	✓	✗
View own scan results	✓	✓	✓	✗	✗	✗

View scan results run by others	✓	✓	✗	✓	✗	✓
Perform due diligence	✓	✓	Own scans ✓	✗	✗	✗
View due diligence decisions	✓	✓	Own scans ✓	✗	✗	✓
View supporting documents	✓	✓	✓	✓	✗	✓
Add supporting documents	✓	✓	✓	✗	✓	✗
Manage supporting documents	✓	✓	✓	✗	✗	✗
Delete supporting documents	✓	✓	✓	✗	✗	✗
View reports	✓	✓	✓	✓	✗	✓
View Dashboard	✓	✓	✓	✓	✗	✓
View Users in organisation	✓	✗	✗	✗	✗	✓
Manage Users (add, edit, deactivate)	✓	✗	✗	✗	✗	✗
View Organisation settings	✓	✓	✗	✗	✗	✓

Manage Organisation (add, edit, deactivate)	✓	✗	✗	✗	✗	✗
Manage Data (delete scans history)	✓	✗	✗	✗	✗	✗

User Permissions

Permissions for an individual user can be further refined and restricted by **Access Rights**.

Access Rights	Description
Single Scan	Permission to perform single scans for individuals.
Scan Results	Permission to view scan results.
Batch Scan	Permission to perform batch scans for individuals.
Batch Scan Results	Permission to view batch scan results
Corporates	Access to Corporate scan functionality. This is used in addition to the above permissions to enable the user to run corporate scans, view corporate scan results, run corporate batch scans and view corporate batch scan results.
Due Diligence Decisions	Permission to perform due diligence decisions. The user may be able to view the final match decision but is not able to view history of due diligence decisions and comments.
Due Diligence Report	Permission to view the Due Diligence Reports for individuals and corporates.
Activity Report	Permission to view the Activity Reports for individuals and corporates.
View Supporting Document	Permission to view Source of Funds and Source of Wealth documentation for individuals and corporates.
Add Supporting Document	Permission to add Source of Funds and Source of Wealth documentation for individuals and corporates.

Manage Supporting Document	Permission to download Source of Funds and Source of Wealth documentation for individuals and corporates.
Delete Supporting Document	Permission to delete Source of Funds and Source of Wealth documentation for individuals and corporates.
Organisation Management	Permission to manage organisation settings. This applies to Compliance Officers of a suborganisation.
Data Management	Permission to remove scan data. This applies to Compliance Officers of a suborganisation.
Monitoring	Permission to access the ongoing monitoring features including adding scans to the monitoring list.
Dashboard	Permission to view the organisation dashboard.
ID Verification Service	Permission to screen for Identity Verification (IDV) in Individual Single Scan. This does not restrict the ability to view IDV results if Scan Results permission is enabled. This is visible if the organisation has been activated for the IDV service and the user role permits screening.
Know Your Business Service	Permission to screen for Know Your Business (KYB) in Corporate Single Scan. This does not restrict the ability to view KYB results if Scan Results permission is enabled. This is visible if the organisation has been activated for the KYB service and the user role permits screening.

Example of user roles and the relevant access rights available for each role.

Your browser does not support the video tag.

? Which user role are you assigned to?

If you are unsure which user role you have been assigned to, you can check this through the profile drop down menu in the top right corner, or in **My Profile**.

 **Support** ▾



MemberCheck CO Demo
(mc.com.officer2)

Compliance Officer 

Last Login

Jul 23, 2022 7:59 PM

 **My Profile**

 **Logout**



Theme:




Set Up Suborganisations

Permissions


Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor
					

The **Compliance Officer** of the parent organisation can set up multiple suborganisations for different departments or for specific scan criteria and sanction lists based on your organisation's anti-money laundering and risk compliance obligations. The suborganisation structure can be flat and wide, or deep and nested, depending on your preference.

Example of an organisation hierarchy within the system with a flat suborganisation setup:



Example of an organisation hierarchy with nested suborganisation setup:



Each suborganisation can have its own **Compliance Officer (CO)** responsible for managing the suborganisation's profile, scan settings, and associated users. These Compliance Officers have access to and can manage the details of any suborganisation within their purview. The table below illustrates an example of access to suborganisations should different Compliance Officers be designated for the organisation hierarchy mentioned above.

Compliance Officer	Access to organisation
CO of Parent Org	All (Parent Org, A, B, C, B1, C1, B2)
CO of Suborganisation A	Suborganisation A
CO of Suborganisation B	Suborganisation B and all its suborganisations (B1, B2)
CO of Suborganisation C	Suborganisation C and its suborganisation (C1)
CO of Suborganisation B1	Suborganisation B1
CO of Suborganisation C1	Suborganisation C1
CO of Suborganisation B2	Suborganisation B2

To create a suborganisation and associate a user to the new suborganisation, you must **first** create the suborganisation. Once created, you can create the user account, or select an existing user, and assign the user to the new suborganisation.

**Important Information:**

- Each organisation or suborganisation can only be allocated up to **3 Compliance Officers**.
- You can assign different **Compliance Officers** to different suborganisations.
- **Compliance Officers** can view and manage details of any suborganisation within their purview.
- A suborganisation cannot be transferred or moved once created.
- A suborganisation can be deleted, but only if there are no scan history or user accounts associated with the suborganisation.
- A user account must be assigned to an existing organisation.

You can manage organisation and users within the **Administration** section of the site.

Create a Suborganisation

Within **Administration > Organisations**, select the parent organisation from the list to create the new suborganisation. This can be the root parent organisation or another suborganisation to create a nested suborganisation structure.

In the example, we create a new suborganisation, assign existing users, and adjust the scope of the watchlists.

Your browser does not support the video tag.

To create a **new user account** to assign to the suborganisation, refer out [Getting Started > Set Up Users](#).

Set Up Users

Permissions

Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor
	×	×	×	×	×

Each organisation and suborganisation can have unlimited number of users for all roles (except Compliance Officers), and up to **3 Compliance Officers**.

Role	Maximum number of users (per organisation or suborganisation)
Compliance Officer	3
Advanced User	Unlimited
Standard User	Unlimited
Billing Officer	Unlimited
Data Entry Operator	Unlimited
Auditor	Unlimited

The user roles and their access permissions are described in [Overview > User Roles](#).

Create New User and assign to Suborganisation

Each user account is associated with a single user role and requires a unique username and unique email address. If a user requires access as multiple roles in the system, separate user accounts must be created with different usernames and email addresses.

If a new user account is required, create the suborganisation first before creating the new user account.

In the example, we create the new user account and then assign the user to the relevant organisation or suborganisation.

Your browser does not support the video tag.

You can select multiple organisations or suborganisations to assign to the user as appropriate.

Setup and Customise Scan Settings

Permissions

Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor
					

Settings and Policies

A number of settings and policies can be applied to streamline and standardise the scanning and matching process, in accordance with the appropriate AML/CTF or AML/CFT legislation. They can be applied at organisation level to have preset settings, or set as **User Defined** to provide flexibility for the authorised user to adjust prior to scanning.

Customisation of the scan settings and policies may significantly reduce the number of false positive matches, enabling a more targeted and refined screening process.

The following scan settings and policies listed below affect matching and is recommended to be reviewed.

- **Watchlist** category selection to define scope of screening
- **Name Match type** for exact or close matches on names
- **Close name match rate** threshold for relevant of results
- **Whitelist policy** to take into consideration due diligence decisions
- **Country of residence policy** to match using location information available in the watchlist profiles
- **Default country of residence** to nominate a default country where the screened individual's country of residence in the address cannot be identified
- **Politically Exposed Person (PEP) jurisdiction policy** to enable exclusion of PEPs and RCAs (Relatives and Close Associates) within specific countries e.g. domestic PEPs.

- **Matching Scope** to set how widely each of Date of Birth, Gender, Nationality, ID Number and Registration Number narrows the results. This replaces the **Ignore Blank** policies

For details of the settings and policies, please refer to [Scan Settings in Guides > Administration > Manage Organisation](#).

Procedure for Ongoing Monitoring

MemberCheck offers continuous screening and automated alerts for any changes in your customers' risk profiles, providing enhanced protection against financial crimes and reputational risk exposure.

An overview of the ongoing monitoring process from registration, usage, monitoring and renewal.

Sign Up

Register for a 12-month subscription to access the MemberCheck monitoring services

Upon signing up for the service, you will gain access to a pre-defined number of scans which you can use to screen names against our AML watchlists.

Use of Scans

Utilise your allocated scans to screen individuals and entities.

Add names to your monitoring lists, during screening or post-screening, which will be monitored on a daily basis to ensure compliance with AML regulations

Pre-Renewal Notification

Be aware of upcoming subscription renewal.

You will receive notifications alerting you that your subscription renewal is approaching, usually 3 months and another at 1 month before the renewal date.

Review Monitoring List

Check your current monitoring list for accuracy.

Prior to renewal, review the monitoring list to ensure there are no duplicates and that it only includes active customers. Remove any individuals or entities that are no longer relevant to your operations.

Renewal and Rescreening

Automated renewal and rescreening of names on monitoring list.

On the renewal date, all names that are active on the monitoring list will be automatically rescreened. This scan counts towards your scan usage for the new subscription term.

Continuous Monitoring

Continue the monitoring process.

The monitoring and rescreening process will repeat each subscription term, ensuring ongoing compliance and vigilance.

Important Notes

Subscription Flexibility:

The number of scans and the frequency of monitoring can be adjusted based on your needs and regulatory requirements. Please contact your account manager for more information.

Support:


MemberCheck support is available to assist with any questions or adjustments required during your subscription period.

Single Scans of Individuals

Permissions

Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor
					

You can screen for PEP & Sanction, Law Enforcement, Regulatory Enforcement and Adverse Media checks for an individual person as well as ID Verification screening via **Individual Scan > Single Scan**.



Before Running a Scan

To perform a scan of a person, you will need to check or select the following before entering details:

1. Organisation

2. Scan service type
3. Scan settings

Organisation

If you are part of a multi-level organisation structure, select the organisation which you would like to run the check for from the drop-down list for **Organisation**.

If you are part of a single level organisation, you do not need to do anything for this step.

Scan Service Type

If your organisation and user account has been enabled with additional scan services, you have the option to select these services such as ID Verification.

By default, **PEP and Sanctions** is selected.

Scan Settings

There are multiple settings provided to manage the scope and coverage of PEP, sanction and adverse media screening as per your organisation's risk level compliance requirements.

 **Compliance Officers** can predetermine and preset these settings or set them to be user defined to enable the settings to be changed during scanning. These settings are defined in the [Organisation Settings](#).

Scan Setting Details and Description

Option	Description
--------	-------------

Name	Used to determine how closely a watchlist profile must match a person's name before being considered
Match Type	The options are <code>Exact</code> , <code>Exact (Including Middle Name)</code> or <code>Close</code> .

Exact

Scan results show matches where the First and Last Name match exactly (spaces and hyphens are ignored). Middle Names are also taken into account but Middle Name matching does not eliminate watchlist entities with no Middle Name. Scan results include matches, where:

- The First and Middle and Last Name match exactly.
- The First and Last Name match exactly and the watchlist record Middle Name contains the Middle Name.
- The First and Last Name match exactly and the watchlist record has no Middle Name.
- The First and Last Name match exactly and the Middle Name does not match.

Exact (Including Middle Name)

- The First and Middle and Last Name match exactly.
- The First and Last Name match exactly and the watchlist record Middle Name contains the Middle Name.
- The First and Last Name match exactly and the watchlist record has no Middle Name.

Close

- The First Name and Last Name or Latin-based Full Name match based on phonetic matching algorithm (e.g. sounding names) and fuzzy searches. Middle Names and Original Script Names (non-Latin based e.g. Cyrillic, Chinese, Korean etc.) are ignored.

Match Rate If **Close** Name Match Type is selected, this can be used to control the results by setting a match rate. A higher threshold will return results with minor variations whereas a lower threshold will return larger variations in the sound of the name.

Example: The name **John** at various thresholds:

- **100%>**: John .
- **80%**: John , Johnnie , Johnny .
- **50%**: John , Johnnie , Johnny , Jon , Joan , Jonah , Jean , Jan , Joanne , Joanna , Janie , Gena ,
- **1%**: John , Johnnie , Johnny , Jon , Joan , Jonah , Jean , Jan , Joanne , Joanna , Janie , Gena , (Jayne , Juan etc.

Example: The first name and last name **Richard JOHN** at various thresholds (asterisk indicates exists in first middle name or last name and may not contain **Richard** or **John**):

- **100%**: Richard JOHN , Richard * JOHN , John RICHARD , John * RICHARD , Richard John * .
- **80%**: Richard JOHN , Richard * JOHN , John RICHARDS , John * RICHARDS , John RICHARDSON , John REICHARDT .
- **50%**: Richard JOHN , Richard * JOHN , Richard John * , John Richard * , John * RICHARD , John * RICHARDS , John RICHARDSON , John * RICHARDSON , John REICHARDT , Jon RICHARDS , Johnny RICHARDSON , * John RICHARDS , John ROCHARD , Joan RICHARDS etc.
- **1%**: Richard JOHN , Richard * JOHN , Richard John * , * Richard JOHN , John Richard * , John RICHARDS , John * RICHARDS , John RICHARDSON , John * RICHARDSON , John REICHARDT , Jon RICHARDSON , Johnny RICHARDS , Johnny RICHARDSON , * John RICHARDS , John ROCHARD , Joan RICHARD , Joanne RICHARD , Joanne RICHARDS , Joanne RICHARDSON , Richard JANE , Jayne RICHARD , Jean-Pierre RICHARD , Jean-paul RICHARD , June RICHARD , June RICHARDS , June RICHARDSON , Richard GENAO , Richard GIANNI . Juan RICHARTE etc.

Whitelist Policy

If Due Diligence has previously been carried out, profiles marked as **No Match** are whitelisted, and can be excluded from being returned and displayed. This can help eliminate match results previously determined to be a false match.

This option requires a **Client ID** to be associated with the person during scanning for identification.

The options are:

- **Apply** : Whitelisted profiles marked as **No Match** for the person being scanned are excluded and do not appear in the results.
- **Ignore** : Display all results regardless of previous due diligence decisions.

(Country of) Residence Policy

Used for matching the Country in the Address of the person with the locations associated with the match. This option requires the Country to be specified in the Address field when scanning for the person.

The options are:

- **Apply to All** : Apply the matching of country to all profiles for all categories.
- **Apply to PEP** : Apply the matching of country only to profiles with the category **PEP** (Politically Exposed Person).
- **Apply to POI** : Apply the matching of country only to profiles with the category **POI** (Profile of Interest).
- **Apply to RCA** : Apply the matching of country only to profiles with the category **RCA** (Relatives and Close Associates).
- **Apply to SIP (incl. TER)** : Apply the matching of country only to profiles with the category **SIP** (Sanctioned Individual Person), which includes **Terrorism**.
- **Ignore** : Display all results regardless of whether the country matches with the profiles.



If you want to apply the defined PEP Jurisdiction Inclusion or Exclusion list, do not check **Apply**.

Default Country of Residence	Used for nominating a Country of Residence for an individual's address where a country cannot be identified which are not blank but do not contain an identifiable country, if a Default Country of Residence has been set, it will be automatically assigned to the individual as the Country of Residence. This setting is defined by the Compliance Officer in the Organisation Settings.
Apply to blank Addresses	Used in conjunction with Residence Policy and Default Country of Residence, this is used for eliminating blank addresses where the individual's Country of Residence is not found in any of the Locations in the matching entity. This option applies the preset Default Country of Residence to blank addresses during PEP and Sanctions screening.
PEP Jurisdiction	This setting filters PEP and RCA profiles based on defined jurisdictions for inclusion or exclusion, and filtering domestic PEPs. To use this setting, ensure Apply to PEP in the Residence Policy is unchecked. The settings available are based on the organisation settings defined by the Compliance Officer and can be set to Exclude, Include, or Ignore: • Exclude : Exclude from matching, PEPs and RCAs with locations within the defined PEP Jurisdiction. • Include : Include in matching, PEPs and RCAs with locations within the defined PEP Jurisdiction. • Ignore : Ignore any exclusion or inclusion of PEP jurisdictions. If no jurisdictions are defined, this will behave the same way as Ignore.

Matching Scope

Sets how widely each field narrows the results of this scan. A scope applies to `DOB`, `Gender`, `Nationality`.

The options are, from the narrowest to the widest:

- `Matches only` : Return only profiles whose value matches the value you enter.
- `Matches and Blanks` : Also return profiles that hold no value for this field.
- `Mismatches` : Also return profiles whose value disagrees, flagged as unmatched.

What the scope does for each field:

- `DOB` : Matching is performed on the date of birth or the year of birth. Where your **Compliance Officer** tolerance, the year comparison is widened by the permitted variation.
- `Gender` : Under `Matches and Blanks`, results also include entities with no gender recorded, or a value of `Unknown`.
- `Nationality` : A profile matches if it holds any one of the nationalities you enter. Under `Matches` also include profiles with no known nationality.
- `ID Number` : Matching is performed on any identifier held against the profile, such as a Passport ID, VAT/Tax Number. Under `Matches and Blanks`, results also include profiles that hold no identifier.



A profile that holds a **different** identifier from the one you enter is returned only under `Mismatches` where you hold one identifier for an individual but the watchlist records another, so those are returned and a potential match is not missed.

You can change a field only where your **Compliance Officer** set that field to `User Defined`. The other organisation settings are read-only.

A field you leave blank narrows nothing, whichever scope applies.

**Exclude
Deceased
Persons**

Used for eliminating match results where the person is recorded as deceased.

The options are:

- **Yes** : Exclude deceased persons from matching results.
- **No** : Include deceased persons in matching results.

Web Search

Perform additional search for adverse media on third party search engines e.g. Google search. This is an independent search for adverse media to the existing adverse media sources within PEP and Sanctions

The options are:

- **Yes** : Run the scan on available search engines for adverse media.
- **No** : Do not run additional independent adverse media search.

**Advanced
Media
Search**

Perform advanced media search for recent news articles. This option provides additional AML/CTF risk to the existing adverse media sources within PEP and Sanctions profiles. Results may include article date of publication, author and article readership.

The options are:

- **Yes** : Run the scan for recent news media.
- **No** : Do not run scans for recent news media.

FATF Jurisdiction Risk	Perform additional search to include technical compliance and effectiveness ratings, based on FATF countries linked to matched profiles.
	The options are:

- **Yes** : Include FATF Jurisdiction Risk rating information.
- **No** : Do not include FATF Jurisdiction Risk rating information.

Watchlists	Scope of watchlist categories applied for the new scan. The available options are based on the Orgar
	The Compliance Officer can edit the list in Organisation Settings as well lock the editing of the list.

Running a Single Scan

PEP, Sanction and Adverse Media screening

To start screening an individual for PEP, sanctions and adverse media, the following are necessary information:

- **First Name and Last Name** or **Full Name** or **Original Script Name**
- **Client ID** (check conditions below)
- **Date of Birth** (check conditions below)
- **Country of Residence** (recommended)

Client ID

Formerly "Member Number". A unique reference identifier for the individual is required if you want to add the person for ongoing monitoring or perform due diligence.

You may use a Customer Reference or Client Account ID or any unique identifier for the person.

In cases where individuals do not have and never will have a Client ID, such as staff for example, arbitrary Client IDs can be used and prefixed by a letter, or letters, to distinguish them from your regular client base.

In cases where individuals may be allocated a unique identifier in the future, such as new clients for example, an arbitrary number should not be allocated. The prospect or client number that will be allocated to the individual when they become a 'new client' should be used as the Client ID for scanning and monitoring purposes. In this way due diligence decisions will be allocated to the real client number and subsequently the whitelist will also be appropriately applied to that Client ID.

Date of Birth

You do not have to enter a Date of Birth to run a scan. If you enter one, the **Matching Scope** that your **Compliance Officer** set for Date of Birth controls how widely it narrows the results.

The more information you are able to provide for the person will enable more targeted matches and improve the results returned.

Providing Scan Information

You can provide information of the individual in the following fields:

Field	Required	Field Limit	Description
-------	----------	-------------	-------------

First Name	Conditional	255 char	First name or Given name of the individual. This field is <i>Mandatory</i>, unless you are entering an Original Script Name or Full Name. Where only the initial of the first name is available, you can enter the letter followed by an asterisk. Example: • K* will return matching profiles containing first names such as Kay , Karim , Ken , Kennard , Kennedy , Kenneth , Kevin etc • Ken* will return matching profiles containing first names such as Ken , Kennard , Kennedy , Kenneth etc
Middle Name	Optional	255 char	If the individual has multiple middle names, enter all middle names separated by spaces.
Last Name	Conditional	255 char	Last Name or Surname or Family Name of the individual. This field is mandatory, unless you are entering an Original Script Name or Full Name. If the individual has a single mononymous name, enter the name in this field and enter a dash (-) in the First Name field.

Original Script Name/Full Name	Conditional	255 char	Non-Latin names such as Cyrillic, Hebrew, Chinese, Korean, Japanese, Arabic, Indian names etc in original script should be entered in this field due to different matching algorithms in the system. You can also enter Latin-based full name in this field if you are not able to separate the individual's name into First, Middle and Last, or if you are uncertain of the order of the First and Last Name. Unless you are entering the First and Last Name, this field is mandatory. This field can be hidden if the Original Script Search/Full Name setting is disabled by the Compliance Officer in the Organisation Settings.
Gender	Optional	-	Select from the drop-down list. Options are: • Male (M) • Female (F) • Unspecified (X)
Date of Birth	Optional	10 digits with "/" or 4 digits	Use the format DD/MM/YYYY or YYYY . Matching will be performed on date of birth or year of birth. If your Compliance Officer has enabled date of birth or year of birth tolerance, you will see additional options to specify the permitted year variations. This value applies to both before and after the birthdate. Enabling this tolerance disregards the specific day and month, returning matches within the specified year range.

Client ID	Conditional	100 char	Unique identifier for the individual such as Customer Reference Number or Account ID. This unique ID is associated with due diligence decisions and ongoing monitoring updates. Retaining the same Client ID for an individual will assist with tracking changes. This field is mandatory if the Compliance Officer has enabled the update monitoring list feature or if you have elected to perform due diligence and monitoring. If you do not have a Client ID to uniquely identify and track the individual, you are welcome to use the auto-generate function to suggest an identifier (✕).
Country of Residence	Optional	5 countries	Country of residence of the Individual. You can select up to 5 countries. Results will include profiles matching all specified locations as well as no known locations to minimise potential match exclusions. Ensure to select the Residence Policy for the categories you would like to apply the matching to.
Nationality	Optional	5 nationalities	Nationality or citizenship of the Individual. You can use this to search for dual citizenship and supports up to 5 nationalities.
ID Number	Optional	100 char	Use this field to refine and target your search for identification numbers like Passport Number, National ID, VAT/Tax Number, and Professional Registration Number.
Email Address	Optional	128 char	Optionally, enter an email address for the individual to run a check for compromised information in known data breaches. This search is provided as supplementary information about the individual and is not required as part of the AML KYC regulatory compliance checks.

Update Monitoring List	Optional	-	To add the member to ongoing monitoring, select this check box to add the member to the Monitoring List. Only members with a Client ID will be able to be monitored by the system. Where the Compliance Officer has set the monitoring settings to be automatically added during scans, you will be displayed an appropriate message. Any scans with a Client ID will automatically be added for ongoing monitoring. Note: This option is only visible if your organisation and user account is enabled for monitoring.
-------------------------------	----------	---	--

ID Verification (IDV)

Customer identity verification consists of 2 key processes: **ID Check** (document verification) and **FaceMatch** (biometric facial matching).

- ID Check - Verification of documentation information against multiple independent data sources including official government and commercial sources. This option supports [30+ countries](#) that provide verification against official data sources.

For verification in **Australia**, ID Check can use Australian government document verification and/or commercial data sources, and the documents you can verify depend on your organisation's ID Verification subscription (see the note below).

For countries **outside Australia**, ID Check now covers a wider range of countries and documents. This capability is available within the application interface and via the [API version 3](#).

- FaceMatch - Customer self-verification using biometric facial matching against government-issued documentation. This option recognises documents in 240+ countries and territories. FaceMatch now runs on the enhanced verification platform. As before, the verification request can be delivered to the individual by Email, SMS (see the note below), or a generated URL that you can share directly.

Australian ID Check Notes

Availability depends on your subscription and location

For Australian ID Check, the available sources and documents depend on your organisation's ID Verification subscription and location:

- Verification against Australian government sources are available to clients located in Australia and New Zealand only. Clients outside of Australia and New Zealand are able to access Australian commercial sources.
- **Passport** and **Driver's Licence** are supported across Australian government document verification.
- **Medicare** is available where Australian verification uses the **direct government document verification** service. This service returns the confidence-based **identity opinion** and not full detailed verification results.

If you are unsure which applies to your organisation, please contact your Account Manager.

Availability of SMS

At the time of documentation, some countries do not support the SMS option. In these cases, please use Email or the generated URL in your preferred delivery channel.

You can verify the identity of an individual using either or both options as part of the ID Verification service. If you do not see both options, the Compliance Officer of your organisation may have enabled only one of the options.

Notification when an ID Verification is completed

Your organisation can choose to be notified by email and/or webhook when an ID Verification is completed. This is configured in [Notification settings](#) and is switched off by default.

To screen an individual for ID Verification (name, address, date of birth), you will need the following to get started:

- **First Name and Last Name** or **Original Script Name** (check conditions below)
- **Date of Birth**
- **Mobile Number** and **Email Address** for biometric facial matching

When is Original Script Name required

The requirement for **First Name, Middle Name and Last Name**, or **Original Script Name** depends on the Country selected for verification via API v2 only.

All countries require First and Last Name, except China. If China is defined as the Country of verification, then the Original Script Name should be entered.

Methods for ID Verification and face matching

You can run the ID Verification on behalf of the individual or have the verification completed by the individual themselves. For biometric facial matching, this must be completed by the individual themselves.

Options:

- Run the verification yourself
- SMS the verification to the individual
- Email the verification to the individual

If you opt to run the verification yourself, you will be presented with the option to email the biometric facial matching to the individual within this process.

Providing Scan Information

You can fill in information of the individual in the following fields to initiate the ID Check and FaceMatch processes. Depending on the IDV option selected, you will be required to provide some information. For biometric face matching, the individual will need to complete the verification themselves on their own device or computer with a camera:

Field	Required	Field Limit	Description
Country of Verification	Required	-	Country for source of verification of the individual's details.
Mobile Number	Conditional	14 digits	If you have selected to SMS the verification, select the country prefix and enter the individual's mobile number to receive the SMS with a URL to complete the verification process.

Email Address	Conditional	128 characters	If you have selected to Email the verification, enter the individual's email address to receive the email with a URL to complete the verification process.
First Name	Required	255 char	First name or Given name of the individual. If there are multiple names for the given name, enter the first name into this field and the additional names into Middle Name.
Middle Name	Optional	255 char	If the individual has multiple middle names, enter all middle names separated by spaces.
Last Name	Required	255 char	Last Name or Surname or Family Name of the individual.
Original Script Name	Conditional	255 char	Script Name. This only applies to identity verifications for Chinese data sources.
Date of Birth	Optional	10	Enter the individual's date of birth in the format DD/MM/YYYY
Client ID	Optional	100 char	Unique identifier for the individual such as Customer Reference Number or Account ID for your own reference.

Validity of ID verification requests

All verification requests via email and SMS **expire after 7 days**.

You can run PEP & Sanction or ID Verification scans separately or combine both within a single scan.

Selecting these scan options will present relevant fields and filters for screening.

Your browser does not support the video tag.

If you have opted to send the verification for the individual to complete themselves, the email or SMS will contain your organisation name.

Examples of the Email and SMS received by the individual, "MOCK PASS", to perform the verification from company "MemberCheck Demo PEP IDV":



Hi MOCK PASS

MemberCheck Demo PEP IDV has requested that you verify your identity. To begin please click the button below.

[Start verification](#)

This request was sent from support@membercheck.com.

Today 12:55

Hi MOCK, MemberCheck Demo PEP IDV has requested that you verify your identity using the MemberCheck service. Please click on the link: <https://v-staging.realmaml.com/8721bc341b20459a90511113c481f457>, to begin. If you need assistance please email support@membercheck.com



Text Message



The **Verification URL** embedded in emails and SMSes are shortened, which enables you to access the link to the actual verification process.



Duplicate ID Verification detection

To minimise accidental duplicate scans for ID Verification which may send multiple SMS requests to your customer or applicant to verify themselves, the system has a built-in duplicate detection mechanism. This mechanism will detect for the same name (First, Middle, Last or Full Name) being scanned within a period of 24 hours within your organisation.

You can opt to continue or cancel to stop the duplicate scan.



Getting access to a demo account

If you would like to trial the ID Verification service, please contact your MemberCheck Account Manager or sales@membercheck.com

Risk Assessment

You have the option to perform additional assessment of your customer risk through a simple, structured process. When starting a new screening, you can select this service and answer key questions about your customer, their country of domicile and nationality, products and services offered, and screening outcomes. You will receive a calculated risk score, risk level, and actionable recommendation.

This option is available if your organisation has subscribed to the AML Risk assessment service. When activated, all authorised users of the service with screening permission have access to this feature.

To use this service, simply select the **Risk Assessment** option when you perform a new scan. You can combine this with new PEP & Sanctions scan, ID Verification scan, or run this as a standalone check.

✓ 1. Service

2. Risk Assessment

[< Previous Step](#)

The scan will be run for **Demo MemberCheck IDV** with Organisation ID **DEMOIDV2**.

First Name:

Required Field

Middle Name:

Last Name:

Required Field

Original Script Name or Full Name:

Client ID: ?

Note: Enter a unique reference for this scan.

Customer

What is the residency status of your client?

Please select - required

How do you interact with them?

Please select - required

What is their profession?

Please select - required

What is their sub-profession?

Please select - required

What is their source of funds?

Country

What is the nationality of your client?

Please select - required

What is their country of residence?

Please select - required

Product

What sort of product/service do you sell to your client?

Please select - required

How do you deliver your products/services to them?

Please select - required

Screening

Is your client a Politically Exposed Person (PEP) or a relative/close associate of a PEP?

☐ Yes
☒ No

Does your client's name appear on any sanctions list issued by the Central Bank or other international organisations such as the UN, EU, OFAC, etc.?

☐ Yes
☒ No

Is there any negative news (adverse media) concerning your client?

☐ Yes
☒ No

Check Risk

Clear

When you combine a Risk Assessment check with a PEP & Sanctions or IDV check, you will see the Risk Assessment tab displayed in the results section for additional information of the customer.

PEP, Sanctions & Adverse Media 3

Risk Assessment

Jurisdiction Risk 1

Media Search

Supporting Documents 0

First Name: John

Middle Name:

Last Name: Smith

Original Script/Full Name:

Client ID: DEMOIDV2.2114087505

Customer

What is the residency status of your client?

Please select - required

How do you interact with them?

Please select - required

What is their profession?

Please select - required

What is their sub-profession?

Please select - required

What is their source of funds?

Country

What is the nationality of your client?

Please select - required

What is their country of residence?

Please select - required

Product

What sort of product/service do you sell to your client?

Please select - required

How do you deliver your products/services to them?

Please select - required

Screening

Is your client a Politically Exposed Person (PEP) or a relative/close associate of a PEP?

☐ Yes
☒ No

Does your client's name appear on any sanctions list issued by the Central Bank or other international organisations such as the UN, EU, OFAC, etc.?

☐ Yes
☒ No

Is there any negative news (adverse media) concerning your client?

☐ Yes
☒ No

Check Risk

Clear

On completion of the questionnaire, you will see the individual scores for each of the questions for transparency and an overall summary of the risk-level and actionable recommendations as a guideline.

[PEP, Sanctions & Adverse Media](#) **3**
[Risk Assessment](#)
[Jurisdiction Risk](#) **1**
[Media Search](#)
[Supporting Documents](#) **0**

Download

Overall Risk Assessment

Result	Score	General Recommendations
Medium	11	Implement Standard Due Diligence (CDD) with periodic reviews. Monitor for unusual activity and reassess risk if circumstances change (e.g., geographic exposure), adhering to FATF's risk-based approach (Recommendation 1).

Risk Category	Question	Value	Risk Score
Customer	What is the residency status of your client?	Resident	1
	How do you engage with the organisation?	Face to Face	0
	What is their profession?	Employed	1
	What is their sub-profession?	IT Services and Software	1
	What is their source of funds?	Savings	0
Country	What is the nationality of your client?	Australia	2
	What is their country of residence?	Australia	2
Product	What will you be providing/receiving from this organisation?	Consulting Services	2
	How will the product/service be delivered to the respective party?	Online	2
Screening	Is your client a Politically Exposed Person (PEP) or a relative/close associate of a PEP?	No	0
	Does the organisation or any of its branches, subsidiaries, or affiliates appear on any sanctions lists issued by the Central Bank or other international organisations such as the UN, EU, OFAC, etc.?	No	0
	Is there any negative news (adverse media) concerning the organisation, its owners, board of directors or senior management?	No	0
Total Risk Score			11

Edit Risk Assessment

Your Compliance Officer may enforce the completion of a Risk Assessment check or set this to be optional during screening.

Quick How-To Guides

Screen by separate First, Middle and Last Name

Example of screening with **First Name**, **Middle Name**, **Last Name** and with a **Client ID** for monitoring and due diligence for recording of assessed risk.

Your browser does not support the video tag.

Screen by Full Name

Example of screening with **Full Name** and with a **Client ID** for monitoring and due diligence for recording of assessed risk.

Your browser does not support the video tag.

Screen by Original Script Name with additional web search

Example of screening with **Original Script Name** and with a **Client ID** for monitoring and due diligence for recording of assessed risk.

Your browser does not support the video tag.

Screen with additional web search

Example of screening with **First Name, Last Name** with the option to include additional web search.

Your browser does not support the video tag.

Screen without due diligence or monitoring

Example of screening with **First Name, Middle Name, Last Name** without monitoring and due diligence for the individual.

Your browser does not support the video tag.

Screen to exclude domestic PEPs

Example of screening with **First Name** and **Last Name** and the exclusion of domestic PEPs, in this example, Australia is defined in the list of countries in **PEP Jurisdiction - Exclude** in Organisation Settings.

Your browser does not support the video tag.

Run Customer ID Verification on behalf of the individual

Example of a document verification check (ID Check) on behalf of an individual. This option provides the quickest turnaround time for results. Results sometimes may take up to a few minutes for processing to complete.

Your browser does not support the video tag.

Result status of N/A or Not Available

If you only see statuses of **N/A** (not available) and do not see any conclusive results at the bottom of the screen, the verification process may still be in progress. In this case, navigate to the **Scan Results** screen to refresh and view the latest status, noting that it may take some time depending on the data sources and services.

Email Customer ID Verification to the individual

Example of a document verification check (ID Check) request to be sent to the individual to complete via email. Until the individual completes the verification, the status of this will remain as **Pending**

Your browser does not support the video tag.

Common Questions

What if the individual has a mononymous single name?

If the individual only has a mononymous name, you can either:

- A: Enter a dash **-** in the **First Name** field and enter the single name into the **Last Name** field, or
- B: Enter the name into the **Original Script/Full Name** field.

The first approach (A) will return results with profiles where it only contains the mononymous name, or where **Last Name** matches, whereas the latter approach (B) may return additional results where names containing the entered text are returned.

? Why can't I change the scan settings?

The Compliance Officer for your organisation may have preset the scan settings based on the organisation's risk and compliance obligations. For any changes to these settings, your Compliance Officer can review these settings at **Administration > Organisations > {Organisation Name} > Settings**.

? I do not see any monitoring options during scan

Your organisation or your user account is likely not enabled for the ongoing monitoring service.

Check with your organisation's Compliance Officer for access.


If you are a Compliance Officer or manage the MemberCheck service on behalf of your organisation, get in touch with your MemberCheck Account Manager or at sales@membercheck.com to enquire about this service.

Single Scans of Corporates

Permissions

Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor
					

You can screen for Sanction, Law Enforcement, Regulatory Enforcement and Adverse Media checks for a business or corporate via **Corporate Scan > Single Scan**.



Before Running a Scan

To perform a scan of a business or corporate, you will need to check or select the following before entering details:

1. Organisation

2. Scan service type

3. Scan settings

Organisation

If you are part of a multi-level organisation structure, select the organisation which you would like to run the check for from the drop-down list for **Organisation**.

If you are part of a single level organisation, you do not need to do anything for this step.

Scan Service Type

If your organisation and user account has been enabled with additional scan services, you have the option to select these services such as Know Your Business screening.

By default, **Sanctions and Adverse Media** is selected.

Scan Settings

There are settings provided to manage the scope and coverage of sanction screening as per your organisation's risk level compliance requirements.

 **Compliance Officers** can predetermine and preset these settings or set them to be user defined to enable the settings to be changed during scanning. These settings are defined in the [Organisation Settings](#).

Scan Setting Details and Description

Option	Description
--------	-------------

Name Used to determine how closely a watchlist profile must match the company name before being consi
Match Type

Stopwords (i.e. incorporated, pty) are ignored and excluded from matching. Special characters (except punctuation) are ignored in **Close** name match scans. Spaces and hyphens are ignored.

Exact

Scan results show matches where the watchlist record name is exactly the same as that entered in th

Close

Scan results show matches where the watchlist record name is matched based on phonetic matching

Match Rate If **Close** Name Match Type is selected, this can be used to control the results by setting a match rate. A higher threshold will return results with minor variations in the name whereas a lower threshold will

Example 1: The name **Greenoil** at various thresholds could return these variations:

- **100%:** Greenoil
- **80%:** Greenoil
- **50%:** Greenoil, Greenwill, Greenlay, Greenhill
- **30%:** Greenoil, Greenwill, Greenlay, Greenhill, Greenall, Greenhall, Greenwell, Greenl
- **10%:** Greenoil, Greenwill, Greenlay, Greenhill, Greenall, Greenhall, Greenwell, Greenl
Cornwall etc

Example 2: The name **Bayer** at various thresholds:

- **100%:** Bayer
- **80%:** Bayer
- **50%:** Bayer, Baer, Payeer
- **30%:** Bayer, Baer, Payeer, Bauer, Beyer, Bower, Buyer, Beer, Veier
- **10%:** Bayer, Baer, Payeer, Bauer, Beyer, Bower, Buyer, Beer, Veier, Bayard, Barre, Bea

Whitelist Policy If Due Diligence has previously been carried out, profiles marked as **No Match** are whitelisted, and can eliminate match results previously determined to not be a true match.

This option requires an **Client ID** to be associated with the company during scanning for identification.

The options are:

- **Apply** : Whitelisted profiles marked as **No Match** for the company being scanned are excluded from results.
- **Ignore** : Display all results regardless of previous due diligence decisions.

Country of Operation Policy Used for matching the Country of the company with the locations associated with the matching profile field when scanning for the corporate entity.

The options are:

- **Apply to All** : Apply the matching of country.
- **Ignore** : Display all results regardless of whether the country matches with the profiles.

Default Country of Operation Used for nominating a Country of Operation where a country cannot be identified. For addresses which **Country of Operation** has been nominated, it will be automatically assigned to the corporate entity as the Country of Operation. This setting is defined by the Compliance Officer in the **Organisation Settings**.

Apply to blank Addresses Used in conjunction with **Country of Operation Policy** and **Default Country of Operation**. This is used to find any of the Locations in the matching entity's profile.

This option applies the preset Default Country of Operation to blank addresses during Sanction scans.

Matching Scope

Sets how widely the **Registration Number** narrows the results of this scan.

The options are, from the narrowest to the widest:

- **Matches only** : Return only profiles whose registration number matches the value you enter.
- **Matches and Blanks** : Also return profiles that hold no identifier.
- **Mismatches** : Also return profiles whose registration number disagrees, flagged as unmatched.

Matching is performed on any identifier held against the profile, such as a Business Registration Num



A profile that holds a **different** identifier from the one you enter is returned only under **Mismatch** the watchlist records another, so those profiles are still returned and a potential match is not missed.

You can change the scope only where your **Compliance Officer** set the field to **User Defined** . Otherw

A blank field narrows nothing, whichever scope applies.

This setting replaces the **Ignore Blank Policy**. See [Manage Organisation](#).

Web Search (Adverse Media)

Extend the search for additional adverse media on Google.

The options are:

- **Yes** : Run the scan on available search engines for adverse media.
- **No** : Do not run additional adverse media search.

Advanced Media Search Perform advanced media search for recent news articles. This option provides additional AML/CTF and Sanctions profiles. Results may include article title, source name, date of publication, author and article content.

The options are:

- **Yes** : Run the scan for recent news media.
- **No** : Do not run scans for recent news media.

FATF Jurisdiction Risk Perform additional search to include technical compliance and effectiveness ratings, based on FATF Jurisdiction Risk ratings.

The options are:

- **Yes** : Include FATF Jurisdiction Risk rating information.
- **No** : Do not include FATF Jurisdiction Risk rating information.

Watchlists Scope of watchlist categories applied for the new scan. The available options are based on the Organisations in the system.

The **Compliance Officer** can edit the list in **Organisation Settings** as well lock the editing of the list.

Running a Single Scan

Sanction and Adverse Media screening

To start screening a company, the following are necessary information:

- **Company Name**
- **Client ID** (check conditions below)

Optional

- **Registration Number**
- **Country of Operation**

Client ID

Formerly "Entity Number". A unique reference number or profile name for the company is required if you want to add the company for ongoing monitoring or perform due diligence.

You may use a Company Reference or Account ID or a profile name to keep track of this entity.

In cases where a company may be allocated an account number in the future, such as new clients for example, an arbitrary number should not be allocated. The prospect or company number that will be allocated to the company when they become a 'new client' should be used as the Client ID for scanning purposes. This way, due diligence decisions will be allocated to the account and subsequently the whitelist will also be appropriately applied to that Client ID.

Providing Scan Information

You can provide information of the company in the following fields:

Field	Required	Field Limit	Description
Company Name	Mandatory	255 char	This field is <i>Mandatory</i>. Text which falls within the stopwords will be ignored e.g. <code>incorporated</code> and <code>pty</code>. Stopwords can be customised within the Organisation administration settings. Wildcard search is supported if you are uncertain of the company suffix. Append the asterisk (<code>*</code>) to the end of the company name.
Registration Number	Optional	100 char	Company's unique identifier including Business Registration Number, OFAC Unique ID, SIC Number, DUNS number, VAT/ Tax Number, and IMO number for shipping vessels. The Registration Number entered is used in the matching process.

Country of Operation	Optional	5 countries Batch File and API: 255 char	Select the country of operation or registration from the drop-down list. You can select up to 5 countries. Only profiles with locations matching all entered countries will be returned. Results may include profiles with no location data. Ensure to select the Country of Operation Policy to apply the matching.
Client ID	Conditional	100 char	Unique identifier for the company such as Company Reference Number or Account Number or profile name. This unique ID is associated with due diligence decisions and ongoing monitoring updates. Retaining the same Client ID for the company will assist with tracking of changes. This field is mandatory if the Compliance Officer has enabled the update monitoring list feature or if you have elected to record due diligence decisions and monitoring. If you do not have a Client ID to uniquely identify and track the company, you are welcome to use the auto-generate function to suggest an identifier ().

Wildcard search for Company Names

If you are uncertain of the official or full entity name including the suffix, or if there are additional branch or division information which may be included in the company name, you may use the wildcard search by appending an asterisk () to the end of the name.

For example, searching for **Bank of America *** will match with the following profiles:

- Bank of America
- Bank of America Corporation
- Bank of America Hawaii
- Bank of America Investment Services
- Bank of America N.A.

- Bank of America, National Association etc.

Know Your Business

The Know Your Business verification consists of 2 processes: Know Your Business (verify company details) and Ultimate Beneficial Owner (identify shareholders and beneficial owners of the business).

To run a business check for a company, you will need the following to get started:

- **Company Name** or business **Registration Number**
- **Jurisdiction of Registry (Country or Country-State)**

Searching by Registration Number

The ability to search by Registration Number is dependent on the jurisdiction registry and is not within the control of MemberCheck.

Providing Scan Information

You can provide information of the individual in the following fields:

Field	Required	Field Limit	Description
Country	Required	-	Jurisdiction or Country where the business is registered in.
State	Mandatory	-	Some countries have different jurisdictions separated by state e.g. United States - Alaska, Canada - British Columbia etc
Company Name	Conditional	255 char	Name of business. This field is <i>Mandatory</i> , unless you are entering a Registration Number .
Registration Number	Conditional	100 char	Business registration number. This field is <i>Mandatory</i> , unless you are entering a Company Name .

You can run the Sanction scans or Know Your Business scans separately or together within a single scan.

After running a scan for Know Your Business and having identified the correct profile matching your search, you will need to request for the relevant information for your verification to complete the KYB scan:

- Request for the specific documents - All historical documents available of the business from the jurisdiction registry will be available for selection.
- Request for company details and UBO - Enhanced profile details including shareholders and beneficial owners.

Ensure you complete the KYB process

If you do not complete either of these 2 actions above, you will only be able to view the company searched without any supporting information or evidence for verification.

1. Search for a company

After searching for a company, you will be presented with company profiles matching your search.

2. Request for documentation

Once you have identified the company record you are searching for, select **View Document** to see a list of available documents from the jurisdiction registry. Each document will display the associated cost where you can request and download the document.

Sample reports of the various types of documents can be previewed before purchasing. Where sample reports are available, you will see a pop-up tooltip when hovering your mouse over the Document Title. Click on the Document Title to preview the PDF.

Document availability

Most of these documents may take some time to be delivered from the registry. Please give this process some time before checking the **Scan Results** screen for access to the documents.

3. Request for company details and UBO

Within each company profile, there is the option to request for additional company details that contain shareholders and beneficial owners. Select **Get Details and UBO** to request the enhanced company profile.

Availability of UBO information

Though we strive to provide this information for as many jurisdictions as possible, it may not be available for all, and there could be instances where it is unavailable.

Risk Assessment

You have the option to perform additional assessment of your customer risk through a simple, structured process. When starting a new screening, you can select this service and answer key questions about the organisation including their country of incorporation, residence of shareholders/partners and identification of high-risk countries for business activities, products and services offered, and screening outcomes. You will receive a calculated risk score, risk level, and actionable recommendation.

This option is available if your organisation has subscribed to the AML Risk assessment service. When activated, all authorised users of the service with screening permission have access to this feature.

To use this service, simply select the **Risk Assessment** option when you perform a new scan. You can combine this with new Sanctions & Adverse Media scan, Know Your Business scan, or run this as a standalone check.

✓ 1. Service

2. Risk Assessment

[< Previous Step](#)

The scan will be run for **MemberCheck Demo Co** with Organisation ID **MCDEMO**.

Company Name:

Required Field

Client ID: ?

Note: Enter a unique reference for this scan.

Customer

What is the legal status of the organisation?

Please select - required

How do you engage with the organisation?

Please select - required

Organisation's Other Status

What industry is this organisation a part of?

Please select - required

Country

In which country was this organisation incorporated?

Please select - required

Country of residence of Shareholder(s) or Partner(s).

Please select - required

Please list any high-risk countries involved in the majority of your business activities (i.e., more than 40% of total transactions). ?

Please list any FATF-listed sanctioned or high-risk countries where your organisation has branches, subsidiaries, or affiliates. ?

Product

What will you be providing/receiving from this organisation?

Please select - required

How will the product/service be delivered to the respective party?

Please select - required

Screening

Are there any Politically Exposed Persons (PEPs) or their relatives, or close associates (RCA) among the organisation's owners, board of directors or senior management?

☐ Yes
☒ No

Are there any sanctions hits on the organisation, its owners, board of directors or senior management?

☐ Yes
☒ No

Does the organisation or any of its branches, subsidiaries, or affiliates appear on any sanctions lists issued by the Central Bank or other international organisations such as the UN, EU, OFAC, etc.?

☐ Yes
☒ No

Is there any negative news (adverse media) concerning the organisation, its owners, board of directors or senior management?

☐ Yes
☒ No

Check Risk

Clear

When you combine a Risk Assessment check with a Sanctions & Adverse Media or KYB check, you will see the Risk Assessment tab displayed in the results section for additional information of the customer.

Copyright ©2019 Member Check Pty Ltd. All rights reserved.

Document Version: V10.5.3:1 | Last updated: 13 September 2026

Page 14

Sanctions & Adverse Media 0
Risk Assessment
Jurisdiction Risk 0
Media Search
Supporting Documents 0

Company Name: Petite Red Bird Pte Ltd
Client ID: MCDEMO.2127575902

Customer

What is the legal status of the organisation?
Please select - required

Organisation's Other Status

How do you engage with the organisation?
Please select - required

What industry is this organisation a part of?
Please select - required

Country

In which country was this organisation incorporated?
Please select - required

Country of residence of Shareholder(s) or Partner(s).
Please select - required

Please list any high-risk countries involved in the majority of your business activities (i.e., more than 40% of total transactions). ?

Please list any FATF-listed sanctioned or high-risk countries where your organisation has branches, subsidiaries, or affiliates. ?

Product

What will you be providing/receiving from this organisation?
Please select - required

How will the product/service be delivered to the respective party?
Please select - required

Screening

Are there any Politically Exposed Persons (PEPs) or their relatives, or close associates (RCA) among the organisation's owners, board of directors or senior management?
☐ Yes ☒ No

Does the organisation or any of its branches, subsidiaries, or affiliates appear on any sanctions lists issued by the Central Bank or other international organisations such as the UN, EU, OFAC, etc.?
☐ Yes ☒ No

Are there any sanctions hits on the organisation, its owners, board of directors or senior management?
☐ Yes ☒ No

Is there any negative news (adverse media) concerning the organisation, its owners, board of directors or senior management?
☐ Yes ☒ No

Check Risk
Clear

On completion of the questionnaire, you will see the individual scores for each of the questions for transparency and an overall summary of the risk-level and actionable recommendations as a guideline.

Sanctions & Adverse Media 0
Risk Assessment
Jurisdiction Risk 0
Media Search
Supporting Documents 0

Download

Overall Risk Assessment

Result	Score	General Recommendations
Medium	13	Implement Standard Due Diligence (CDD) with periodic reviews. Monitor for unusual activity and reassess risk if circumstances change (e.g., geographic exposure), adhering to FATF's risk-based approach (Recommendation 1).

Risk Category	Question	Value	Risk Score
Customer	What is the legal status of the organisation?	Private	2
	How do you engage with the organisation?	Both	3
	What industry is this organisation a part of?	Retail & Wholesale	1
Country	In which country was this organisation incorporated?	United Kingdom	2
	Please list any high-risk countries involved in the majority of your business activities (i.e., more than 40% of total transactions).	None	0
	Please list any FATF-listed sanctioned or high-risk countries where your organisation has branches, subsidiaries, or affiliates.	None	0
	Country of residence of Shareholder(s) or Partner(s).	United Kingdom	2
Product	What will you be providing/receiving from this organisation?	Consulting Services	2
	How will the product/service be delivered to the respective party?	Relationship Manager	1
Screening	Are there any Politically Exposed Persons (PEPs) or their relatives, or close associates (RCA) among the organisation's owners, board of directors or senior management?	No	0
	Does the organisation or any of its branches, subsidiaries, or affiliates appear on any sanctions lists issued by the Central Bank or other international organisations such as the UN, EU, OFAC, etc.?	No	0
	Are there any sanctions hits on the organisation, its owners, board of directors or senior management?	No	0
	Is there any negative news (adverse media) concerning the organisation, its owners, board of directors or senior management?	No	0
Total Risk Score			13

Edit Risk Assessment

Your Compliance Officer may enforce the completion of a Risk Assessment check or set this to be optional during screening.

Quick How-To Guides

Screen by Company Name and Registration Number

Your browser does not support the video tag.

Screen by Company Name with additional web search and jurisdiction risk check

Your browser does not support the video tag.

Run a Know Your Business check

Run a business check to verify and understand the company using the Know Your Business (KYB) and Ultimate Beneficial Owner (UBO) features.


Your browser does not support the video tag.

Batch Scans for Individuals

Permissions

Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor
					

You can screen for PEP & Sanction, Law Enforcement, Regulatory Enforcement and Adverse Media checks for individuals in volume via **Individual Scan > Batch Scan**.



Before Running a Scan

To perform a batch scan of individuals, you will need to check or select the following, and have your CSV or XML batch file prepared:

1. Organisation
2. Scan settings
3. Batch file in **CSV** or **XML** format (UTF-8 encoded recommended)



CSV or XML batch file templates

To help you get started, you can [download CSV and XML templates and sample batch files here](#).



CSV vs structured spreadsheets

CSV (Comma-Separated Values) and structure spreadsheet files (e.g. XLSX from Microsoft Excel) are both used to store tabular data, but serve different purposes. CSV files are simple, plain-text files with data separated by commas, making them universally compatible across different systems and applications. In contrast, XLSX files are more complex, supporting advanced features like formatting, formulas, and multiple worksheets. When importing data into our system, using the standard CSV format ensures clean, straightforward data transfer, preventing potential import errors caused by complex spreadsheet elements.

Organisation

If you are part of a multi-level organisation structure, select the organisation which you would like to run the check for from the drop-down list for **Organisation**.

If you are part of a single level organisation, you do not need to do anything for this step.

Scan Settings

There are multiple settings provided to manage the scope and coverage of PEP & Sanction screening as per your organisation's risk level compliance requirements.



Compliance Officers can predetermine and preset these settings or set them to be user defined to enable the settings to be changed during scanning. These settings are defined in the [Organisation Settings](#).

Scan Setting Details and Description

Option	Description
--------	-------------

Name Match Type Used to determine how closely a watchlist profile must match a person's name before being considered a match. The options are `Exact`, `Exact (Including Middle Name)` or `Close`.

Exact

Scan results return matches where the First and Last Name match exactly. Middle names are also taken into account. Middle Name matching does not eliminate watchlist entities with no middle name. Scan results include:

- The First and Middle and Last Name match exactly.
- The First and Last Name match exactly and the watchlist record Middle Name contains the Middle Name.
- The First and Last Name match exactly and the watchlist record has no Middle Name.
- The First and Last Name match exactly and the Middle Name does not match.

Exact (Including Middle Name)

- The First and Middle and Last Name match exactly.
- The First and Last Name match exactly and the watchlist record Middle Name contains the Middle Name.
- The First and Last Name match exactly and the watchlist record has no Middle Name.

Close

- The First Name and Last Name match based on a phonetic matching algorithm (similar sounding names). Middle Names are ignored.

**DOB
Tolerance
(Years)**

Used to enable tolerance of date of birth variations based on years. This value applies to both before birthdate. Specifying this tolerance disregards the specific day and month to return matches within th

You will only see this option if your Compliance Officer has enabled this setting for your organisation.

Match Rate If **Close** Name Match Type is selected, this can be used to control the results by setting a match rate

A higher threshold will return results with minor variations whereas a lower threshold will return larger sound of the name.

Example: The name **John** at various thresholds:

- **100%:** John .
- **80%:** John , Johnnie , Johnny .
- **50%:** John , Johnnie , Johnny , Jon , Joan , Jonah , Jean , Jan , Joanne , Joanna , Janie , Gena ,
- **1%:** John , Johnnie , Johnny , Jon , Joan , Jonah , Jean , Jan , Joanne , Joanna , Janie , Gena , (Jayne , Juan etc.

Example: The first name and last name **Richard JOHN** at various thresholds (asterisk indicates exists in middle name or last name and may not contain **Richard** or **John**):

- **100%:** Richard JOHN , Richard * JOHN , John RICHARD , John * RICHARD , Richard John * .
- **80%:** Richard JOHN , Richard * JOHN , John RICHARDS , John * RICHARDS , John RICHARDSON , John REICHARDT .
- **50%:** Richard JOHN , Richard * JOHN , Richard John * , John Richard * , John * RICHARD , John * RICHARDS , John RICHARDSON , John * RICHARDSON , John REICHARDT , Jon RICHARDS , Johnny RICHARDSON , * John RICHARDS , John ROCHARD , Joan RICHARDS etc.
- **1%:** Richard JOHN , Richard * JOHN , Richard John * , * Richard JOHN , John Richard * , John RICHARDS , John * RICHARDS , John RICHARDSON , John * RICHARDSON , John REICHARDT , Jon RICHARDSON , Johnny RICHARDS , Johnny RICHARDSON , * John RICHARDS , John ROCHARD , Joan RICHARD , Joanne RICHARD , Joanne RICHARDS , Joanne RICHARDSON , Richard JANE , Jayne RICHARD , Jean-Pierre RICHARD , Jean-paul RICHARD , June RICHARD , June RICHARDS , June RICHARDSON , Richard GENAO , Richard GIANNI . Juan RICHARTE etc.

Whitelist Policy

If Due Diligence has previously been carried out, profiles marked as **No Match** are whitelisted, and can be excluded from being returned. This can help eliminate match results previously determined to not be

This option requires a **Client ID** to be associated with the person.

The options are:

- **Apply** : Whitelisted profiles marked as **No Match** for the person being scanned are excluded and
- **Ignore** : Display all results regardless of previous due diligence decisions.

(Country of Residence Policy

Used for matching the Country in the Address of the person with the locations associated with the match. This option requires the Country to be specified in the Address field when scanning for the person.

The options are:

- **Apply to All** : Apply the matching of country to all profiles for all categories.
- **Apply to PEP** : Apply the matching of country only to profiles with the category **PEP** (Politically Exposed Person).
- **Apply to POI** : Apply the matching of country only to profiles with the category **POI** (Profile of Interest).
- **Apply to RCA** : Apply the matching of country only to profiles with the category **RCA** (Relatives and Close Associates).
- **Apply to SIP (incl. TER)** : Apply the matching of country only to profiles with the category **SIP** (Sanctioned Individual Person), which includes **Terrorism**.
- **Ignore** : Display all results regardless of whether the country matches with the profiles.



If you want to apply the defined PEP Jurisdiction Inclusion or Exclusion list, do not check **Apply**

Default Country of Residence Used for nominating a Country of Residence for an individual's address where a country cannot be identified, which are not blank but do not contain an identifiable country, if a **Default Country of Residence** has been defined, it will be automatically assigned to the individual as the Country of Residence.

This setting is defined by the Compliance Officer in the **Organisation Settings**.

Apply to blank Addresses Used in conjunction with **Residence Policy** and **Default Country of Residence**, this is used for eliminating blank addresses where the individual's Country of Residence is not found in any of the Locations in the matching entity's Country of Residence. This option applies the preset Default Country of Residence to blank addresses during PEP and Sanctions screening.

PEP Jurisdiction This setting filters PEP and RCA profiles based on defined jurisdictions for inclusion or exclusion, and filtering domestic PEPs.

To use this setting, ensure **Apply to PEP** in the **Residence Policy** is unchecked.

The settings available are based on the organisation settings defined by the Compliance Officer and can be set to Exclude, Include or Ignore:

- **Exclude** : Exclude from matching, PEPs and RCAs with locations within the defined PEP Jurisdiction.
- **Include** : Include in matching, PEPs and RCAs with locations within the defined PEP Jurisdiction.
- **Ignore** : Ignore any exclusion or inclusion of PEP jurisdictions.

If no jurisdictions are defined, this will behave the same way as **Ignore**.

**Exclude
Deceased
Persons**

Used for eliminating match results where the person is recorded as deceased.

The options are:

- **Yes** : Exclude deceased persons from matching results.
- **No** : Include deceased persons in matching results.

**FATF
Jurisdiction
Risk**

Perform additional search to include technical compliance and effectiveness ratings, based on FATF | countries linked to matched profiles.

The options are:

- **Yes** : Include FATF Jurisdiction Risk rating information.
- **No** : Do not include FATF Jurisdiction Risk rating information.

Watchlists

Scope of watchlist categories applied for the new scan. The available options are based on the Orgar

The **Compliance Officer** can edit the list in **Organisation Settings** as well lock the editing of the list.

Matching Scope

Sets how widely each field narrows the results of this batch. A scope applies to `DOB` , `Gender` , `Nationality` , `ID Number` .

The options are, from the narrowest to the widest:

- `Matches only` : Return only profiles whose value matches the value supplied in the batch file.
- `Matches and Blanks` : Also return profiles that hold no value for this field.
- `Mismatches` : Also return profiles whose value disagrees, flagged as unmatched.

What the scope does for each field:

- `DOB` : Matching is performed on the date of birth or the year of birth. Where your **Compliance Officer** has set a tolerance, the year comparison is widened by the permitted variation.
- `Gender` : Under `Matches and Blanks` , results also include entities with no gender recorded, or a value of `Unknown` .
- `Nationality` : A profile matches if it holds any one of the nationalities supplied. Under `Matches` , results also include profiles with no known nationality.
- `ID Number` : Matching is performed on any identifier held against the profile, such as a Passport Number, VAT/Tax Number. Under `Matches and Blanks` , results also include profiles that hold no identifier.



A profile that holds a **different** identifier from the one supplied is returned only under `Mismatches` where you hold one identifier for an individual but the watchlist records another, so those are returned and a potential match is not missed.

You can change a field only where your **Compliance Officer** set that field to `User Defined` . The other organisation settings are read-only.

The scope you select applies to the whole batch file. A field left blank in the batch file narrows nothing.

Scan Service

You have the option to perform AML risk assessments of your customers through a simple, structured process. When starting a new batch scan, you can select the service during the batch file upload screen. This will activate the Risk Assessment tab in the Batch Scan Results screen on completion of the batch processing.

This option is available if your organisation has subscribed to the AML Risk assessment service. When activated, all authorised users of the service with screening permission have access to this feature.

⚠ Accessing Risk Assessment check for batch scans

You must select the **Risk Assessment** scan service at the start of the batch file processing in order to use this feature. Otherwise, this tab will not be visible in the **Scan Results** or **Batch Scan Results** screens.

Scan Settings:

Name Match Type: Exact	DOB Tolerance (Years): 0	Whitelist Policy: Apply	PEP Jurisdiction: Exclude: None	Residence Policy: All
Default Country of Residence: Not Specified	Exclude Deceased Persons: Yes	FATF Jurisdiction Risk: Yes	Watchlists: PEP, POI, RCA, SIP, Official Lists	

Scan Service:

☒ Risk Assessment

The batch file will be run for **MemberCheck Demo Co** with Organisation ID **MCDEMO**

Upload a CSV or XML Batch File:

Drag and drop a file here or click

Preparing Your Batch File

Please refer to the section [Batch Files](#) for details of the batch file formatting.

Running a Batch Scan

To start screening for multiple individuals using a batch file, the following are necessary information:

- **Organisation ID**
- **First Name and Last Name** or **Full Name** or **Original Script Name**
- **Client ID** (check conditions below)
- **Date of Birth** (check conditions below)

Client ID

Formerly "Member Number". A unique reference identifier or profile name for the individual is required if you want to add the person for ongoing monitoring or perform due diligence.

You may use a Customer Reference or Client Account ID or any unique identifier for the person.

In cases where individuals do not have and never will have a Client ID, such as staff for example, arbitrary Client IDs can be used and prefixed by a letter, or letters, to distinguish them from your regular client base.

In cases where individuals may be allocated a Client ID in the future, such as new clients for example, an arbitrary number should not be allocated. The client number that will be allocated to the individual when they become a 'new client' should be used as the Client ID for scanning purposes. In this way, due diligence decisions will be allocated to the real client identifier and subsequently the whitelist will also be appropriately applied to that Client ID.

Date of Birth

You do not have to supply a Date of Birth for a batch record to be processed. If you supply one, the **Matching Scope** that your **Compliance Officer** set for Date of Birth controls how widely it narrows the results. This replaces the **Ignore Blank DOB** policy.

The more information you are able to provide for the person will enable more targetted matches and improve the results returned.

Batch files are processed asynchronously. Once the system has completed the upload, it will process the file in the background, enabling you to navigate to other areas of the site, or start uploading another batch file.

Quick How-To Guides

Upload and scan batch file

Upload a CSV, XML or ZIP of the batch file and preview the contents of the file before running the scan. The formatting of the batch file will be validated during this process.

Your browser does not support the video tag.

Duplicate entries and Client ID detection in batch files

Preprocessing of batch files include detection of duplicate entries and Client IDs **within the same batch file**. If the batch validation setting is turned off, duplicate entries will be ignored and excluded from processing. If the validation setting is turned on, the system will not proceed until the duplicates are removed or corrected.

Your browser does not support the video tag.

Errors with batch file

Upload a batch file (CSV, XML or ZIP of CSV or XML file) and preview the contents of the file before running the scan.

If there are formatting issues with the batch file, these specific cells will be highlighted for correction in your CSV or XML file, or the source which generated the files. Duplicate entries and Client IDs are also detected and highlighted for your attention. From this screen, you may choose **Close** to stop the batch scan process until the file is corrected, or **Scan Anyway** to ignore the problematic entries and proceed with the scan.

Batch file validation

The preview shows two kinds of feedback on your file:

Errors identify records that cannot be screened reliably and are excluded from the scan. These include formatting or structural issues, a placeholder value such as `N/A` in a **name** field (a usable name is required for screening), and corrupted or unreadable characters caused by incorrect file encoding (for example, `?` or `◆`); saving the file in UTF-8 resolves encoding issues. Duplicate entries, where duplicate validation is enabled, must be resolved before you can proceed.

Warnings are advisory and the record is still scanned. They identify entries that are valid in format but may produce incorrect matches or no matches in your screening results, such as very short names, address fields containing only numbers or dates, unrecognised gender values, or a placeholder value such as `N/A` in a field other than a name.

In the web interface, errors and warnings are shown in the preview, where you can choose **Close** to re-upload the corrected file, or **Scan Anyway** to proceed. The error checks also apply to batch files submitted through the API: records with errors are reported in the batch result and excluded, and the batch finishes with a "Completed with errors" status. The advisory warnings are shown in the web interface preview only.

If you are unable to proceed to scan the batch file, your organisation settings may be stopping you from doing so. Please check the **Batch Setting** as described in [Administration > Manage Organisation](#).

Your browser does not support the video tag.

View results of batch scan

On completion of the batch scan you may opt to run another batch scan if you have multiple files or view results of the batch scan. Results of batch scans are available in **Individual Scan > Batch Scan Results**

Your browser does not support the video tag.

Common Questions

Why can't I change the scan settings?


The Compliance Officer for your organisation may have preset the scan settings based on the organisation's risk and compliance obligations. For any changes to these settings, your Compliance Officer can review these settings at **Administration > Organisations > {Organisation Name} > Settings**.

Batch Scans for Corporates

Permissions

Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor
					

You can screen for Sanction, Law Enforcement, Regulatory Enforcement and Adverse Media checks for companies in volume via **Corporate Scan > Batch Scan**.



Before Running a Scan

To perform a batch scan of companies, you will need to check or select the following, and have your CSV or XML batch file prepared:

1. Organisation
2. Scan settings
3. Batch file in **CSV** or **XML** format (UTF-8 encoded recommended)



CSV or XML batch file templates

To help you get started, you can [download CSV and XML templates and sample batch files here](#).



CSV vs structured spreadsheets

CSV (Comma-Separated Values) and structure spreadsheet files (e.g. XLSX from Microsoft Excel) are both used to store tabular data, but serve different purposes. CSV files are simple, plain-text files with data separated by commas, making them universally compatible across different systems and applications. In contrast, XLSX files are more complex, supporting advanced features like formatting, formulas, and multiple worksheets. When importing data into our system, using the standard CSV format ensures clean, straightforward data transfer, preventing potential import errors caused by complex spreadsheet elements.

Organisation

If you are part of a multi-level organisation structure, select the organisation which you would like to run the check for from the drop-down list for **Organisation**.

If you are part of a single level organisation, you do not need to do anything for this step.

Scan Settings

There are multiple settings provided to manage the scope and coverage of Sanction screening as per your organisation's risk level compliance requirements.

 **Compliance Officers** can predetermine and preset these settings or set them to be user defined to enable the settings to be changed during scanning. These settings are defined in the [Organisation Settings](#).

Scan Setting Details and Description

Option	Description
--------	-------------

Name Used to determine how closely a watchlist profile must match a company's name before being consid
Match Type The options are `Exact` or `Close` .

Exact

Scan results return matches where the Company Name matches exactly.

Close

Scan results show matches where the watchlist record name is matched based on phonetic matching

Match Rate If **Close** Name Match Type is selected, this can be used to control the results by setting a match rate. A higher threshold will return results with minor variations whereas a lower threshold will return larger variations.

Example 1: The name **Greenoil** at various thresholds could return these variations:

- **100%:** Greenoil
- **80%:** Greenoil
- **50%:** Greenoil, Greenwill, Greenlay, Greenhill
- **30%:** Greenoil, Greenwill, Greenlay, Greenhill, Greenall, Greenhall, Greenwell, Greenl
- **10%:** Greenoil, Greenwill, Greenlay, Greenhill, Greenall, Greenhall, Greenwell, Greenl
Cornwall etc

Example 2: The name **Bayer** at various thresholds:

- **100%:** Bayer
- **80%:** Bayer
- **50%:** Bayer, Baer, Payeer
- **30%:** Bayer, Baer, Payeer, Bauer, Beyer, Bower, Buyer, Beer, Veier etc
- **10%:** Bayer, Baer, Payeer, Bauer, Beyer, Bower, Buyer, Beer, Veier, Bayard, Barre, Bea

**Whitelist
Policy**

If Due Diligence has previously been carried out, profiles marked as **No Match** are whitelisted, and can be excluded from results previously determined to not be a true match.

This option requires a **Client ID** to be associated with the company.

The options are:

- **Apply** : Whitelisted profiles marked as **No Match** for the company being scanned are excluded from results.
- **Ignore** : Display all results regardless of previous due diligence decisions.

**FATF
Jurisdiction
Risk**

Perform additional search to include technical compliance and effectiveness ratings, based on FATF Jurisdiction Risk.

The options are:

- **Yes** : Include FATF Jurisdiction Risk rating information.
- **No** : Do not include FATF Jurisdiction Risk rating information.

Watchlists

Scope of watchlist categories applied for the new scan. The available options are based on the Organisations selected.

The **Compliance Officer** can edit the list in **Organisation Settings** as well lock the editing of the list.

Matching Scope

Sets how widely the `Registration Number` narrows the results of this batch.

The options are, from the narrowest to the widest:

- `Matches only` : Return only profiles whose registration number matches the value supplied in the
- `Matches and Blanks` : Also return profiles that hold no identifier.
- `Mismatches` : Also return profiles whose registration number disagrees, flagged as unmatched.

Matching is performed on any identifier held against the profile, such as a Business Registration Num



A profile that holds a **different** identifier from the one supplied is returned only under `Mismatche` watchlist records another, so those profiles are still returned and a potential match is not missed.

You can change the scope only where your **Compliance Officer** set the field to `User Defined`. Otherw

The scope you select applies to the whole batch file. A blank field in the batch file narrows nothing, w

This setting replaces the **Ignore Blank Policy**. See [Manage Organisation](#).

Scan Service

You have the option to perform AML risk assessments of your customers through a simple, structured process. When starting a new batch scan, you can select the service during the batch file upload screen. This will activate the Risk Assessment tab in the Batch Scan Results screen on completion of the batch processing.

This option is available if your organisation has subscribed to the AML Risk assessment service. When activated, all authorised users of the service with screening permission have access to this feature.

⚠ Accessing Risk Assessment check for batch scans

You must select the **Risk Assessment** scan service at the start of the batch file processing in order to use this feature. Otherwise, this tab will not be visible in the **Scan Results** or **Batch Scan Results** screens.

Scan Settings:

Name Match Type: **Exact**
FATF Jurisdiction Risk: **No**

Whitelist Policy: **Apply**
Watchlists: **POI, SIE, SOE, Official Lists**

Country of Operation Policy: **Apply to All**

Default Country of Operation: **Not Specified**



Scan Service:

☒ **Risk Assessment**

The batch file will be run for **MemberCheck Demo Co** with Organisation ID **MCDEMO**

Upload a CSV or XML Batch File:



Drag and drop a file here or click

Preparing Your Batch File

Please refer to the section [Batch Files](#) for details of the batch file formatting.

Running a Batch Scan

To start screening for multiple individuals using a batch file, the following are necessary information:

- **Organisation ID**
- **Company Last Name**
- **Client ID** (check conditions below)

Optional:

- **Registration Number**

Client ID

Formerly "Entity Number". A unique reference identifier or profile name for the company is required if you want to add the record for ongoing monitoring or perform due diligence.

You may use a Company Reference or Account ID or any unique identifier for the company.

In cases where the company may be allocated an account number in the future, such as new clients for example, an arbitrary number should not be allocated. The company account number that will be allocated to the company when they become a 'new client' should be used as the Client ID for scanning purposes. In this way, due diligence decisions will be allocated to the real account number and subsequently the whitelist will also be appropriately applied to that Client ID.

Batch files are processed asynchronously. Once the system has completed the upload, it will process the file in the background, enabling you to navigate to other areas of the site, or start uploading another batch file.

There is a protection mechanism in place which will detect if the same batch file name has been processed in the organisation within the last 12 months to warn of duplicate batch processing, whereby you can continue to proceed or cancel the duplicate batch scan.

Please refer to the section [Batch Files](#) for details of the batch file formatting.

Quick How-To Guides

Upload and scan batch file

Upload a CSV, XML or ZIP of the batch file and preview the contents of the file before running the scan. The formatting of the batch file will be validated during this process.

Your browser does not support the video tag.

Duplicate entries and Client ID detection in batch files

Preprocessing of batch files include detection of duplicate entries and Client IDs **within the same batch file**. If the batch validation setting is turned off, duplicate entries will be ignored and excluded from processing. If the validation setting is turned on, the system will not proceed until the duplicates are removed or corrected.

Your browser does not support the video tag.

Errors with batch file

Upload a batch file (CSV, XML or ZIP of CSV or XML file) and preview the contents of the file before running the scan. If there are formatting issues with the batch file, these specific cells will be highlighted for correction in your CSV or XML file, or the source which generated the files. From this screen, you may choose **Close** to stop the batch scan process until the file is corrected, or **Scan Anyway** to ignore the problematic entries and proceed with the scan.

Batch file validation

The preview shows two kinds of feedback on your file:

Errors identify records that cannot be screened reliably and are excluded from the scan. These include formatting or structural issues, a placeholder value such as **N/A** in the Company Name (a usable name is required for screening), and corrupted or unreadable characters caused by incorrect file encoding (for example, **?** or **◆**); saving the file in UTF-8 resolves encoding issues.

Warnings are advisory and the record is still scanned. They identify entries that are valid in format but may produce incorrect matches or no matches in your screening results, such as address fields containing only numbers or dates, or a placeholder value such as **N/A** in a field other than the Company Name.

In the web interface, errors and warnings are shown in the preview, where you can choose **Close** to re-upload the corrected file, or **Scan Anyway** to proceed. The error checks also apply to batch files submitted through the API: records with errors are reported in the batch result and excluded, and the batch finishes with a "Completed with errors" status. The advisory warnings are shown in the web interface preview only.

If you are unable to proceed to scan the batch file, your organisation settings may be stopping you from doing so. Please check the **Batch Setting** as described in [Administration > Manage Organisation](#).

Your browser does not support the video tag.

View results of batch scan

On completion of the batch scan you may opt to run another batch scan if you have multiple files or view results of the batch scan. Results of batch scans are available in **Individual Scan > Batch Scan Results**

Your browser does not support the video tag.

Common Questions

? Why can't I change the scan settings?

The Compliance Officer for your organisation may have preset the scan settings based on the organisation's risk and compliance obligations. For any changes to these settings, your Compliance Officer can review these settings at **Administration > Organisations > {Organisation Name} > Settings**.

Monitoring Results

Permissions

Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor
					

Ongoing Monitoring

Ongoing monitoring is integrated into the existing individual and corporate scan processes for a convenient way to access and manage monitoring of individuals and corporate entities, review outcome of monitoring scans and perform risk assessment for due diligence.

Monitoring Results are separated for Individuals and Corporates and can be accessed via **Scan Results** and **Monitoring Results**.


Detected changes in profiles which match monitored individuals or corporate entities will indicate the type of change (new matched profile, updated profile details of matches, or removed matches). These notifications are independent of any due diligence decisions performed unless the whitelist policy setting has been applied for the monitoring setting.

Notifications of detected changes can be configured to be emailed or notified via API. These monitoring settings are described in greater detail at [Manage Organisations](#)

Viewing Changes for Individuals and Corporates

Monitoring Scan Results for specific entities

To view results of the automated monitoring scans for individuals, use **Individual Scan > Scan Results** or for companies, use **Corporate Scan > Scan Results**. You can filter and view the monitoring changes from a high level or filter to view changes for a specific individual.



Monitoring Scan Activities

There are two types of ongoing monitoring scan activities performed by the system automatically:

- **Monitoring Scans** - detects changes in monitored entities against the frequently updated watchlists on a regular basis and displays the differences in the watchlist profile from when the ongoing process schedule is last run.
- **Monitoring Rescans** - runs a scan of the monitored entities against the entire watchlist database and returns matches found. This process does not detect and highlight changes in the profiles returned. This process runs on the anniversary of the subscription renewal date for all active entities in the **Monitoring List**.

Monitoring Status of Matches


You can filter the monitoring statuses to assist with your prioritisation and escalation of due diligence and risk assessment.

Status	Icon	Description
New Matches		Automatic monitoring scans where a new match was found for the individual or company ("entity"). This may be due to new profiles being added to the watchlists, or updated watchlist profile information which now matches with the monitored entity.

Updated Matches		Automatic monitoring scans where the profile of an existing match for the entity has been updated, or updated profile in the watchlist now matches the monitored entity.
Removed Matches		Automatic monitoring scans where an existing match no longer applies to the entity due to removal of the profile from the watchlists.
No Changes		Automatic monitoring scans where no changes were found for the monitored entity.

Monitoring Results

For an overview of the monitoring scan activities, which can be run **Daily**, **Weekly**, **Fortnightly**, **Quarterly** or **Semi Annually**, use **Individual Scan > Monitoring Results** or **Corporate Scan > Monitoring Results** for individuals and companies respectively. This provides an overview of the number of entities being monitored and the results. You can drill down to view detailed changes for a monitored individual or corporate similar to **Scan Results**.



By default, only monitoring scans which contain changes in matched results are displayed in the list (**Monitoring with updates**). To view a full list of all monitoring activities, select the option **All monitoring scans** .

Organisation (7 organisations found. Select an organisation from list):

MemberCheck Demo Company (MCDEMO)

Scan Date:

DD/MM/YYYY - DD/MM/YYYY

Scan Result:

☒ Monitoring with updates

☐ All monitoring scans

Review Status:

All

Not Reviewed

In Progress

Reviewed

Search

Download

101 scans found. Select a row to view details.

Display 5 records per page

< 1 2 3 4 5 ... 21 >

Date	Total Companies Monitored	New Matches	Updated Entities	Removed Matches	Monitoring Status	Review Status
Oct 19, 2024	12	0	1	0	Completed	Not Reviewed
Aug 07, 2024	12	0	1	0	Completed	Reviewed
Aug 02, 2024	12	0	1	0	Completed	Reviewed
Jun 25, 2024	12	0	1	0	Completed	Reviewed
Jun 08, 2024	12	0	1	0	Completed	Reviewed

 **Review Status**

The Compliance Officer can turn on ongoing monitoring results view to see the optional **Review Status** information via [Administration > Organisation > Monitoring Settings](#).

Column Name	Description
Date	Date the monitoring process was run.
Total Individuals/Companies Monitored	Total number of active monitored entities in the Monitoring List on the day of scan.
New Matches	Number of new results which match the monitored entity.
Updated Entities	Number of matched results with changes in the profile which still match the monitored entity.
Removed Matches	Number of results which no longer match the monitored entity.

Monitoring Status

Status of the monitoring process. Statuses can be:

- **Completed** - process completed
- **In progress** - currently running
- **Error** - service error.

Review Status

Status of the ongoing monitoring review, which can be:

- **Not Reviewed** - Review has not started
- **In progress** - Shows reviewed entities versus total changed entities (e.g. 5/10)
- **Reviewed** - All changes have been assessed.

You may select a row for the day the monitoring scan was run to view detailed information of the results of the monitoring scan and the scan settings and policies applied.

To track the progress of assessments of changed profiles, you can toggle the **Review Completed** switch to indicate you have completed the review of all profiles that have been changed in the monitoring check.

Toggle the **Review Completed** switch after you have reviewed all profile changes from the monitoring check to help track progress of review.

Monitoring scanned on **Oct 19, 2024** for **MemberCheck Demo Company (MCDEMO)**

Company Name: **BAHMAN GROUP** Address:

Registration Number: Client ID: **MCDEMO.821509**

Review Completed: 

Monitoring scanned on **Oct 19, 2024** for **MemberCheck Demo Company (MCDEMO)**

Company Name: **BAHMAN GROUP** Address:

Registration Number: Client ID: **MCDEMO.821509**

All profiles **Reviewed** on **Oct 27, 2024 4:42:20 PM** by **mc.com.officer**

Review Completed: 

This will update the

Monitoring Rescan

In addition to continuous monitoring of entities against the daily updated watchlist, an annual rescan is performed for all active monitored entities in the **Monitoring List** on the date of Subscription Renewal. This is an automated process to proactively ensure compliance with regulations, mitigate financial and reputational risk and reduce the likelihood of inadvertent engagement with sanctioned parties.

The rescan process checks against the entire watchlist database and may disregard any whitelisting and due diligence decisions depending on the whitelist policy in the organisation monitoring setting. This process reports on whether the entity has a **Match** or **No Match**, and does not report on changes to the profile e.g. new, updated or removed matches.

The outcome of the rescan can be viewed via the following screens:

- **Scan Results** - Select **Monitoring Rescans** in the scan type filter

Scan Service:

☒ PEP, Sanctions & Adverse Media ☐ ID Verification

Scan Type:

☐ Batch Scans ☐ Single Scans ☐ Monitoring Scans ☒ Monitoring Rescans

- **Monitoring Results** - this activity will be displayed in the list as "Rescanned".

Monitoring Results

Videos Support

Organisation (15 organisations found. Select an organisation from list):

MemberCheck Demo Monitoring Scans (DEMOMCMON)

Scan Date:

DD/MM/YYYY - DD/MM/YYYY

Scan Result:

☒ Monitoring with updates ☐ All monitoring scans

Search

Download

422 scans found. Select a row to view details.

Display 5 records per page

< 1 ... 5 6 7 ... 85 >

Date	Total Individuals Monitored	New Matches	Updated Entities	Removed Matches	Status
Mar 13, 2024	1001	0	2	0	Completed
Mar 12, 2024	1001	0	0	5	Completed
Mar 08, 2024	1001	0	1	0	Completed
Mar 07, 2024	1001 (Rescanned)	-	-	-	Completed
Mar 01, 2024	1001	0	1	0	Completed

Click on the row to view detailed results of the rescan:

Monitoring Results > Monitoring Scan Details

VideosSupport

Return to Results

Monitoring Rescanned on Mar 07, 2024 for MemberCheck Demo Monitoring Scans (DEMOMCMON)

Total Individuals Monitored: 1001

New Matches: -

Updated Entities: -

Removed Matches: -

Name Match Type: Exact

Whitelist Policy: Ignored

PEP Jurisdiction: Ignored

Exclude Deceased: No

Residence policy ignored

Category	Matched Individuals	Total Matches
TER	2	2
PEP	106	116
POI	90	131
SIP	105	251
RCA	11	11

Watchlists Scanned

- PEP (Tier 1, Tier 2, Tier 3)
- POI
- RCA
- SIP - Terror, Organised Crime, Financial Crime, Narcotics Crime, Modern Slavery, Bribery and Corruption, Cyber Crime, Disqualified Directors, Other, Insolvency, Sanctions Lists (All), Law Enforcement, Regulatory Enforcement, Reputational Risk

Scan Filters:

Result: Matches Found

Categories: All

Decisions: All

Risks: All

Monitoring Status: All

Scan Result:

☒ Matches Found

☐ No Matches Found

Categories: ?

☒ All

☐ TER

☐ PEP

☐ POI

☐ RCA

☐ SIP (subcategories)

Decision Includes:

☒ All

☐ Not Reviewed

☐ Match

☐ No Match

☐ Not Sure

Assessed Risk:

☒ All

☐ High

☐ Medium

☐ Low

☐ Unallocated

Monitoring Status:

☒ All

☐ New Matches

☐ Updated Entities

☐ Removed Matches

☐ No Changes

Individual Search: ?

NA

Search

Download

195 results found. Select a row to view details.

How-To Guides

View all monitored individuals

To view *all monitored individuals*, within **Scan Results**, you can simply select to filter **Scan Type** for **Monitoring Scans**.

Your browser does not support the video tag.

View monitored individuals with specific outcomes

To view *all monitored individuals with specific outcomes*, you can select the relevant **Monitoring Status** by **New Matches**, **Updated Entities**, **Removed Matches**.

Your browser does not support the video tag.

View specific monitored individual

To view all changes for a specific individual, you can specify the unique identifier for the individual in **Client ID**. You can enter a partial Client ID to return all monitored individuals whose Client ID contains the text you enter.

Your browser does not support the video tag.

Compare updated profile information

Select an entry to view the matching profile. If the monitoring scan has flagged a matching profile as updated, these changes are highlighted and displayed on the left-hand side which contains the latest profile information.

Display records per page

1
2
3

Monitor	Member Number	Name (First Middle Last)	Original Script/Full Name	DOB	Categories	Date	Matches	Due Diligence	Risk
		MON-54021	MARIA LOPEZ	23/09/1954	PEP	Jan 17, 2021	1	0 0 0 1	H M L
		MON-54021	MARIA LOPEZ	23/09/1954	PEP	Dec 22, 2020	1	0 0 0 1	H M L
		MON-54021	MARIA LOPEZ	23/09/1954	PEP	Dec 05, 2020	1	0 0 0 1	H M L
		MON-54021	MARIA LOPEZ	23/09/1954	PEP SIP	Oct 18, 2020	4	0 0 0 4	H M L
		MON-54021	MARIA LOPEZ	23/09/1954	PEP SIP	Oct 15, 2020	4	0 0 0 4	H M L

Monitoring scanned on Jan 17, 2021 for MemberCheck Demo PEP IDV (DEMOPEPIDV)
First Name: MARIA DOB: 23/09/1954
Middle Name: Address:
Last Name: LOPEZ 3453 Duncan Street, Preston, VIC, 3000
Original Script/Full Name: Gender:
Member Number: MON-54021

Scan Policies:
Match scan: Exact Residence policy ignored
Whitelist policy: Not Applicable
PEP jurisdiction: Ignored
Exclude Deceased: No

Summary Card View
Full Card View
Summary Grid View
Full Grid View

Updated Profile
AKA Maria Lopez
PEP
Bolivian
Bolivia

Decision (Risk):
Not Reviewed

General Information

Categories: Politically Exposed Person (PEP)
Primary Location: Bolivia Enter Date: 2015-01-27
Further Information: PEP Tier 1

Also Known As

Full Name	Title
María Morena López	
Maria Morena	
María Morena López	
María Morena Lopez	

Roles

Title	Country	From	To

Old Profile
AKA Maria Lopez Ms
PEP
Bolivian
Bolivia

Decision (Risk):
Not Reviewed

General Information

Categories: Politically Exposed Person (PEP)
Primary Location: Bolivia Enter Date: 2015-01-27
Further Information: PEP Tier 1

Also Known As

Full Name	Title
María Morena López	
Maria Morena	

Roles

Title	Country	From	To
Former Minister of Sustainable Energy	Bolivia	23 January 2015	18 January 2017

Locations

View New Matches

Example of a new profile being added to the watchlist that has triggered a new match:

Copyright ©2019 Member Check Pty Ltd. All rights reserved.

Document Version: V10.5.3:1 | Last updated: 13 September 2026

Page 10

Display records per page

Monitor	Member Number	Name (First Middle Last)	Original Script/Full Name	DOB	Categories	Date	Matches	Due Diligence	Risk
	MON-43824	MOHAMMAD IBRAHIM		31/08/1970	SIP	Jan 18, 2021	1		
	MON-33926	MARIA GONZALEZ		19/12/1977	PEP	Jan 18, 2021	1		
	MON-36234	FIONA SMITH		14/04/1984	SIP	Jan 17, 2021	1		
	MON-41798	OLIVER HOLMES		4/08/1979	PEP	Jan 16, 2021	1		
	MON-15452	KRISHNA CHANDRA		13/10/1966	SIP	Jan 11, 2021	1		

Monitoring scanned on Jan 17, 2021 for MemberCheck Demo PEP IDV (DEMOPEPIDV)

First Name: FIONA DOB: 14/04/1984

Middle Name: Address:

Last Name: SMITH Gender:

Original Script/Full Name: Member Number: MON-36234

Scan Policies:

Match scan: Exact Residence policy ignored

Whitelist policy: Not Applicable

PEP jurisdiction: Ignored

Exclude Deceased: No

Summary Card View Full Card View Summary Grid View Full Grid View

Added Profile

AKA Fiona Dorothy Smith

SIP

British

Aberdeen, United Kingdom

Decision (Risk):

General Information

Categories: Special Interest Person (SIP)

Primary Location: Aberdeen, United Kingdom **Enter Date:** 2021-01-14

[Download](#) [Summary](#)

View Updated Entities

Example of an existing match that has an updated profile in the latest watchlist. A side by side comparison of the new (left side) and previous (right side) profile is displayed for review and due diligence:

Display records per page

Monitor	Member Number	Name (First Middle Last)	Original Script/Full Name	DOB	Categories	Date	Matches	Due Diligence	Risk
	☒	MON-54021	MARIA LOPEZ	23/09/1954	PEP	Jan 17, 2021	1	0 0 0 1	H M L
	☒	MON-54021	MARIA LOPEZ	23/09/1954	PEP	Dec 22, 2020	1	0 0 0 1	H M L
	☒	MON-54021	MARIA LOPEZ	23/09/1954	PEP	Dec 05, 2020	1	0 0 0 1	H M L
	☒	MON-54021	MARIA LOPEZ	23/09/1954	PEP SIP	Oct 18, 2020	4	0 0 0 4	H M L
	☒	MON-54021	MARIA LOPEZ	23/09/1954	PEP SIP	Oct 15, 2020	4	0 0 0 4	H M L

Monitoring scanned on Jan 17, 2021 for MemberCheck Demo PEP IDV (DEMOPEPIDV)

First Name: MARIA DOB: 23/09/1954

Middle Name: Address:

Last Name: LOPEZ 3453 Duncan Street, Preston, VIC, 3000

Original Script/Full Name: Gender:

Member Number: MON-54021

Scan Policies:

Match scan: Exact Residence policy ignored

Whitelist policy: Not Applicable

PEP jurisdiction: Ignored

Exclude Deceased: No

Summary Card View Full Card View Summary Grid View Full Grid View

Updated Profile

AKA Maria Lopez

PEP

Bolivian

Bolivia

Decision (Risk): ☒ Not Reviewed

General Information

Categories: Politically Exposed Person (PEP)

Primary Location: Bolivia Enter Date: 2015-01-27

Further Information: PEP Tier 1

Also Known As

Full Name	Title
María Morena López	
Maria Morena	
María Morena López	
María Morena Lopez	

Roles

Title	Country	From	To

Old Profile

AKA Maria Lopez Ms

PEP

Bolivian

Bolivia

Decision (Risk): ☒ Not Reviewed

General Information

Categories: Politically Exposed Person (PEP)

Primary Location: Bolivia Enter Date: 2015-01-27

Further Information: PEP Tier 1

Also Known As

Full Name	Title
María Morena López	
Maria Morena	

Roles

Title	Country	From	To
Former Minister of Sustainable Energy	Bolivia	23 January 2015	18 January 2017

Locations

View Removed Matches

An example where a previously matched profile has been removed from the watchlists that has triggered a **No Match** result:

Display 5 records per page

Monitor	Member Number	Name (First Middle Last)	Original Script/Full Name	DOB	Categories	Date	Matches	Due Diligence	Risk
☒	MON-53620	MARY LLOYD		18/08/1953	SIP	Jan 14, 2021	0	0 0 0 1	
☒	MON-19390	KEITH COX		8/11/1975	SIP	Jan 14, 2021	0	0 0 0 1	
☒	MON-26597	NEIL EDWARDS		30/10/1950	SIP	Jan 14, 2021	0	0 0 0 1	
☒	MON-26638	NEIL EDWARDS		10/12/1950	SIP	Jan 14, 2021	0	0 0 0 1	
☒	MON-14692	PETER CASE		20/09/1943	SIP	Jan 14, 2021	0	0 0 0 1	

Monitoring scanned on Jan 14, 2021 for MemberCheck Demo PEP IDV (DEMOPEPIDV)

First Name: **MARY** DOB: 18/08/1953

Middle Name: Address: 600 Short Street, Preston, VIC, 3000

Last Name: **LLOYD** Gender:

Original Script/Full Name: Member Number: **MON-53620**

Scan Policies:

Match scan: **Exact** Residence policy ignored

Whitelist policy: **Not Applicable**

PEP jurisdiction: **Ignored**

Exclude Deceased: **No**

Summary Card View Full Card View Summary Grid View Full Grid View

Removed Profile

Mary Eleanor Lloyd

SIP

American

Decision (Risk):

Not Reviewed

General Information

Categories: Special Interest Person (SIP)

Sources and Adverse Media

Enable and Disable Monitoring

Monitoring for individuals and companies can be enabled or disabled by toggling the switch button in the Monitor column.

Your browser does not support the video tag.

Individuals and companies enabled for monitoring will appear in the **Monitoring List**.

If you enable monitoring for an individual or company with an existing entry in the Monitoring List (same Client ID) you will be prompted to confirm replacement of the existing entry in the Monitoring List.

Viewing All Monitoring Scans or Updates only


Your browser does not support the video tag.

Monitoring List

Permissions

Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor
					

Monitoring List enables you to view, search and manage the monitoring of individuals and corporates ("entities").



Individuals and Corporates are listed separately in the **Monitoring List**. Select **List Type** to jump between views.

The following Individual details are available:

Field	Description
Checkbox	Ability to select one or more entities to enable monitoring, pause monitoring or remove from the Monitoring List entirely.
Monitor	Toggle switch to indicate if the associated individual is being actively monitored or not. Only active entities are monitored in the continuous monitoring and monitoring rescan processes.  monitoring of the individual is active  monitoring of the individual is paused

Client ID	Client ID (or Customer Reference or Client/Account ID or unique profile name) of scanned individual. Client IDs are unique.
First Name	First Name of scanned individual.
Middle Name	Middle Name of scanned individual.
Last Name	Last Name of scanned individual.
Original Script Name/Full Name	Original Script Name or Full Name of scanned individual.
DOB	Date of birth of scanned individual.
Address	Address of scanned individual.
Added By	Name of user who added the individual for monitoring.
Date Added	Date the individual was first added to the Monitoring List.

The following Corporate details are available:

Field	Description
Checkbox	Ability to select one or more entities to enable monitoring, pause monitoring or remove from the Monitoring List entirely.
Monitor	Toggle switch to indicate if the associated entity is being actively monitored or not.  monitoring of the corporate entity is active  monitoring of the corporate entity is paused
Client ID	Client ID (or Company Reference or Client/Account ID or profile name) of scanned corporate entity. Client IDs must be unique.
Company Name	Company Name of scanned corporate entity.
Registration Number	Company registration number, e.g ABN, ACN, NZBN, CRN, RN etc of scanned corporate entity.

Address	Address of scanned corporate entity.
Added By	Name of user who added the corporate entity for monitoring.
Date Added	Date the corporate entity was first added to the Monitoring List.

Quick How-To Guides

Switch between Individuals and Corporate Monitoring Lists

Individuals and Corporates are listed separately in the **Monitoring List**. Select **List Type** to jump between views.

Your browser does not support the video tag.

View Active and Paused Monitoring of Individuals and Corporates

All entities enabled for ongoing monitoring are displayed in the **Monitoring List**. This list may include entities added to the Monitoring List but paused (**Off**) from being actively monitored until a time when they are removed from the Monitoring List entirely, or re-enabled to resume monitoring (**On**).

Your browser does not support the video tag.



Automated annual rescans

All actively monitored entities in the Monitoring List are rescanned against the entire watchlist database (excluding custom watchlists) on the renewal date of your subscription. This does not include paused items.

You have the option to remove all entities from the Monitoring List before your subscription expires. See [Automatically clear Monitoring List on subscription renewal](#) below for details.

Searching for a specific Individual

You can search the Monitoring List by a full or partial **Client ID**. Entering part of a Client ID returns all monitored entities whose Client ID contains that text.

Your browser does not support the video tag.

Searching for a specific Corporate

Your browser does not support the video tag.

Pause Monitoring for Corporate (or Individual)

Your browser does not support the video tag.

Remove Corporate (or Individual) from Monitoring List

Entities which can easily be toggled off to pause from monitoring. However if you do not want an entity to be monitored at all (e.g. due to changes in your organisation membership), you can remove an entity entirely from the Monitoring List. Entities which are both actively monitored or paused can be removed from the Monitoring List.

Removal of entities from the Monitoring List does not affect scan history of the entity. Additionally, removed entities can be added back to the Monitoring List from **Scan Results**.

Your browser does not support the video tag.

Bulk remove Individual (or Corporate) from Monitoring List

Multiple entities can be removed from being monitored in bulk (e.g. due to changes in your organisation membership).

Entities which are both actively monitored or paused can be removed from the Monitoring List using the **Bulk Remove** feature. Simply select the **List Type** and enter a list of Client IDs in the text box provided. A maximum of 10,000 entries can be removed at once within the text box.

Removal of entities from the Monitoring List does not affect scan history of the entity. Additionally, removed entities can be added back to the Monitoring List from **Scan Results**.

Your browser does not support the video tag.

Automatically clear Monitoring List on subscription renewal

Depending on your organisation requirements, you can clear the Monitoring List of **all** entities on renewal of your organisation subscription account. To do so, the **Compliance Officer** can select the option in **Administration > Organisations > Monitoring Settings > Auto-clear all** entities from monitoring on subscription renewal date.

Ongoing Monitoring:

- ☒ Turn on Monitoring
- ☐ Enable email notification of updates detected
- ☐ Auto-clear all entities from monitoring on subscription renewal date 

Scan Results for Individuals


Permissions

Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor
					

Standard User Permissions

Whilst **Compliance Officers**, **Advanced Users** and **Auditors** have access to view scan results performed by all users associated with the organisation, **Standard Users** are able to only view scan results performed by themselves.

Individual Scan > Scan Results displays the match results for the individuals screened from both Single and Batch scans, and includes ID Verification scans, Monitoring scans and Monitoring Rescans, if available.



By default, it is prefiltered to list **Single Scan** results of **PEP & Sanctions** for **Matches Found** within the **current Subscription period**. You can change the filters to expand or refine the scan

results displayed using the options available for **Scan Date**, **Scan Service**, **Scan Type**, **Scan Filters**, **Due Diligence Decisions** and **Individual Search** for a person or persons.

Set Scan Results display default

The Compliance Officer can set an organisation-wide preference to display either or both **Matches Found** and **No Matches Found**, in **Organisation Administration > Settings**.

If you are part of a multi-level organisation or if you have multiple users associated with your organisation account, you can additionally filter by **Organisation** and **Users** who have performed the scans.

Scan Filters to filter by scan settings and results:

Default filter settings where scans with **No Matches Found** are excluded in **Scan Result**.

Scan Service:

☒ PEP, Sanctions & Adverse Media
 ☐ ID Verification
 ☐ Risk Assessment

Scan Type:

☐ Batch Scans
 ☒ Single Scans
 ☐ Monitoring Scans
 ☐ Monitoring Rescans

Scan Filters:

Name Match Type: **All**

Whitelist: **All**

Result: **Matches Found**

Categories: **All**

Decisions: **All**

Risks: **All**

Web Search: **All**

Advanced Media Search: **All**

Name Match Type:

☒ Exact
 ☒ Exact (Incl. Mid Name)
 ☒ Close

Whitelist Policy: 

☒ Applied
 ☒ Ignored

Scan Result:

☒ Matches Found
 ☐ No Matches Found

Categories: 

☒ All
 ☐ TER
 ☐ PEP
 ☐ POI
 ☐ RCA
 ☐ SIP (subcategories)

Decision Includes:

☒ All
 ☐ Not Reviewed
 ☐ Match
 ☐ No Match
 ☐ Not Sure

Assessed Risk:

☒ All
 ☐ High
 ☐ Medium
 ☐ Low
 ☐ Unallocated

Web Search:

☒ Yes
 ☒ No

Advanced Media Search:

☒ Yes
 ☒ No

Scan Result Settings for all scans regardless of match results:

Note that both **Single Scans** and **Batch Scans** are selected. Both **Matches Found** and **No Matches Found** are selected.

Scan Service:
☒ PEP, Sanctions & Adverse Media ☐ ID Verification ☐ Risk Assessment

Scan Type:
☒ Batch Scans ☒ Single Scans ☐ Monitoring Scans ☐ Monitoring Rescans

Scan Filters:

Name Match Type: All	Whitelist: All	Result: All	Categories: All	Decisions: All	Risks: All	Web Search: All
Advanced Media Search: All						
Name Match Type: ☒ Exact ☒ Exact (Incl. Mid Name) ☒ Close	Whitelist Policy: ☒ Applied ☒ Ignored	Scan Result: ☒ Matches Found ☒ No Matches Found	Categories: ☒ All ☐ TER ☐ PEP ☐ POI ☐ RCA ☐ SIP (subcategories)	Decision Includes: ☒ All ☐ Not Reviewed ☐ Match ☐ No Match ☐ Not Sure	Assessed Risk: ☒ All ☐ High ☐ Medium ☐ Low ☐ Unallocated	
Web Search: ☒ Yes ☒ No	Advanced Media Search: ☒ Yes ☒ No					

Scan Result Settings when ID Verification is selected:

Filter ID Verification scans based on the outcome of **IDV Result** (ID Check) and **FaceMatch Result** biometric screening.

Scan Service:
☐ PEP, Sanctions & Adverse Media ☒ ID Verification ☐ Risk Assessment

Scan Type:
☐ Batch Scans ☒ Single Scans ☐ Monitoring Scans ☐ Monitoring Rescans

Scan Filters:

IDV Result: All	FaceMatch Result: All
IDV Result: ☒ All ☐ Not Requested ☐ Incomplete ☐ Pass ☐ Partial Pass ☐ Pending ☐ Fail	FaceMatch Result: ☒ All ☐ Not Requested ☐ Incomplete ☐ Pass ☐ Review ☐ Pending ☐ Fail

Scan Result Settings when AML Risk Assessment is selected:

Filter scans with Risk Assessment enabled during screening. This refers to the AML Risk Assessment questionnaire completed based on customer information, country, product or services offered and outcome of screening.

Scan Service:
☐ PEP, Sanctions & Adverse Media ☐ ID Verification ☒ Risk Assessment

Scan Type:
☒ Batch Scans ☒ Single Scans

Scan Result Settings when Monitoring Scans is selected:

Filter scans based on the outcome of ongoing monitoring and type of detected change.

Scan Service:
☒ PEP, Sanctions & Adverse Media ☐ ID Verification ☐ Risk Assessment

Scan Type:
☐ Batch Scans ☐ Single Scans ☒ Monitoring Scans ☐ Monitoring Rescans

Scan Filters:

Name Match Type: All	Whitelist: All	Result: Matches Found	Categories: All	Decisions: All	Risks: All	Monitoring Status: All Changes
Name Match Type: ☒ Exact ☒ Exact (Incl. Mid Name) ☒ Close	Whitelist Policy: ⓘ ☒ Applied ☒ Ignored	Scan Result: ☒ Matches Found ☐ No Matches Found	Categories: ⓘ ☒ All ☐ TER ☐ PEP ☐ POI ☐ RCA ☐ SIP (subcategories)	Decision Includes: ☒ All ☐ Not Reviewed ☐ Match ☐ No Match ☐ Not Sure	Assessed Risk: ☒ All ☐ High ☐ Medium ☐ Low ☐ Unallocated	Monitoring Status: ☐ All ☒ New Matches ● ☒ Updated Entities ● ☒ Removed Matches ● ☐ No Changes

Scan Result Settings when Monitoring Rescans is selected:

Filter for rescans where actively monitored entities are rescanned against the full database on day of account subscription renewal.

Scan Service:
☒ PEP, Sanctions & Adverse Media ☐ ID Verification ☐ Risk Assessment

Scan Type:
☐ Batch Scans ☐ Single Scans ☐ Monitoring Scans ☒ Monitoring Rescans

Scan Filters:

Name Match Type: All	Whitelist: All	Result: All	Categories: All	Decisions: All	Risks: All
Name Match Type: ☒ Exact ☒ Exact (Incl. Mid Name) ☒ Close	Whitelist Policy: ⓘ ☒ Applied ☒ Ignored	Scan Result: ☒ Matches Found ☒ No Matches Found	Categories: ⓘ ☒ All ☐ TER ☐ PEP ☐ POI ☐ RCA ☐ SIP (subcategories)	Decision Includes: ☒ All ☐ Not Reviewed ☐ Match ☐ No Match ☐ Not Sure	Assessed Risk: ☒ All ☐ High ☐ Medium ☐ Low ☐ Unallocated

Individual Search to filter by individuals scanned:

Expand the **Individual Search** panel to search for a specific individual in Batch and/or Single Scans.

Scan Service:
☒ PEP, Sanctions & Adverse Media ☐ ID Verification

Scan Type:
☒ Batch Scans ☒ Single Scans ☐ Monitoring Scans ☐ Monitoring Rescans

Scan Filters:

Name Match Type: All Whitelist: All Result: Matches Found Categories: All Decisions: All Risks: All Web Search: All ▼

Advanced Media Search: All

Individual Search: ?

NA▲

First Name:

Middle Name:

Last Name:

Original Script Name or Full Name:

ID Number:

Client ID:

Searching and Filtering Scan Results

Scan Result Settings:

Fields	Description
Name Match Type	Filter by name Match Type used during scans. The options are <code>Exact</code> , <code>Exact (Including Middle Name)</code> and <code>Close</code> . By default, all options are selected.
Whitelist Policy	Filter if whitelist policy was applied during the scan. Profiles marked as <code>No Match</code> are whitelisted and excluded from being returned and displayed again. The options are: <code>Apply</code> and <code>Ignore</code> . By default, all options are selected
Scan Result	Filter by the outcome of the scan. Options are <code>Matches Found</code> and <code>No Matches Found</code> . By default, <code>Matches Found</code> is selected.

Copyright ©2019 Member Check Pty Ltd. All rights reserved.

Document Version: V10.5.3:1 | Last updated: 13 September 2026

Page 5

Categories

Filter results by the major category type of the matching profile.

The categories are: **TER** (Terrorism), **PEP** (Politically Exposed Person), **POI** (Profile of Interest), **RCA** (Relatives or Close Associates of PEP), **SIP** (Special Interest Person).

SIPs have filters for additional subcategories such as **Sanctions Lists**, **Law Enforcement**, **Regulatory Enforcement**, **Organised Crime** etc.

By default, **All** categories are selected.

**Decision
Includes**

Filter results by due diligence decisions applied to the matching profile.

The decisions available are: **Not Reviewed**, **Match**, **No Match** and **Not Sure**.

By default, **All** decisions are selected.

Assessed Risk

Filter results by due diligence risk assessments applied to the matching profile.

The assessed risk options are: **High**, **Medium**, **Low** and **Unallocated**.

By default, **All** assessed risk levels are selected.

Web Search

Filter results where additional web search for adverse media was performed.

The options are: **Yes** and **No**.

By default, **All** options are selected.

Advanced Media Search

Filter results where additional advanced media search for latest news articles was performed.

The options are: **Yes** and **No**.

By default, **All** options are selected.

The full list of categories and subcategories are described in [List Categories](#).

ID Verification Scan Result Settings:

Fields	Description
IDV Result	Filter by result of ID Verification. The options are All, Not Requested, Incomplete, Pass/Verified, Partial Pass/Review Required, Pending and Fail/Not Verified. By default, the All option is selected.
FaceMatch Result	Filter by result of biometric face matching for ID Verification. The options are All, Not Requested, Incomplete, Pass/Verified, Review, Pending and Fail/Not Verified. By default, the All option is selected.
Override Includes	Filter by whether the verification outcome was overridden. The options are All, Not Overridden and Overridden. By default, the All option is selected.

Individual Search:

For a quick and specific search of an individual screened, use the **Individual Search** panel.

To search for fields where contents exist, use an asterisk (*).

Fields	Description
First Name	Search results by the First Name entered during scan. Search supports full or partial matching. Example: <code>Joh</code> returns <code>Joh</code> , <code>John</code> , <code>Johnny</code> etc.
Middle Name	Search results by the Middle Name entered during scan. Search supports full or partial matching.
Last Name	Search results by the Last Name entered during scan. Search supports full matching only.
Original Script Name or Full Name	Search results by the Original Script Name or Full Name entered during scan. Latin-based text are not case-sensitive and the exact full name in the correct order should be used. For original script text, it must be entered exactly as screened, including casing. Example: If you have screened with the Full Name <code>Renée DUMAS</code> , this can be found when filtering for <code>Renée Dumas</code> or <code>renée dumas</code> but not with <code>Renee Dumas.</code> or <code>Dumas Renée</code>
Client ID	Search results by Client ID entered during scan. Search supports full and partial (contains) matching, so entering part of a Client ID returns all matching entries. Example: <code>AC</code> returns <code>AC</code> , <code>ACME-001</code> , <code>TRADE-AC</code> etc.

Filtering scans by categories and subcategories:

Special Interest Persons (SIP) are further categorised into subcategories. See descriptions of the [SIP subcategories](#).

Your browser does not support the video tag.

Viewing Scan Results

Scan results of individuals screened are summarised as follows. Results are displayed in chronological order from most recent first.

The table below contains all possible columns. What is viewed on-screen is dependent on the **Scan Service** selected:

Field	Description
Monitor	If a Client ID has been assigned to the individual during scanning, a toggle switch to enable or disable monitoring is displayed.
Client ID	The unique identifier or profile name assigned to the individual during scanning.
Name (First Middle Last)	The name entered during screening, combining First, Middle and Last Name.
Original Script Name/Full Name	The non-Latin Original Script Name or Latin-based Full Name entered during screening.
DOB	Date of Birth or Year of Birth entered during screening.
ID Number	Identifier for the individual entered during screening.
Categories	Major categories of matched profiles. These can be one or any combination of the following: • TER : Special Interest Persons - exposure or associations with terrorist related activities. • PEP : Politically Exposed Persons • POI : Profiles of Interest • RCA : Relatives or Close Associates of PEPs. • SIP : Special Interest Person - People on Sanctions, Regulatory Enforcement, Law Enforcement lists, and Adverse Media sources. • A blank Category indicates that no matches were found.
Date	Date the scan was run.

Matches	Number of matching profiles for the scanned individual. 0 indicates no matches found.
Due Diligence	Number of due diligence decisions made against the matching profiles based on the decision types:  Match  Not Sure  No Match  Not Reviewed
Risk	Assessed risks assigned to matching profiles:  High  Medium  Low
Comment	Remark or comment associated with the due diligence decision.

IDV⁺

Online ID verification status of individual's Name, DOB and Address against verified sources:

- **Not Requested** : Identity document verification not requested
- **Incomplete** : Identity document verification request not completed by a member of your organisation. Incomplete processes are not able to be resumed at this point in time.
- **Pass/Verified** : Data is able to be fully verified
- **Partial/Review Required** : Data is able to be partially verified
- **Fail/Not Verified** : Data is unable to be verified
- **Pending** : Verification by the individual not yet started or incomplete.

FaceMatch⁺

Biometric face matching of the individual including liveness detection, facial recognition and data extraction using OCR (optical character recognition):

- **Not Requested** : Facial matching verification not requested
- **Incomplete** : Facial matching verification request not completed by a member of your organisation. Incomplete processes are not able to be resumed at this point in time.
- **Pass/Verified** : Biometric is able to be fully verified
- **Review** : Biometric is partially verified and should be reviewed
- **Fail/Not Verified** : Biometric does not match and is unable to be verified
- **Pending** : Biometric verification by the individual not yet complete.

⁺ These are available if your organisation has subscribed to the **ID Verification** service and if the ID Verification Scan Service is selected.

Risk Assessment

If the AML Risk Assessment service was selected during screening, this tab will be displayed. If you have previously provided answers to the questionnaire, the overall results will be displayed. Else, a list of questions will be prompted to enable you to enter the information.



FATF Jurisdiction Risk

If the FATF Jurisdiction Risk option was selected during scan, you will see an additional tab containing jurisdiction risk information for the country of the screened entity, regardless of whether a profile match is found.




FATF Black List and Grey List

Where the screened entity's country appears on the FATF **Black List** (call for action) or **Grey List** (increased monitoring), this is shown in the Jurisdiction Risk tab and in the downloadable reports, with a link through to the relevant FATF source. This information is provided based on the screened entity's country, regardless of whether a profile match is found.

Web Search for adverse media

If the Web Search or Advanced Media Search options were selected for additional adverse media checks, you will see an additional tab with the media results.



For **Advanced Media Search**, the 30 most recent news articles from around the globe are returned with details of the title, publication date, source name, author, article readership and word count.

For **Web Search**, the first 10 most relevant results are displayed.

All links will open up to a new browser tab.

Compromised Information

If an email address was entered for the Individual during the PEP, sanction and adverse media check, you will see an additional tab with a list of sites with known data breaches for the email address.



Viewing Scan Result Details

Matching profile information are displayed in **card** or **grid** format with either a **summary** or **full** detailed card view of the profile.

Click on a scan result record to view details of matching profiles:

Card views provide a quick look into the matching profile with the high level summary with the options to expand to view details.

Grid views provide an additional table with summarised profile details with an overview and comparison of results. Where information in the profiles match with the scanned individual, cells are highlighted to indicate full match or partial match.

Card view

Your browser does not support the video tag.

Grid view

Your browser does not support the video tag.

Detailed information of profiles are displayed in the cards and may include:

Fields	Description
--------	-------------

**Profile
Details**

Key profile information:

- Full Name
- Category e.g. PEP , POI , SIP , RCA , TER
- Date or Year of Birth
- Nationality
- Primary country or location
- Deceased Date, if applicable
- Due diligence decision and risk level assessment
- Tax haven and Sanction indicators based on the primary country of residence.

**General
Information**

- Categories of the profile e.g. Politically Exposed Person (PEP) , Special Interest Person (SIP) - Regulatory Enforcement
- Original Script Name
- The date the record was last reviewed or updated
- Further information and profile notes

PEPs are further categorised into tiers based on the level of risk exposure. See below for [description of PEP Tiers](#).

Also Known**As**

- Name - aliases or other names associated with the individual
- Type - type of name variation e.g. original script name, name spelling variation, shortened name, maiden name, nickname, previous name, fake name.

Roles

This is only available for PEP profiles:

- Title - represents the job Role of the PEP in the particular PEP position
- Country - represents the country of the government for the political position
- Segment - the category of in scope positions for the PEP for a particular country
- Status - represents whether the particular role is **Current** or **Former**. There can be more than one **Current** and **Former** roles held by the PEP.
- From - represents the Start date of the term of office in the particular role, where available
- To - represents the End date of the term of office in the particular role, where available.

**Important
Dates**

For each Date:

- Type - e.g. Date of Birth, Deceased Date
- Date

Locations

All registered or known locations associated with the individual:

- Country
- City
- Address
- Type e.g. place of birth, residential, business, previous residential, previous business

Official Lists

Name of Sanction List this profile appears in.

- Name - name of the official Sanctions list e.g. Office of Foreign Asset Control
- Category - category of the official list
- Measures - list of measures enforced by the official list e.g. asset freeze, travel ban
- Origin - country or region of the official list
- Type - type of sanction classified by the official list
- Status - status of the entity on the official list i.e. `current` or `former` .

Identifiers

List of ID numbers or tax number of the individual.

- Type - type of identifier e.g. tax number, national ID, passport number, OFAC unique ID, SECO unique ID
- Value

**Sources and
Adverse
Media**

For each Source:

- URL - link to the source of information regarding the entity
- Category - category type of source e.g. PEP , Sanction , Adverse Media , Law Enforcement , ID/V (ID Verification)
- Date of Capture - date the source article was recorded. This may contain multiple dates where the source was reviewed and recorded.
- Info - additional information on the publication e.g. publication date, credibility, language of the article, title and summary, if available



Links to news articles may be out of date or broken depending on how recently they have been reviewed. Some source articles contain cached PDF copies.

If the cached PDF is available, this is provided as a hyperlink in **Date of Capture** . For copyrighted sources which may not be accessible, you can check for availability of the copyright material. If available, the data of capture will change to a hyperlink to download the PDF. Availability of cached materials and copyright PDFs are dependent on your data source subscription.

**Linked
Individuals**

List of persons associated with the organisation.

- Full Name
- Category e.g. PEP , RCA
- Description



Click on the name of a **Linked Individual** to view further information of the person.

Linked Companies

Lists any associations with businesses and companies such as founder, executive, associate, shareholder, adviser of the company.

- Name
- Categories e.g. SIE
- Description



Click on a **Linked Company** to view further information of the company.

Date of Birth variations

Where a scan was performed with a date of birth tolerance applied, this will be indicated in the summary of the scan as well as within the result reports:

Single scanned on May 17, 2024 6:05:16 PM by mc.com.officer for MemberCheck Demo Company (MCDEMO)

First Name: Scott

DOB: 1969 (±1Y)

Middle Name:

Address: Australia

Last Name: Morrison

Gender: Male

Original Script/Full Name:

Client ID: MCDEMO.1805126212

ID Number:

Where a record was found due to the tolerance in DOB and is not the exact DOB or YOB, an indicator will be displayed next to the Date of Birth information of the profile:



Scott John Morrison

PEP/SIP



13 May 1968 ±



Australian



Something amiss with the profile data?

If the information in the existing profile data appears to be outdated, incomplete or unclear as to reasons for being listed in the watchlist, you can report this profile directly to the MemberCheck team for review. See tip on how to [report profile for review](#).

Profile Filters

Profile filters are fields that have data entered during screening. Each of these filters contain the number of profiles that match with the field independently. This provides an overview of the number of profiles that have matches (1 or more) or no matches (0) against these data points.

☐ Primary Name 3	☐ AKA 2	☐ DOB 5	☐ Country 5	☐ Nationality 3	☐ Gender 5	Search...
---	--------------------------------	--------------------------------	------------------------------------	--	-----------------------------------	-----------

You can optionally narrow down the returned profiles to quickly review profiles that match some or all of the information entered during screening. Simply select one or more filters to view profiles that match all the selected fields.

These filters work based on the **AND** condition. Selecting multiple filters will return profiles that match against all the selected fields. If there are no profiles displayed when multiple filters are selected, try deselecting some to assess how many data points match.



Primary Name and AKA filters

Where a profile matches the **Primary Name**, it will not match the **AKA** or alias, and vice versa. Therefore, selecting both of these fields will hide profiles from view.



Filtering by Country, Nationality and ID Number

The **Country**, **Nationality** and **ID Number** filters work for scan results post release version 10.4.4, on Oct 12, 2025. These filters for scans performed prior to this date will display a 0 by default.



Country filter

If you have entered a Country of Residence during screening but did not apply the residence policy, you can filter the profiles by **Country** to only display those matching the entered country.

You can further narrow down the profiles with the simple text search to locate specific names, terms or references. The text search is based exact string matching.

Your browser does not support the video tag.

Profile Categories

Refer to [List Categories](#) for a full list of the definitions of the main categories and subcategories.

Data Source of Profile

The service provides access to multiple database sources to ensure broader coverage for clients requiring additional information. If your organisation has subscribed to multiple PEP and sanctions data sources, the profiles will display the source of the data. You can filter these by selecting specific segment names.



Viewing Profile Risk Levels

Where an organisation has configured its [Risk Settings](#), the recommended risk levels will be displayed for PEP & Sanctions profile matches. The risk levels are based on the current organisation settings.

To view the risk levels of linked Individuals and Companies to the matched profile, click the **Calculate Risk Levels** button next to these sections. The results are retrieved based on the latest organisation risk settings and are not persistent in the scan history.


Rescanning an Individual

A **Rescan** feature is available for individuals previously scanned for PEP, Sanctions and Adverse Media, and applies for scans that resulted in matches and no matches. This feature allows for a

new scan to be performed without the need to re-enter the individual's details, enabling you to check for the latest updates.

Initiating a rescan will commence a new scan using the individual's existing details. The previous scan policies and settings will be applied during this process, with the exception of the watchlists, which will be determined by the organisation's current list access scope.

Rescan activities count toward the organisation's scan activity and usage.



ID Verification

If ID Verification was included in the screening, additional information will be displayed for the individual scanned.

Detailed information of individual's data and biometric matching results vary between country sources used for verification and generally includes:

Fields	Description
ID Check Results	Overall data matching result based on successful verification against 2 or more independent sources. Includes list of sources used for data matching of individual's Name, Date of Birth and Address.
Identity Check Verification Results	Details entered by the individual or customer for verification including document type for verification e.g. Passport number, Driver Licence number, Government or Tax ID number, Health Card number, Visa number, Vehicle Plate number, Voter ID number etc. These document verification types vary based on country selected for verification.

FaceMatch Check Results

Verification results of biometric matching including:

- Document check
- Anti-Tamper check
- Verification document not expired
- Face comparison
- Passive liveness check
- Data comparison
- Screen Replay attack check

FaceMatch Comparison

Photos of documentation used for verification including a liveness video, where available.

Australian Document Verification subscription types

For Australian ID Check, the available sources and documents depend on your organisation's ID Verification subscription and location:

- Verification against Australian government sources are available to clients located in Australia and New Zealand only. Clients outside of Australia and New Zealand are able to access Australian commercial sources.
- **Passport** and **Driver's Licence** are supported across Australian government document verification.
- **Medicare** is available where Australian verification uses the **direct government document verification** service. This service returns the confidence-based **identity opinion** and not full detailed verification results.

A **Verification URL** is available for IDV requests which enables you to access the link to the actual verification process.

To keep a copy of the report of the results, you can click on the **Download** button to save as PDF, Word or Excel. Please note that the ability to enlarge photos and viewing of the Liveness video is only available online and is not included in the downloadable report.

Overriding the verification outcome

Where you are able to reach a conclusion yourself, you can override the verification outcome to **Verified** or **Not Verified** and record why. This is useful for a **Review Required** result, where glare or an unclear image capture prevents a confident read and you can confirm the details yourself.

To record an override, click the verification outcome on the scan result. For the panel, the audit history, the permissions and the effect on reports and the API, refer to [Overriding an ID Verification Outcome](#).

Downloading Reports

For record keeping and for purposes of auditing for your organisation, you can download reports of your screening activities and the associated results in PDF, Word, Excel and CSV formats. Where large volumes of data are downloadable, the application may only offer download in CSV format.

This option is available through the **Download** button in all screens where download of reports are available.

In the **Scan Results** screen, the Download button offers the ability to:

- Preview PDF report before download
- Export as PDF
- Export as Word
- Export as Excel
- Export as CSV
- Export Results Summary report.

The **Download All** button enables you to download a report of all profile matches for a screened entity with a simple single-click. You can opt to download:

- A **consolidated summary report** containing an extract of the key details of the profiles such as the applied scan settings and policies, name, date of birth, address, gender, due diligence decisions, and the category and subcategory of the profile record
- A ZIP file of individual files with the **full profile** details.

The latter option may produce a much larger file size and may take some time to download, depending on the number of profiles and depth of content of the profiles.

The **Results Summary report** option enables you to download a summary of all the profiles of matched results for your PEP and Sanction screening, and is available in both the **Scan Results** and **Batch Scan Results** screens. This report is available in CSV format only and is compressed and downloaded as a ZIP file. **The ZIP file is secured and password protected using the email address of the person who generated this report.** If you have initiated the download of this report, the password to the ZIP file will be your registered email address in the application and entered as lower case. To check which email address you have registered in the system, you can review the information in **My Profile**.



Email Address to unlock Results Summary Report

If the email address has different casing such as `UserName@domain-name.com` then the password to unlock the ZIP file will be `username@domain-name.com`



Availability of reports during trials and demos

If you are trialling the service on a demo environment, only the PDF and CSV options are available.

Quick How-To Guides

Filtering for all results with Original Script Name or Full Name

Your browser does not support the video tag.

Filtering results by Category

The Category filter only displays the matching profiles with the same category. It does not affect the overall number of matches in the scan result summary.

Your browser does not support the video tag.

Filtering profiles by screened fields

Your browser does not support the video tag.

Filtering screened results for bulk monitoring

Your browser does not support the video tag.

Viewing profile information in card summary mode

Your browser does not support the video tag.

Card and Grid views

The card view is useful for quick access to the matching profiles to view details, however for larger number of matching profiles, the grid view provides an overview of the key information of the matching profiles. The grid view also provides the option to perform due diligence risk assessment in bulk.

Your browser does not support the video tag.

Viewing Cached Sources and Adverse Media

Sources and adverse media links can be archived, moved, removed and changed causing broken links in the original URL. Where available, a PDF copy of the article is cached and made available with the date of the captured snapshot.

To access this, look for hyperlinked dates in **Date of Capture**

Your browser does not support the video tag.

Report profile for review

Directly report profile data issues or submit questions about a specific profile. Expand the options for the profile and select the most appropriate Subject and enter your comment or query. If wish to report a profile to be outdated, please include details with hyperlinks to publicly available sources or official lists for review.

Your browser does not support the video tag.

Request Copyright Media

For copyrighted media sources, you'll see a question mark against the PDF icon. If the source link is not accessible or the cached PDF is not available, you can request for the copyrighted sources by clicking on the date with the question mark icon. This will request and download a copy of the media, and the link will be available for up to 15 minutes.

Your browser does not support the video tag.

Viewing risk levels of profile and linked entities

Recommended risk level of matched profile is displayed based on the current organisation risk setting. To view the risk levels of associated Individuals and Companies, click on the **Calculate Risk Levels** button.

Your browser does not support the video tag.

Scan Results for Corporates


Permissions

Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor
					

Standard User Permissions

Whilst **Compliance Officers**, **Advanced Users** and **Auditors** have access to view scan results performed by all users associated with the organisation, **Standard Users** are able to only view scan results performed by themselves.

Corporate Scan > Scan Results displays the match results for the companies screened.



By default, it is prefiltered to list **Single Scan** results for **Sanction and Adverse Media** for **Matches Found** in the **current Subscription period**. You can change the filters to expand or further refine the scan results displayed using the options available for **Scan Service**, **Scan Type**, **Scan Result Settings** and **Company Search**.

Set Scan Results display default

The Compliance Officer can set an organisation-wide preference to display either or both **Matches Found** and **No Matches Found**, in **Organisation Administration > Settings**.

If you are part of a multi-level organisation or if you have multiple users associated with your organisation account, you can additionally filter by **Organisation** and **Users** who have performed the scans.

Scan Results Settings to filter by scan settings and results:

Default filter settings where scans with **No Matches Found** are excluded in **Scan Result**.

Scan Service:

☒ Sanctions & Adverse Media
 ☐ Know Your Business
 ☐ Risk Assessment

Scan Type:

☐ Batch Scans
 ☒ Single Scans
 ☐ Monitoring Scans
 ☐ Monitoring Rescans

Scan Filters:

Name Match Type: **All**

Whitelist: **All**

Result: **Matches Found**

Categories: **All**

Decisions: **All**

Risks: **All**

Web Search: **All**

Advanced Media Search: **All**

Name Match Type:

☒ Exact
 ☒ Close

Whitelist Policy: 

☒ Applied
 ☒ Ignored

Scan Result:

☒ Matches Found
 ☐ No Matches Found

Categories: 

☒ All
 ☐ TER
 ☐ POI
 ☐ SOE
 ☐ SIE (subcategories)

Decision Includes:

☒ All
 ☐ Not Reviewed
 ☐ Match
 ☐ No Match
 ☐ Not Sure

Assessed Risk:

☒ All
 ☐ High
 ☐ Medium
 ☐ Low
 ☐ Unallocated

Web Search:

☒ Yes
 ☒ No

Advanced Media Search:

☒ Yes
 ☒ No

Scan Result Settings for all scans regardless of match results:

Note that both **Single Scans** and **Batch Scans** are selected. Both **Matches Found** and **No Matches Found** are selected.

Scan Service:
☒ Sanctions & Adverse Media ☐ Know Your Business ☐ Risk Assessment

Scan Type:
☒ Batch Scans ☒ Single Scans ☐ Monitoring Scans ☐ Monitoring Rescans

Scan Filters:

Name Match Type: All	Whitelist: All	Result: All	Categories: All	Decisions: All	Risks: All	Web Search: All
Advanced Media Search: All						

Name Match Type: ☒ Exact ☒ Close	Whitelist Policy: ? ☒ Applied ☒ Ignored	Scan Result: ☒ Matches Found ☒ No Matches Found	Categories: ? ☒ All ☐ TER ☐ POI ☐ SOE ☐ SIE (subcategories)	Decision Includes: ☒ All ☐ Not Reviewed ☐ Match ☐ No Match ☐ Not Sure	Assessed Risk: ☒ All ☐ High ☐ Medium ☐ Low ☐ Unallocated
Web Search: ☒ Yes ☒ No	Advanced Media Search: ☒ Yes ☒ No				

Scan Result Settings when AML Risk Assessment is selected:

Filter scans with Risk Assessment enabled during screening. This refers to the AML Risk Assessment questionnaire completed based on customer information, country, product or services offered and outcome of screening.

Scan Service:
☐ Sanctions & Adverse Media ☐ Know Your Business ☒ Risk Assessment

Scan Type:
☒ Batch Scans ☒ Single Scans

Scan Result Settings when Monitoring Scans is selected:

Filter scans based on the outcome of ongoing monitoring and type of detected change.

Scan Service:
☒ Sanctions & Adverse Media ☐ Know Your Business ☐ Risk Assessment

Scan Type:
☐ Batch Scans ☐ Single Scans ☒ Monitoring Scans ☐ Monitoring Rescans

Scan Filters:

Name Match Type: All	Whitelist: All	Result: Matches Found	Categories: All	Decisions: All	Risks: All	Monitoring Status: All Changes
--------------------------------------	--------------------------------	---------------------------------------	---------------------------------	--------------------------------	----------------------------	--

Name Match Type: ☒ Exact ☒ Close	Whitelist Policy: ? ☒ Applied ☒ Ignored	Scan Result: ☒ Matches Found ☐ No Matches Found	Categories: ? ☒ All ☐ TER ☐ POI ☐ SOE ☐ SIE (subcategories)	Decision Includes: ☒ All ☐ Not Reviewed ☐ Match ☐ No Match ☐ Not Sure	Assessed Risk: ☒ All ☐ High ☐ Medium ☐ Low ☐ Unallocated
Monitoring Status: ☐ All ☒ New Matches ● ☒ Updated Entities ● ☒ Removed Matches ● ☐ No Changes					

Scan Result Settings when Monitoring Rescans is selected:

Filter for rescans where actively monitored entities are rescanned against the full database on day of account subscription renewal.

Scan Service:
☒ Sanctions & Adverse Media
 ☐ Know Your Business
 ☐ Risk Assessment

Scan Type:
☐ Batch Scans
 ☐ Single Scans
 ☐ Monitoring Scans
 ☒ Monitoring Rescans

Scan Filters:

Name Match Type: **All**
Whitelist: **All**
Result: **All**
Categories: **All**
Decisions: **All**
Risks: **All**

Name Match Type:
☒ Exact
☒ Close

Whitelist Policy: ⓘ
☒ Applied
☒ Ignored

Scan Result:
☒ Matches Found
☒ No Matches Found

Categories: ⓘ
☒ All
☐ TER
☐ POI
☐ SOE
☐ SIE (subcategories)

Decision Includes:
☒ All
☐ Not Reviewed
☐ Match
☐ No Match
☐ Not Sure

Assessed Risk:
☒ All
☐ High
☐ Medium
☐ Low
☐ Unallocated

Company Search to filter by companies scanned:

Search for a specific company in Batch and/or Single Scans.

Scan Service:
☒ Sanctions & Adverse Media
 ☐ Know Your Business
 ☐ Risk Assessment

Scan Type:
☒ Batch Scans
 ☒ Single Scans
 ☐ Monitoring Scans
 ☐ Monitoring Rescans

Scan Filters:

Name Match Type: **All**
Whitelist: **All**
Result: **Matches Found**
Categories: **All**
Decisions: **All**
Risks: **All**
Web Search: **All**

Advanced Media Search: **All**

Company Search: ⓘ

NA

Company Name:

(All or part of Company Name)

Registration Number:

(All or part of Registration Number)

Client ID:

(All or part of Client ID)

Clear

Filtering for Know Your Business checks:

Filter scans for all Know Your Business checks, which are conducted via Single Scans only.

Scan Service:
☐ Sanctions & Adverse Media
 ☒ Know Your Business
 ☐ Risk Assessment

Scan Type:
☐ Batch Scans
 ☒ Single Scans
 ☐ Monitoring Scans
 ☐ Monitoring Rescans

Company Search: ⓘ

NA

Searching and Filtering Scan Results

Scan Result Settings:

Fields	Description
Name Match Type	Filter by the Name Match Type used during scans. The options are <code>Exact</code> and <code>Close</code>. By default, all options are selected.
Whitelist Policy	Filter if whitelist policy was applied during the scan. Profiles marked as <code>No Match</code> are whitelisted and excluded from being returned and displayed again. The options are: <code>Apply</code> and <code>Ignore</code>. By default, all options are selected
Scan Result	Filter by the outcome of the scan. Options are <code>Matches Found</code> and <code>No Matches Found</code>. By default, <code>Matches Found</code> is selected.
Categories	Filter results by the major category type of the matching profile. The categories are: <code>TER</code> (Terrorism), <code>POI</code> (Profile of Interest), <code>SOE</code> (State Owned Enterprise), <code>SIE</code> (Special Interest Entity). SIEs have filters for additional subcategories such as <code>Sanctions Lists</code>, <code>Law Enforcement</code>, <code>Regulatory Enforcement</code>, <code>Organised Crime</code> etc. By default, <code>All</code> categories are selected.

Decision Includes Filter results by due diligence decisions applied to the matching profile.

The decisions available are: Not Reviewed , Match , No Match and Not Sure .

By default, All decisions are selected.

Assessed Risk Filter results by due diligence risk assessments applied to the matching profile.

The assessed risk options are: High , Medium , Low and Unallocated .

By default, All assessed risk levels are selected.

Web Search Filter results where additional web search for adverse media was performed.

The options are: Yes and No .

By default, All options are selected.

Advanced Media Search Filter results where additional advanced media search for latest news articles was performed.

The options are: Yes and No .

By default, All options are selected.

The full list of categories and subcategories are described in [List Categories](#).

Company Search:

For a quick and specific search of the company scanned, use the **Company Search** panel.

To search for fields where contents exist, use an asterisk (*).

Fields	Description
--------	-------------

Company Name	Search results by the Company Name entered during scan. Search supports full or partial matching. Example: <code>com</code> returns <code>Company</code> , <code>Computer Whizz</code> , <code>The Company</code> etc.
Registration Number	Search results by the Registration Number entered during scan. Search supports full and partial matching.
Client ID	Search results by Client ID entered during scan. Search supports full and partial (contains) matching, so entering part of a Client ID returns all matching entries.

Filtering scans by categories and subcategories:

Special Interest Entities (SIE) are further categorised into subcategories. Descriptions of the [SIE subcategories](#) are described below.

Your browser does not support the video tag.

Viewing Scan Results

Scan results of companies screened are summarised as follows. Results are displayed in chronological order from most recent first.

The table below contains all possible columns. On-screen visibility depends on the selected **Scan Service**:

Field	Description
Monitor	If an Client ID has been assigned to the company during scanning, a toggle switch to enable or disable monitoring is displayed.
Client ID	The unique identifier assigned to the company during scanning.
Company Name	The name entered during screening.
Registration Number	The company registration number entered during screening.

Categories	Major categories of matched profiles. These can be one or any combination of the following: • TER : Special Interest Entity - exposure or associations with terrorist related activities. • POI : Profile of Interest - exposure or associations with terrorist related activities. • SIE : Special Interest Entity - Organisations on Sanctions, Regulatory Enforcement, Law Enforcement lists, and Adverse Media sources. • A blank Category indicates that no matches were found.
Date	Date the scan was run.
Documents	Number of registry documents requested. This may be 0 or more depending on whether you have requested for any registry documents.
Enhanced Profile	Number of enhanced profile data (UBO) requested. This may be 0, 1 or more depending on whether you have requested for the UBO, and for 1 company record or multiple company records.
Matches	Number of matching profiles for the scanned company. 0 indicates no matches found.

Due Diligence	Number of due diligence decisions made against the matching profiles based on the decision types:  Match  Not Sure  No Match  Not Reviewed
Risk	Assessed risks assigned to matching profiles:  High  Medium  Low
Comment	Remark or comment associated with the due diligence decision.

Viewing Profile Risk Levels

Where an organisation has configured its [Risk Settings](#), the recommended risk levels will be displayed for Sanctions and Adverse Media profile matches. The risk levels are based on the current organisation settings.

To view the risk levels of linked Individuals and Companies to the matched profile, click the **Calculate Risk Levels** button next to these sections. The results are retrieved based on the latest organisation risk settings and are not persistent in the scan history.


Rescanning a Corporate Entity

A **Rescan** feature is available for companies previously scanned for Sanctions and Adverse Media, and applies for scans that resulted in matches and no matches. This feature allows for a

new scan to be performed without the need to re-enter the company's details, enabling you to check for the latest updates.

Initiating a rescan will commence a new scan using the company's existing details. The previous scan policies and settings will be applied during this process, with the exception of the watchlists, which will be determined by the organisation's current list access scope.

Rescan activities count toward the organisation's scan activity and usage.




Know Your Business check

If the business check for Know Your Business was selected for screening, you will see an additional tab for the KYB results.



Web Search and Advanced Media Search

If the Web Search or Advanced Media Search options were selected for additional adverse media checks, you will see an additional tab with the media results.



For **Advanced Media Search**, the 30 most recent news articles from around the globe are returned with details of the title, publication date, source name, author, article readership and word count.

For **Web Search**, the first 10 most relevant results are displayed.

All links will open up to a new browser tab.

FATF Jurisdiction Risk

If the FATF Jurisdiction Risk option was selected during scan, you will see an additional tab containing jurisdiction risk information for the country of the screened entity, regardless of whether a profile match is found.

Sanctions & Adverse Media **1**
Jurisdiction Risk **1**
Media Search
Supporting Documents **0**


FATF Black List and Grey List

Where the screened entity's country appears on the FATF **Black List** (call for action) or **Grey List** (increased monitoring), this is shown in the Jurisdiction Risk tab and in the downloadable reports, with a link through to the relevant FATF source. This information is provided based on the screened entity's country, regardless of whether a profile match is found.

Viewing Scan Result Details

Matching profile information for Sanction and Adverse Media are displayed in **card** or **grid** format with either a **summary** or **full** detailed card view of the profile.

Click on a scan result record to view details of matching profiles:

Card views provide a quick look into the matching profile with the high level summary with the options to expand to view details.

Grid views provide an additional table with summarised profile details with an overview and comparison of results. Where information in the profiles match with the scanned company, cells are highlighted to indicate full match or partial match.

Your browser does not support the video tag.

Detailed information of profiles are displayed in the cards and may include:

Fields	Description
--------	-------------

**Profile
Details**

Key profile information:

- Company Name
- Category e.g. `SIE` , `TER`
- Country or location
- Due diligence decision and risk level assessment
- `Tax haven` and `Sanction` indicators based on the primary location of the company.

**General
Information**

- Categories of the profile e.g. `Special Interest Entity (SIE) - Regulatory Enforcement`
- Business Type - type of business e.g. privately-held company, publicly-traded company, charitable organisation, bank
- Activities - description of core activities or services provided
- The date the record was last reviewed or updated
- Further information and profile notes

**Also Known
As**

- Name - aliases or other names associated with the organisation
- Type - type of name variation e.g. original script name, name spelling variation, name abbreviation, previous name, brand name, fake name.

Locations

All registered or known locations associated with the organisation:

- Country
- City
- Address
- Type e.g. registered, operating, previous, branch office, representative office, headquarters

Official Lists

Name of Sanction List this profile appears in.

- Name - Name of the official Sanctions list e.g. Office of Foreign Asset Control
- Category - category of the official list
- Measures - list of measures enforced by the official list e.g. asset freeze, travel ban
- Origin - country or region of the official list
- Type - type of sanction classified by the official list
- Status - status of the entity on the official list i.e. `current` or `former` .

Identifiers

List of registration and ID numbers of the company.

- Type - type of identifier e.g. DUNS number, business registration number, business registration date, tax number, OFAC unique ID, SECO unique ID
- Value

**Sources and
Adverse
Media**

Links to online sources and adverse media for the profile.

- URL - link to the source of information regarding the entity
- Category - category type of source e.g. Sanction , Adverse Media , Law Enforcement , ID/ V (ID Verification) etc
- Date of Capture - date the source article was recorded. This may contain multiple dates where the source was reviewed and recorded.
- Info - additional information on the publication e.g. publication date, credibility, language of the article, title and summary, if available



Links to news articles may be out of date or broken depending on how recently they have been reviewed. Some source articles contain cached PDF copies.

If the cached PDF is available, this is provided as a hyperlink in **Date of Capture** . For copyrighted sources which may not be accessible, you can check for availability of the copyright material. If available, the data of capture will change to a hyperlink to download the PDF. Availability of cached materials and copyright PDFs are dependent on your data source subscription.

**Linked
Individuals**

Individuals associated with the entity with a description of the relationship.

- Full Name
- Category e.g. PEP , RCA
- Description



Click on a **Linked Individual** to view further information of the person.

Linked Companies

Lists of organisations associated or affiliated with the entity with a description of the relationship.

- Name
- Category e.g. SIE
- Description



Click on a **Linked Company** to view further information of the company.

**Something amiss with the profile data?**

If the information in the profile data appears to be outdated, incomplete or unclear as to reasons for being listed in the watchlist, you can report this profile directly to the MemberCheck team for review. See tip on how to [report profile for review](#).

Know Your Business profiles are also viewable in **card** or **grid** view with an additional **document view** of requested documents for the company.

Your browser does not support the video tag.

Profile Filters

Profile filters are fields that have data entered during screening. Each of these filters contain the number of profiles that match with the field independently. This provides an overview of the number of profiles that have matches (1 or more) or no matches (0) against these data points.

☐ Primary Name 2	☐ AKA 0	☐ Country 2	☐ Registration Number 1	Search...
--	---	---	---	--

You can optionally narrow down the returned profiles to quickly review profiles that match some or all of the information entered during screening. Simply select one or more filters to view profiles that match all the selected fields.

These filters work based on the **AND** condition. Selecting multiple filters will return profiles that match against all the selected fields. If there are no profiles displayed when multiple filters are selected, try deselecting some to assess how many data points match.

Country filter

If you have entered a Country of Operation during screening but did not apply the country of operation policy, you can filter the profiles by **Country** to only display those matching the entered country.

Filtering by Country and Registration Number

The **Country** and **Registration Number** filters work for scan results post release version 10.4.4, on Oct 12, 2025. These filters for scans performed prior to this date will display a **0** by default.

You can further narrow down the profiles with the simple text search to locate specific names, terms or references. The text search is based exact string matching.

Your browser does not support the video tag.

Profile Categories

Refer to [List Categories](#) for a full list of the definitions of the main categories and subcategories.

Know Your Business checks

If a business check was included in the screening, additional information will be displayed for the company scanned.

Monitor	Service	Client ID	Company Name	Categories	Date	Documents	Enhanced Profile	Matches	Due Diligence	Risk
☒		MON-CKYB-KIWIBANK-NZ	Kiwibank	SIE	Dec 11, 2023	2	1	1	0 0 0 1	H M L
☒		MON-CKYB-KIWIBANK-NZ	Kiwibank	SIE	Dec 11, 2023			1	0 0 0 1	
		MON-KYB-KYCKR-GB	Kyckr		Dec 10, 2023	3	1	0		
		KYB-HSBCCLTD-GB	HSBC Limited		Dec 10, 2023	1	1	0		

Sanctions & Adverse Media **1** **Know Your Business 1** Google Results Jurisdiction Risk **1**

KYB scanned on Dec 11, 2023 4:36:09 PM by mc.com.officer2 for MemberCheck
Demo Co (MCDEMO)

Company Name: Kiwibank Registration Number:

Country: New Zealand State:

Client ID: MON-CKYB-KIWIBANK-NZ

Summary Card View Full Card View Summary Grid View Full Grid View Document View

KIWIBANK LIMITED [Download](#) [Details](#)

ACN: 9429036917211 Registered

Documents: [Enhanced Company Profile](#) [Financial Statements](#)

Company Details & UBO: [Company Information](#) [Addresses](#)

If no company profile was found, or no documents or UBO were requested, the **Documents** and **Enhanced Profile** columns will be empty.

Monitor	Service	Client ID	Company Name	Categories	Date	Documents	Enhanced Profile	Matches	Due Diligence	Risk
☒		MON-CKYB-KIWIBANK-NZ	Kiwibank	SIE	Dec 11, 2023	2	1	1	0 0 0 1	H M L
☒		MON-CKYB-KIWIBANK-NZ	Kiwibank	SIE	Dec 11, 2023			1	0 0 0 1	
		MON-KYB-KYCKR-GB	Kyckr		Dec 10, 2023	3	1	0		
		KYB-HSBCCLTD-GB	HSBC Limited		Dec 10, 2023	1	1	0		

Sanctions & Adverse Media **1** **Know Your Business 0** Google Results Jurisdiction Risk **1**

KYB scanned on Dec 11, 2023 4:03:04 PM by mc.com.officer2 for MemberCheck
Demo Co (MCDEMO)

Company Name: Kiwibank Registration Number:

Country: New Zealand State:

Client ID: MON-CKYB-KIWIBANK-NZ

No matches were found, or no Documents or Enhanced Profiles were requested.

Detailed information of the business check may vary between registry jurisdictions and generally includes:

Fields	Description
Company Summary	High-level identification of the business including company name, registration number and status of registration.
Documents	List of requested documents and the status of delivery. Delivery of documents range from near real time to 7 days.
Company Information	Company details including legal and registration details.
Addresses	List of registered addresses
Directors and Shareholders	List of representatives such as shareholders, directors and secretaries, the type of entity (Person or Company), role, percentage of holdings, address and appointment date.
Ultimate Beneficial Owner(s)	Individual(s) identified as the ultimate beneficial owner including name, nationality, address, and date of birth.

Downloading Reports

For record keeping and for purposes of auditing for your organisation, you can download reports of your screening activities and the associated results. All reports are available in PDF format. Some reports are also available in Word, Excel and CSV formats. Where large volumes of data are downloadable, the application may only offer download in CSV format.

This option is available through the **Download** button in all screens where download of reports are available.

In the **Scan Results** screen, the Download button offers the ability to:

- Preview PDF report before download
- Export as PDF
- Export as Word
- Export as Excel
- Export as CSV

- Export Results Summary report.

The **Download All** button enables you to download a report of all profile matches for a screened entity with a simple single-click. You can opt to download:

- A **consolidated summary report** containing an extract of the key details of the profiles such as the applied scan settings and policies, name, address, due diligence decisions, and the category and subcategory of the profile record
- A ZIP file of individual files with the **full profile** details.

The latter option may produce a much larger file size and may take some time to download, depending on the number of profiles and depth of content of the profiles.

For **Know Your Business** checks, the following download options are available:

- Preview PDF report of the business check activity
- Export as PDF of the business check activity
- Download documents of requested from the jurisdiction registry
- Download Enhanced Company Profile of the UBO check

The **Results Summary report** option enables you to download a summary of all the profiles of matched results for your Sanction screening, and is available in both the **Scan Results** and **Batch Scan Results** screens. This report is available in CSV format only and is compressed and downloaded as a ZIP file. **The ZIP file is secured and password protected using the email address of the person who generated this report.** If you have initiated the download of this report, the password to the ZIP file will be your registered email address in the application and entered as lower case. To check which email address you have registered in the system, you can review the information in **My Profile**.



Email Address to unlock Results Summary Report

If the email address has different casing such as `UserName@domain-name.com` then the password to unlock the ZIP file will be `username@domain-name.com`



Availability of reports during trials and demos

If you are trialling the service on a demo environment, only the PDF and CSV options are available.

Quick How-To Guides

Filtering profiles by screened fields

Profile filters are fields that have data entered during screening. Each of these filters contain the number of profiles that match with the field independently. Select a field to only show profiles that contain the data point. Select multiple fields to narrow down profiles that match against all selected fields.

Your browser does not support the video tag.

Viewing Cached Sources and Adverse Media

Sources and adverse media links can be archived, moved, removed and changed causing broken links in the original URL. Where available, a PDF copy of the article is cached and made available with the date of the captured snapshot.

To access this, look for hyperlinked dates in **Date of Capture**

Your browser does not support the video tag.

Report profile for review

Directly report profile data issues or submit questions about a specific profile. Expand the options for the profile and select the most appropriate Subject and enter your comment or query. If wish to report a profile to be outdated, please include details with hyperlinks to publicly available sources or official lists for review.

Your browser does not support the video tag.

Viewing risk levels of profile and linked entities

Recommended risk level of matched profile is displayed based on the current organisation risk setting. To view the risk levels of associated Individuals and Companies, click on the **Calculate Risk Levels** button.

Your browser does not support the video tag.

Batch Scan Results

Permissions

Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor
					

Standard User Permissions

Whilst **Compliance Officers**, **Advanced Users** and **Auditors** have access to view scan results performed by all users associated with the organisation, **Standard Users** are able to only view scan results performed by themselves.

Results of batch scans are separated for Individuals and Corporates and can be accessed via **Batch Scan Results**.

Batch files uploaded via the web application and API are visible on this screen with an overview of:

- Date of upload
- Batch file name
- Number of entities in the batch file
- Number of entities with matches found against the watchlists
- Total number of profile matches
- Status of the batch scan.

Select the batch file row to view detailed information of the batch scan.

In the Batch Scan Details screen, you can see a summary of the results of the batch file:

- Screening policies applied
- Number of entities with matches
- Total number of profile matches per category

- Category of watchlists scanned

By default, only entities with matches found are displayed. To view all entities in the batch file, change the **Scan Filters** accordingly.

Searching and Filtering Scan Results

Scan Filters

Fields	Description
Scan Result	Filter by matches found or not. By default, Matches Found is selected.
Categories	Filter by category of the profile. By default, All is selected.
Decisions	Filter by due diligence decisions applied, if any. By default, All is selected.
Assessed Risk	Filter by the level of risk applied, if any. By default, All is selected.

For a quick and specific search of the entity screened, use the **Individual Search** or **Company Search** panel, depending on the entity type. To search for fields where contents exist, use an asterisk (*). You can also filter by a partial **Client ID** to return all entries whose Client ID contains the text you enter.

Add Entity to Monitoring List

If your organisation has ongoing monitoring enabled, you will be able to see the **Monitor** toggle switch against each entity with a Client ID in your batch scan. You can toggle the switch for each entity individually or apply to all entries in the batch file to add in bulk. To add all entries in the

batch file to the Monitoring List, click the button at the bottom of the screen, **Monitor Batch File**.

Similarly, to remove all entries in a batch scan from the Monitoring List, click on the button **Remove Monitoring of Batch File**.

⚠ Client ID required for monitoring

Only entities with a **Client ID** can be added to the Monitoring List.

Your browser does not support the video tag.


Rescanning an Individual or Corporate Entity

A **Rescan** feature is available for individuals and companies previously scanned for PEP, Sanctions and Adverse Media within the batch scan. This applies for individual entities within the batch scan that resulted in matches and no matches. This feature allows for a new granular scan to be performed without the need to re-enter the individual's details, enabling you to check for the latest updates.


Initiating a rescan will commence a new scan using the entity's existing details. The current scan policies and settings will be applied during this process, with the exception of the watchlists, which will be determined by the organisation's current list access scope.

Rescan activities count toward the organisation's scan activity and usage.

Rescan option for individuals:



Rescan option for companies:



Due Diligence

Permissions

Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor
					



Standard User Permissions

Whilst **Compliance Officers**, **Advanced Users** and **Standard Users** can perform due diligence and risk level assessments, **Standard Users** are able to assess and make due diligence decisions on scan results performed by themselves.

Recording Due Diligence and Risk Level Assessments

You can record due diligence decisions, add notes and risk level assessments against matched profiles for both individual and corporate entities scanned for your organisation. This process is integrated into the screening process and is accessible via **Individual Scan > Scan Results** and **Corporate Scan > Scan Results**.

If you have included a unique reference Client ID during screening, you will see a button for the **Decision (Risk)** and **Comment** beneath the profile image.



Apple Incorporated

SIE

One Infinite Loop, California 95014,
Cupertino, United States

Computer, technology and ebook distributor

www.apple.com

Decision (Risk):

Comment:

Not Reviewed

By default, all results are flagged as **Not Reviewed** until a decision is applied. The options available are as follows:

Status	Icon	Description
Not Reviewed		Default status until a decision is applied. The number in the box indicates the number of matches for the individual or company entity which are not reviewed.
Match		The number in the box indicates the number of matches for the entity which are recorded as match.
Unsure		The number in the box indicates the number of matches for the entity which are recorded as unsure.
No Match		The number in the box indicates the number of matches for the entity which are recorded as no match.
High		Indicates at least 1 recorded high risk level profile. Risk level applies to Matched and Not Sure decisions only.
Medium		Indicates at least 1 recorded medium risk level profile. Risk level applies to Matched and Not Sure decisions only.

Low

Indicates at least 1 recorded low risk level profile. Risk level applies to **Matched** and **Not Sure** decisions only.

Understanding the Due Diligence Summary

Example of an individual scan which resulted in **25 matching profiles** and all matching profiles have not yet been reviewed:

Before due diligence:

Monitor	Member Number	Name (First Middle Last)	Original Script/Full Name	DOB	Categories	Date	Matches	Due Diligence	Risk
☒	DEMO-DARRBROW	Darren BROWN			SIP	May 08, 2021	25	☒ ☐ ☐ ☐	H M L

After due diligence:

Monitor	Member Number	Name (First Middle Last)	Original Script/Full Name	DOB	Categories	Date	Matches	Due Diligence	Risk
☒	DEMO-DARRBROW	Darren BROWN			SIP	May 08, 2021	25	☒ ☐ ☐ ☐	H M L

On completion of due diligence, this was found that **23 profiles are not true matches, 1 profile cannot be certain of a match** and **1 matched profile**. The assessed risk level for this individual is considered **low risk**:

Add Due Diligence Decisions to Matched Profiles

Due diligence decisions, risk level assessments and comments can be applied to a single profile or multiple profiles at once.

You can also replace with a new decision against the profile by adding a new match decision. A history of the decisions will be retained for auditing purposes.

Your browser does not support the video tag.

If your organisation has predefined risk levels set, the associated risk levels are displayed as a guideline with a recommended risk score. You may elect the risk level based on your own risk assessment.

 Match Decision
 ✕

Subcategory:

High Risk: SIE - Financial Crime SIE - Law Enforcement

Medium Risk: SIE - Regulatory Enforcement

Low Risk: SIE - Reputational Risk



The risk level is set to **"High Risk"** based on the results of the subcategories matching the predefined rules of this organisation. You may choose a different risk level based on your own risk assessment.

Match Decision:

Not Reviewed
▼

Add Comment (max 200 characters)

OK

Cancel

The Compliance Officer can define the risk levels for the categories and subcategories within the Organisation administration screens. Refer to [Risk Settings](#) for details.

Overriding an ID Verification Outcome

An ID Verification outcome is a due diligence decision of its own. You can override any outcome to **Verified** or **Not Verified** and record why. This is most common on a **Review Required** result, where glare or an unclear image capture prevents a confident read and you can confirm the details yourself.

To record an override, open the scan result from **Individual Scan > Scan Results** and click the verification outcome. The **Override Verification Outcome** panel opens.

You can revert any applied decisions through the **Remove Override** option.

Fields	Description
Provider Result	The outcome as it was first returned. An override never changes it. Where the scan covers both checks, the original **ID Check** and **FaceMatch** results are shown side by side.
Shown on the scan today	The outcome the scan carries now. It appears beside **Provider Result** once an override exists. Where the scan covers both checks, the current **ID Check** and **FaceMatch** outcomes are shown side by side.
Override Verification Outcome	Select `Verified` or `Not Verified` to record an override, or `Remove Override` to remove the current override so the original outcome applies again. An option that would not change anything is unavailable, and the panel gives the reason. `Remove Override` is unavailable until an override exists. A value the verification already carries is unavailable, because there is nothing to override.
Add Comment	Your reason for the action, up to 200 characters. A comment is required on every action.
Override History	Every action against the verification, in order, with the **User**, the **Date**, the value **Before**, the value **After** and the **Comment**. The entries cannot be removed or edited. Where the scan covers both checks, the **Before** and **After** columns each carry the ID Check value and the FaceMatch value together.

Points to note:

- The override replaces the outcome everywhere a single verification outcome is shown. This includes the **Scan Results** list, the **Data Management** list, the scan result, the reports, the exports and the API. It is marked (Overridden) , so it is never mistaken for the original outcome.
- Where the scan covers both **ID Check** and **FaceMatch**, one override replaces both statuses, and the panel tells you so before you record it. Where the scan covers one check only, the override applies to that check.
- An override must change the outcome, so a value the verification already carries is offered as unavailable rather than accepted.

- The verification evidence is never altered. The **ID Check** detail, the **FaceMatch** status, and the document and liveness evidence are kept and shown exactly as received.
- You can override a verification in any status, including `Pending`, `Incomplete` and `Not Requested`. This covers an individual who does not complete the verification and is identified another way.
- Use the **Override Includes** filter on **Scan Results** to find verifications by whether the outcome was overridden.

API version

The override is available through **API v3** only. A client that reads results over **API v2** continues to receive the original outcome, so the value it records can differ from the outcome shown in the application. To read the override, move the integration to API v3.

Supporting Documentation

Permissions

Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor
					

Data Entry Operator Permissions

Data Entry Operators have access to add supporting documents but are not able to view any of the scan results.

You can upload, and securely store and manage the necessary documentation for the source of funds (SoF) or source of wealth (SoW) of screened entities (PEP & Sanctions screening, ID Verification, and Know Your Business verification). This enables all necessary documents to be kept in a centralised, secure location, enhancing compliance and audit readiness.

Supported file formats (size up to 5 MB):

- PDF
- JPG/JPEG
- PNG
- GIF
- TIF/TIFF

You can upload a ZIP of the above formats if your file size is too large.

Uploading Supporting Documents

You can upload **up to 10 documents** for a screened entity. The **Supporting Documents** tab is available from **Single Scan**, **Scan Results** and **Batch Scan Results** screens for both Individual and Corporate entities.

PEP, Sanctions & Adverse Media 1
Supporting Documents 0

No supporting documents uploaded yet.

Upload Document

You can categorise the uploaded documents with one of the preset values such as **Proof of Identity**, **Proof of Address**, **Financial Statements** etc. for ease of identification.

If you or any of your team members attempt to upload a document with the same file name for the screened entity, the system will prompt for confirmation to overwrite the existing document.

Managing Supporting Documents

Uploaded documents can be previewed and downloaded based on your permission access rights.

You can view an audit history of supporting document activities through **Documents History** which include statuses for **Uploaded**, **Downloaded**, **Overwritten** and **Deleted**.

Documents History				
Display 5 records per page < 1 2 >				
File Name	Date	User	Action	
Driver License - Sample.png	Feb 16, 2025 7:20:40 PM	mc.com.officer2	Downloaded	
Payment Transfer - Sample.pdf	Feb 16, 2025 7:15:53 PM	demo.amelie	Uploaded	
Driver License - Sample.png	Feb 16, 2025 7:15:53 PM	demo.amelie	Overwritten	
Pay Slip - Sample.pdf	Feb 15, 2025 6:54:37 PM	mc.com.officer2	Uploaded	
Bank Statement - Sample.pdf	Feb 15, 2025 6:54:37 PM	mc.com.officer2	Uploaded	
< 1 2 >				
Close				

Deleting Supporting Documents

Uploaded documents can be deleted based on your permission access rights.

Important Note



Deleted or Overwritten documents cannot be restored

Documents that are deleted or replaced are permanent and cannot be restored.

Quick How-to Guides

Upload supporting documentation

Upload necessary documentation for Source of Funds (SoF) and Sources of Wealth (SoW) with the scanned entity for a centralised view for compliance and audit readiness.

Your browser does not support the video tag.

Manage Organisation and Suborganisations

Permissions

Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor
					

The **Compliance Officer** can edit organisation and scan settings for their organisation and suborganisations. You may like to add multiple suborganisations under your parent organisation for different departments or for specific scan criteria and scope for PEP & Sanction screening.

Organisation Details

The **Details** tab allows you to view or edit the following details for the organisation selected from the **Organisation List**:


Reseller accounts

If you are a Compliance Officer of a reseller account, you have the ability to set and edit the subscription dates.

MCDEMO Details

Settings

Monitoring Settings

Users

List Access

Risk Settings

Notifications

Name:

MemberCheck Demo Co

Org ID:

MCDEMO

Address:

7 Railway Street, Chatswood NSW 2067 Australia

Fax Number:

Phone Number:

Email:

Country:

Australia

Time zone:

(UTC+10:00) Australian Eastern Time (Melbourne) - Melb

Report Logo:



Drag and drop a file here or click

Update

Cancel

Deactivate Organisation

Delete Organisation

Subscription Start Date:

May 13, 2020

Termination Date:

-

Renewal Date:

May 13, 2027

Subscription Fee:

-

Currency:

Field	Required	Character Limit	Description
Name	Mandatory	100	Legal name of the organisation. If you change the name of your parent organisation, please notify support@membercheck.com so that we can update our records.
Org ID	Mandatory	20	Unique identifier for the selected organisation. Your parent organisation Org ID will be assigned to you during enrolment. For suborganisations, you can assign your own Org ID or allow the system to automatically assign an Org ID. The Org ID is key to identifying the organisation you are scanning for in batch files and API requests.
Address	Mandatory	499	Address of the organisation or head office. Free format
Fax Number	Optional	50	Free format.
Phone Number	Optional	50	Free format.
Email	Conditional	125	Organisation email or email address to receive scan notifications if no Compliance Officer is assigned and no specific Notification Email Addresses are provided in Email Notifications tab.
Country	Mandatory	-	Country where the organisation is based. This affects the Time zone used for the organisation.

Time zone	Mandatory	-	Time zone is automatically set based on the selected Country, however it can be changed to cater for different regions with different time zone settings. This time zone will be used for all dates and times displayed for the organisation, with the exception of the Activity Report, which is based on Australian Eastern Standard/Daylight Saving Time (UTC +10/11). Time zone is displayed against the Last Login date and time on the MemberCheck banner, for reference For users that are assigned to an organisation belonging to a group of organisations with different time zones, the time zone displayed against the Last Login date and time will be that of the group's parent organisation.
Report Logo	Optional	-	An organisation logo can be uploaded to be included for display in exported reports (PDF, Excel, Word). Supported formats: gif, jpg and png. Maximum logo dimensions (pixels): 150 width, 100 height. Maximum file size: 100 KB.

Scan Settings

The default `User Defined` option enables the users to select the scan criteria prior to scanning and offers the greatest flexibility.

MCDEMO Details

Settings

Monitoring Settings

Users

List Access

Risk Settings

Notifications

Batch Setting

Batch Validation

On

Off

Individual Scan Settings

Default Name Match Type:

Exact

Exact (Incl. Middle Name)

Close

User Defined

Close Name Match Rate (%):

≥80

User Defined (defaults to 80%)

Whitelist Policy:

Apply

Ignore

User Defined

Country of Residence Policy:

Apply to All

Apply to PEP

Apply to POI

Apply to RCA

Apply to SIP (incl. TER)

Ignore

User Defined

Default Country of Residence/Operation:

Apply Country of Residence to Blank Addresses:

Yes

No

User Defined

PEP Jurisdiction Policy:

Apply

Ignore

User Defined

PEP Jurisdiction Countries:

Exclude from screening:

Include in screening:

Exclude Deceased Persons:

Yes

No

User Defined

Web Search:

Note: Applies to Single Scans only

Yes

No

User Defined

Advanced Media Search:

Yes

No

User Defined

FATF Jurisdiction Risk:

Yes

No

User Defined

Original Script Search/Full Name:

On

Off

Matching Scope:

DOB:

Matches only

Matches and Blanks

Mismatches

User Defined

Gender:

Matches only

Matches and Blanks

Mismatches

User Defined

Nationality:

Matches only

Matches and Blanks

Mismatches

User Defined

ID Number:

Matches only

Matches and Blanks

Mismatches

User Defined

DOB and YOB Tolerance (Years):

On ±1

Off

User Defined

Default Scan Results:

Matches Found

No Matches Found

Limit Scan results (1-200):

Exact Match:

100

Close Name Match:

200

Watchlists Setting

Select Watchlist Categories:

Yes

No

Corporate Scan Settings

Default Name Match Type:

Exact

Close

User Defined

Close Name Match Rate (%):

≥80

User Defined (defaults to 80%)

Whitelist Policy:

Apply

Ignore

User Defined

Country of Operation Policy:

Apply to All

Ignore

User Defined

Default Country of Operation:

N/A

Apply Default Country to Blank Addresses:

Yes

No

User Defined

Web Search:

Note: Applies to Single Scans only

Yes

No

User Defined

Advanced Media Search:

Yes

No

User Defined

FATF Jurisdiction Risk:

Yes

No

User Defined

Stopwords (comma-separated):

Reset to Default

Incorporated, Proprietary Limited, Private Limited, Pty Ltd, Pte Ltd, Limited Liability Company, Public Limited Company, Public Company Limited, Public Limited, Aktiebolag, Anpartsselskab, Sociedad de Responsabilidad Limitada, Societa A Responsabilita Limitata, Société à Responsabilité Limitée, Gesellschaft mit beschränkter Haftung, Aktiengesellschaft, Societe Anonyme, Sociedad Anonima, Sendirian Berhad, Sdn Bhd, Berhad, Kabushiki Kaisha, Joint Stock Company, Open Joint Stock Company, Open Joint-Stock Company, Private Limited Company, Company Private Limited, Company (Private) Limited, Co Ltd, S.R.L., S.A.R.L., SARL, SP z o.o., SAJNV, NV/SA, LLC, PLC, Kft, Ltda, Ltd, PAO, CJSC, PJSC, DMCC, FZCO, FZE, BV, AB, AG, ApS, SIA, d.o.o., Oü, Oy, K.K.

Matching Scope:

Registration Number:

Matches only

Matches and Blanks

Mismatches

User Defined

Default Scan Results:

Matches Found

No Matches Found

Limit Scan results (1-200):

Exact Match:

100

Close Name Match:

200

IDV Scan Settings

Enable Global FaceMatch

Enable ID Verification

IDV Countries:

All

Exclude from screening:

Include in screening:

Default Country:

Australia

Preferred Verification Process:

Step-by-Step Check

Comprehensive Check

User Defined

Copyright ©2019 Member Check Pty Ltd. All rights reserved.

Document Version: V10.5.3:1 | Last updated: 13 September 2026

Page 4

Batch Setting

Field	Required	Description
Batch Validation	Mandatory	A setting that determines if batch file validation is performed prior to scanning. Options are: On - Default. Any batch file with incorrect formatting or containing invalid data will be rejected and the batch scan will show an error, and a status of the Error will be displayed against the scan in the Batch Scan History. Off - Any batch file with incorrect formatting or containing invalid data will be accepted and the batch scan will be completed by ignoring the incorrectly formatted or invalid data.

Individual Scan Settings

Setting options to **User Defined** enables the user or API client to specify their preference during screening.

Field	Required	Description
-------	----------	-------------

Default Name Match Type	Mandatory	A setting that defines the default name match type across the organisation for all scans. The options are <code>Exact</code> , <code>Exact (Including Middle Name)</code> , <code>Close</code> or <code>User Defined</code> .
--------------------------------	-----------	---

Exact

Scan results show matches where the First and Last Name match exactly. Middle name matching does not eliminate watchlist entities with no middle name. Scans

- The First and Middle and Last Name match exactly.
- The First and Last Name match exactly and the watchlist record Middle Name contains a space.
- The First and Last Name match exactly and the watchlist record has no Middle Name.
- The First and Last Name match exactly and the Middle Name does not match.

Exact (Including Middle Name)

- The First and Middle and Last Name match exactly.
- The First and Last Name match exactly and the watchlist record Middle Name contains a space.
- The First and Last Name match exactly and the watchlist record has no Middle Name.

Close

- The First Name and Last Name match based on a phonetic matching algorithm (Middle Names are ignored).

Close Name Match Rate

Mandatory

Applicable for Close name matches only. Improves relevance of scan results by setting a threshold.

Options are:

1 - 100 % - Refines the scan results to display only name matches with a match rate entered. Accepted values are between 1 and 100.

User Defined - Default. The user can specify a threshold at the time the scan is performed. Default is equal to 80% if no value is entered.

Example: The name **John** at various thresholds:

- **100%:** John .

- **80%:** John , Johnnie , Johnny .

- **50%:** John , Johnnie , Johnny , Jon , Joan , Jonah , Jean , Jan , Joanne , Joanna ,

- **1%:** John , Johnnie , Johnny , Jon , Joan , Jonah , Jean , Jan , Joanne , Joanna , Jayne , Juan etc.

Whitelist Policy

Mandatory

A setting that ensures previous due diligence decisions, i.e, an individual is determined to be a match or not, are taken into account in future scans. Therefore, previous match results will not be returned as new matches.

Options are:

Apply - Watchlist entity matches previously classified as No Match are excluded from future scans.

Ignore - All watchlist entities matching the scanned individual are displayed. Previous decisions are ignored.

Country of Residence Policy	Mandatory	A setting, for individual scans, which allows matches to be ignored if the individual's that of the matching watchlist entity. This rule can be applied to selected category m Options are: Apply to All - All watchlist entity matches where the individual's Country of Residence locations are excluded from the scan results. This includes Apply to PEP, Apply to settings. Apply to PEP - PEP (Politically Exposed Persons) watchlist entity matches where the different to the PEP's locations are excluded from the scan results. Apply to RCA - RCA (Relatives or Close Associates) watchlist entity matches where the RCA's Country of Residence are excluded from the scan results. Apply to SIP (incl. TER) - SIP (Special Interest Person) watchlist entity matches where Residence is different to the SIP's locations are excluded from the scan results. Ignore - Country of Residence Match Policy is not applied.
------------------------------------	-----------	---

Default Country of Residence	Mandatory	Used for nominating a Country of Residence for the individual's address where a country is not identified. To utilise the Country of Residence Policy, a country needs to be identified in the member addresses, which are not blank but do not contain an identifiable country, if a Default Country of Residence is nominated, it will be automatically assigned to the member as the Country of Residence.
-------------------------------------	-----------	--

For **MemberCheck users outside Australia**, selecting a **Default Country of Residence** for the address of a member where a country does not already exist in the member's information.

For **Australian MemberCheck users**, selecting **Australia** as the **Default Country of Residence** for member addresses that do not contain a **State** or "Australian".

The default setting is **Not specified**, which has no impact on member scans.



Default Country of Residence should be set once and not changed as no record is kept of changes.



Only a Compliance Officer can select a **Default Country of Residence**, it cannot be changed by other users.

Apply Country of Residence to Blank Addresses	Mandatory	Used in conjunction with Country of Residence Policy and Default Country of Residence. Default Country of Residence is used where Member addresses are blank during PEP and Sanction scans. Including a Country of Residence during PEP and Sanction scans helps to eliminate false positives and provides a catchall if Member addresses do not contain any information.
--	-----------	---

Options are:

Yes - Applies specified Default Country of Residence for all blank Member addresses.

No - No changes to blank Member addresses.

**PEP
Jurisdiction
Policy**

Mandatory

This setting determines whether to exclude or include PEPs and their RCAs based on specified exclusion or inclusion list.

The default which is set by the scanning organisation's Compliance Officer is **Exclude** (specified in **Exclude from screening** field).

Options are:

Apply - Exclude or include PEPs and RCAs based on defined **PEP Jurisdiction Countries**.

Ignore - Disregard jurisdiction-based exclusions or inclusions for PEPs and RCAs.

User Defined - Allow users to choose whether to apply jurisdiction-based exclusion or inclusion for PEPs and RCAs.

 If no country is defined in **PEP Jurisdiction Countries** in the fields below, this is the default.

**PEP
Jurisdiction
Countries**

Optional

Options are:

- **Exclude from screening:** Allows you to specify countries to exclude from the scan of domestic PEPs.
- **Include in screening:** Allows you to specify countries to include within the scan of domestic PEPs.

Your obligations under the appropriate AML/CTF or AMC/CFT legislation should determine whether you choose to explicitly include or exclude.

 To apply the PEP Jurisdiction policy to explicitly include or exclude the defined countries, the **Residence Policy** should be unchecked, as this will override the PEP Jurisdiction policy and return PEP and RCA profiles that match the country defined during screening.

Exclude Deceased Persons	Mandatory	Allows you to specify if deceased persons are to be excluded from the scan results. Options are: ☐ Yes - exclude profiles where the person is tagged as deceased. ☐ No - include profiles where the person is tagged as deceased.
Web Search	Mandatory	Allows you to specify if a search on the Google search engine should be included during screening. Options are: ☐ Yes - run a web search during screening. ☐ No - do not include a web search. This is the default setting.
Advanced Media Search	Mandatory	Allows you to specify if an advanced search for the latest news articles should be included during screening. Options are: ☐ Yes - run a search on articles during screening. ☐ No - do not include the search. This is the default setting.
FATF Jurisdiction Risk	Mandatory	Allows you to specify if a jurisdiction search which includes technical compliance and recommendations, should be included during screening. Options are: ☐ Yes - run a jurisdiction risk check during screening. ☐ No - do not include the risk check. This is the default setting.

Original Script/Full Name Search	Mandatory	A setting, which when turned On , provides an additional Original Script Name or Full allow single and batch scanning of a person's name in its original script (e.g. Arabic, Japanese, Thai and other non-Latin/Roman scripts).
---	-----------	---

Options are:

On - Name matching is performed based on **First** and **Middle** and **Last Name** and **Or**

Off - Name matching is performed based on **First** and **Middle** and **Last Name**.

Matching Scope

Mandatory

Sets how widely each field narrows the results. A scope is set for each of **Date of Birth** and **ID Number**. Options are, from the narrowest to the widest:

Matches only - Returns only profiles whose value matches the value you enter.



Under this scope, a watchlist entity that could be a true match is eliminated if its field.

Matches and Blanks - Default. Also returns profiles that hold no value for this field.

Mismatches - Also returns profiles whose value disagrees, flagged as unmatched. This includes profiles with no value for this field.

User Defined - The user selects the scope when starting the scan. See [Single Scan](#) for more details.

Entering a value is not required to run a scan. A field you leave blank narrows nothing.

What counts as a match differs by field:

- **Date of Birth** matches on a full date or on a year. The **DOB and YOB Tolerance (Years)** setting controls the comparison.
- **Nationality** matches on nationality or citizenship. A profile matches if it holds an Australian or New Zealand nationality or citizenship.
- **ID Number** matches on any identifier held against the profile, for example National Insurance Number, Driver's License Number, etc.



ID Number and the risk of a missed match. A watchlist profile that holds a different ID Number than the one you enter is returned only under **Mismatches**. Under the two narrower scopes that profile is excluded. Set **ID Number** to **Mismatches** where your screening policy requires you to check watchlist records under an identifier you do not hold. This widens the results and increases the risk against your organisation's risk appetite.

DOB and YOB Tolerance (Years)	Mandatory	A setting which allows for date of birth variations in the results returned with a tolerance against the individual's date of birth. Enabling this variation will ignore the specific day and month against the year only. Supports a maximum of 9 years of variation. Options are: Yes - preset allowance of [X] years variation. This will be applied during screening and No - No variation allowed. User Defined - the tolerance setting can be enabled and adjusted during screening. This is turned off by default.
Default Scan Results	Mandatory	Set preference to display Matches Found and/or No Matches Found in Scan Results to filter the results to focus on individuals that have matches or view all screened individuals.
Limit Scan Results	Mandatory	Set limits on the maximum number of scan results returned for Exact and Close name match types. Defaults to 100 for Exact name match type and 200 for Close name match type. Acceptable values range from 1 to 1000.

Corporate Scan Settings

Field	Required	Description
Default Name Match Type	Mandatory	A setting that defines the default name match type across the organisation for all scan results. Options are: Exact - The corporate data entered into the system will only result in a match should the data be an exact match. Close - The corporate data entered into the system will result in a match should the data be a close match.

Close Name Match Rate

Mandatory

Applicable for Close name match type only. Adjust relevance of scan results by setting (somewhat similar sounding name).

Options are:

Match rate - Define the closeness of name matching. Scan results will return matches 100 . Setting this rate will apply to all scans performed within the organisation account.

User Defined - Default. The user can specify a threshold at the time the scan is performed value is entered.

Example 1: The name **Greenoil** at various thresholds with the variations returned:

- **100%:** Greenoil
- **80%:** Greenoil
- **50%:** Greenoil, Greenwill, Greenlay, Greenhill
- **30%:** Greenoil, Greenwill, Greenlay, Greenhill, Greenall, Greenhall, Green
- **10%:** Greenoil, Greenwill, Greenlay, Greenhill, Greenall, Greenhall, Green Cornwall etc

Example 2: The name **Bayer** at various thresholds:

- **100%:** Bayer
- **80%:** Bayer
- **50%:** Bayer, Baer, Payeer
- **30%:** Bayer, Baer, Payeer, Bauer, Beyer, Bower, Buyer, Beer, Veier etc

Whitelist Policy	Mandatory	A setting that ensures previous due diligence decisions, i.e, a member is determined will not be returned as a match. Options are: Apply - Member and watchlist entity matches previously classified, after due diligence. Ignore - All watchlist entities matching the scanned member are displayed. Previous decisions are not overridden.
Country of Operation Policy	Mandatory	A setting which allows matches to be ignored if the corporate entity's Country of Operation is blank. Options are: Apply to All - All watchlist entity matches where the corporate's Country of Operation is blank. Ignore - Country of Operation Match Policy is not applied.
Apply Default Country to Blank Address	Mandatory	Used in conjunction with Country of Operation Policy and Default Country of Operation. If the Country of Operation is blank, the Default Country of Operation is used. Including a Country of Operation helps to target and filter relevant results. This option is only applicable when the Country of Operation is blank. Options are: Yes - Applies specified Default Country of Operation for all blank addresses during screening. No - No changes to blank Corporate addresses.

Web Search	Mandatory	Allows you to specify if a search on the Google search engine should be included during screening. Options are: ☐ Yes - run a web search during screening. ☐ No - do not include a web search. This is the default setting.
Advanced Media Search	Mandatory	Allows you to specify if an advanced search for the latest news articles should be included during screening. Options are: ☐ Yes - run a search on articles during screening. ☐ No - do not include the search. This is the default setting.
FATF Jurisdiction Risk	Mandatory	Allows you to specify if a jurisdiction search which includes technical compliance and risk should be included during screening. Options are: ☐ Yes - run a jurisdiction risk check during screening. ☐ No - do not include the risk check. This is the default setting.
Stopwords	Optional	List of words or phrases to be ignored for Corporate scans. By default, this contains the following words: The system default is available if you choose to use this, or customise this to cater to your specific requirements. On occasion, we may update the system default to improve the searchability for our members. If this occurs, you will be notified via email. To return to the original default, click on Reset to Default. Stopwords are comma-separated and support up to 4,000 characters, including non-ASCII characters.

Matching Scope	Mandatory	Sets how widely the Registration Number narrows the results. Options are, from the narrowest to the widest: Matches only - Returns only profiles whose registration number matches the value  Under this scope, a watchlist entity that could be a true match is eliminated if its Matches and Blanks - Default. Also returns profiles that hold no identifier. Mismatches - Also returns profiles whose registration number disagrees, flagged as User Defined - The user selects the scope when starting the scan. See Single Scan The scope matches on any identifier held against the profile, for example BIC Number  Registration Number and the risk of a missed match. A watchlist profile that holds narrower scopes than that profile is excluded, even where it is the same company. Set the watchlist records under an identifier you do not hold. This widens the results and includes Entering a registration number is not required to run a scan. A blank field narrows results to This setting replaces the Ignore Blank Registration Number policy. Your existing settings: Matches only, No became Matches and Blanks, and User Defined is unchanged
Default Scan Results	Mandatory	Set preference to display Matches Found and/or No Matches Found in Scan Results or view all screened corporates in the system.
Limit Scan Results	Mandatory	Set limits on the maximum number of scan results returned for Exact and Close name Defaults to 100 for Exact name match type and 200 for Close name match type. Accept

**Customisation of company stopwords**

When customising your company or entity stopwords, be careful not to include common words or suffixes which may also form part of an organisation name, as this may return more results for matches which are irrelevant.

Watchlists Setting

Field	Required	Description
Select Watchlist Categories	Mandatory	A setting which when turned On , enables users to customise the scope of screening from the list of selected watchlist categories when performing a new scan. Options are: Yes - Default. Allows the user to change the watchlist categories for new scans. No - Watchlist categories cannot be changed during screening.

Risk Assessment Setting

Field	Required	Description
-------	----------	-------------

Enable Risk Assessment

Mandatory

A setting which controls the AML Risk Assessment check to be enforced and completed during a new scan, or optional for user selection. This applies to both Individual and Corporate screening.

Options are:

Yes - AML Risk Assessment check is mandatory and must be completed by the user during screening.

No - Service type is not available during screening.

User Defined - Default. User can choose to perform the AML Risk Assessment check during screening.



This option is editable if your organisation has subscribed to the AML Risk assessment service and the service is activated.

IDV Scan Settings

Field	Required	Description
Enable Global FaceMatch	Optional	Disable or enable the global FaceMatch screening (biometric facial matching against government-issued documents). Turning this off will automatically switchover to ID Check only (verification against official and commercial sources).
Enable ID Verification	Optional	Disable or enable the ID Check (document verification screening against government-issued and commercial sources). List of supported countries for ID Check. Turning this off will automatically switchover identity verification to FaceMatch.

IDV Countries	Mandatory	Select the countries your organisation would like to accept for ID Check. Options are: All - Access all available countries in the service. As coverage expands and are updated, this will automatically apply. Exclude from screening - All countries available except for those listed for exclusion. Include in screening - Only countries listed for inclusion will be available for ID Check. This is the default for all existing IDV clients transitioning to new enhanced IDV platform.
Default Country	Optional	Set a default country if you would like a pre-selected country to appear in the field Country of Verification in Single Scan. This provides a pre-selected value, but does not restrict the user from selecting a different country for verification. This may be useful if the majority of the verification sources are the same.
Preferred Verification Process	Mandatory	Select the ID Check document verification preference to verify against all documents provided or stop at the first successfully verified document. Options are: Step-By-Step - If multiple documents are provided, the system checks them sequentially and stops at the first successful verification outcome. Comprehensive - If multiple documents are provided, the system checks them all for verification. User Defined - Allow this setting to be selected by the staff member when initiating the IDV request.

Monitoring Settings

Define scan setting options for ongoing monitoring. These can be set to be the same as **Settings** or adjusted to cater for variations depending on your organisation's AML/CTF obligations.

MCDEMO Details

Settings

Monitoring Settings

Users

List Access

Risk Settings

Notifications

Ongoing Monitoring:

☒ Turn on Monitoring

☐ Auto-clear all entities from monitoring on subscription renewal date

☒ Turn on ongoing monitoring results review

Monitoring Frequency:

Interval:

Daily

Last Monitoring Date:

Sep 13, 2026

Notifications:

☒ Enable callback URL notification of updates detected

https://yourdomain.com/api/notification/

Individual Scan Settings (Monitoring scans only)

Default Name Match Type:

☒ Exact

☐ Exact (Incl. Middle Name)

☐ Close

Close Name Match Rate (50 - 100%):

☐ ≥ 80

☒ User Defined (defaults to 80%)

Whitelist Policy:

☐ Apply

☒ Ignore

Country of Residence Policy:

☐ Apply to All

☐ Apply to PEP

☐ Apply to POI

☐ Apply to RCA

☐ Apply to SIP (incl. TER)

☒ Ignore

Apply Country of Residence to Blank Addresses:

☒ Yes

☐ No

PEP Jurisdiction Policy:

☐ Apply

☒ Ignore

Exclude Deceased Persons:

☐ Yes

☒ No

Matching Scope:

DOB:

☐ Matches only

☒ Matches and Blanks

☐ Mismatches

Gender:

☐ Matches only

☒ Matches and Blanks

☐ Mismatches

Nationality:

☐ Matches only

☒ Matches and Blanks

☐ Mismatches

ID Number:

☐ Matches only

☒ Matches and Blanks

☐ Mismatches

Corporate Scan Settings (Monitoring scans only)

Default Name Match Type:

☒ Exact

☐ Close

Close Name Match Rate (50 - 100%):

☐ ≥ 80

☒ User Defined (defaults to 80%)

Whitelist Policy:

☐ Apply

☒ Ignore

Country of Operation Policy:

☐ Apply to All

☒ Ignore

Apply Default Country to Blank Addresses:

☐ Yes

☒ No

Matching Scope:

Registration Number:

☐ Matches only

☒ Matches and Blanks

☐ Mismatches

Update Monitoring List when Scanned?

Individual Scans:

☐ Yes

☐ No

☐ User Defined (defaults to Yes)

☒ User Defined (defaults to No)

Corporate Scans:

☐ Yes

☐ No

☐ User Defined (defaults to Yes)

☒ User Defined (defaults to No)

Update

Cancel

Deactivate Organisation

Delete Organisation

Some additional features to note:

Field	Description
-------	-------------

Turn on Monitoring

Check this option to enable ongoing monitoring for your organisation.

This is not checked by default.

Auto-clear all entities from monitoring on subscription renewal date	On the first day of subscription renewal, all active entities in the Monitoring List are rescanned. Check this option to automatically clear all entities from the Monitoring List on the first day of subscription renewal. This is not checked or enabled by default.
Turn on ongoing monitoring results review	Check this option to enable tracking of ongoing monitoring review within Monitoring Results screens. This is not checked or enabled by default.
Monitoring Frequency	Displays the preset interval for ongoing monitoring for your organisation account and the date the process was last run. These values are read-only and can be: <code>Daily</code>, <code>Weekly</code>, <code>Fortnightly</code>, <code>Monthly</code>, <code>Quarterly</code> and <code>Semi Annually</code>. To change the interval to reduce the frequency of ongoing monitoring, please contact your Account Manager or MemberCheck Support.
Enable email notifications of monitoring updates	Check this option to receive email notifications if changes are detected in the watchlist which may affect monitored individuals and or companies. Emails will be sent to the Compliance Officer or Organisation Email. This is not checked or enabled by default.
Last Monitoring Date	Displays the date the ongoing monitoring was last run for the organisation or suborganisation account.
Enable callback URL notification of updates detected	Check this option to receive API notifications if changes are detected in the watchlist which may affect monitored individuals and or companies. The specified callback URL must be available via GET method without authentication. For detailed usage of the callback URL, refer to FAQ This is not checked or enabled by default.

**Update Monitoring
List for New Individual
Scan**

Preference for adding new individual scans (single, batch and API) to the Monitoring List.

Options are:

Yes - Automatically add all scans to the Monitoring List. Users are not able to change this option during scans.

No - Do not add scans to the Monitoring List. Users are not able to change this option during scans.

User Defined (defaults to Yes) - Add scans to the Monitoring List. User is able to change this before running a scan, batch scan or via API request.

User Defined (defaults to No) - Do not add scans to the Monitoring List. User is able to change this before running a scan or batch scan or via API request.

**Update Monitoring
List for New
Corporate Scan**

Preference for adding corporate scans (single, batch and API) to the Monitoring List.

Options are:

Yes - Automatically add all scans to the Monitoring List. Users are not able to change this option during scans.

No - Do not add scans to the Monitoring List. Users are not able to change this option during scans.

User Defined (defaults to Yes) - Add scans to the Monitoring List. User is able to change this before running a scan, batch scan or via API request.

User Defined (defaults to No) - Do not add scans to the Monitoring List. User is able to change this before running a scan or batch scan or via API request.

Matching Scope

Sets how widely each field narrows the monitoring results. Monitoring carries a scope of its own, apart from the scan setting, so you can monitor more widely than you screen, or the reverse.

Options are, from the narrowest to the widest:

`Matches only` - Returns only profiles whose value matches.

`Matches and Blanks` - Default. Also returns profiles that hold no value for this field.

`Mismatches` - Also returns profiles whose value disagrees, flagged as unmatched. This is the widest scope.

A wider scope returns more monitoring updates to review. A narrower scope returns fewer.

The scan setting has a fourth option, `User Defined`. Monitoring runs without a user present, so that option does not apply here. See **Matching Scope** in [Individual Scan Settings](#).

Users

The **Users** tab allows you to view or edit the following details, for the organisation selected from the **Organisation List**.

DEMOPEP3 Details Settings Monitoring Settings **Users** List Access Risk Settings Notifications

Compliance Officers:

* MemberCheck CO Demo 2 (mc.com.officer2)

Display 10 records

Unassigned Users					Filter Users
Username	Full Name	Role	Status		
demo.anita	Anita D Amrat	Standard User	Active	Assign	
demo.bill	William D Brown	Billing Officer	Active	Assign	
demo.derek	Derek D Donelli	Data Entry Operator	Active	Assign	
demo.sally	Sally D Song	Standard User	Active	Assign	

Assigned Users					Filter Users
Username	Full Name	Role	Status		
Unassign	demo.amelie	Amelie D Armstrong	Advanced User	Active	

Update Cancel Deactivate Organisation Delete Organisation

Field	Description
Compliance Officer	Name of the assigned Compliance Officer for the selected Organisation. Compliance Officers in suborganisations are also available for selection in the list.
Unassigned Users	List of users associated with the primary organisation which are not assigned to the selected organisation or suborganisation.
Assigned Users	List of users assigned to the selected organisation or suborganisation.

List Access

The **List Access** tab enables you to view and configure the scope of PEP and Sanctions screening for the chosen organisation or suborganisation.

You can tailor the screening scope at both the category and subcategory levels, including specific country sanctions lists or major international sanctions lists, and specific sanctions lists by country. These settings can be independently configured for different suborganisations.

Examples of the standard setup for organisations based on the selected data source:

DEMOPEP3 Details

Settings

Monitoring Settings

Users

List Access

Risk Settings

Notifications

Data Source(s):

☒ Acuris

All Watchlists

Politically Exposed Person (PEP)

☒ PEP Tier 1

☒ PEP Tier 2

☒ PEP Tier 3

☒ Former PEP

Relative or Close Associate (RCA)

☒

Special Interest Person (SIP)

☒ Terror

☒ Organised Crime

☒ Financial Crime

☒ Narcotics Crime

☒ Modern Slavery

☒ Bribery and Corruption

☒ Cyber Crime

☒ Disqualified Directors

☒ Reputational Risk

☒ Other

☐ Insolvency

Official Lists (SIP & SIE)

Sanctions Lists

☒ All Sanctions

☐ Major Sanctions

☐ DFAT

☐ EU

☐ HMT

☐ OFAC

☐ UNSC

Specific Country Sanctions

☐ International

☐ Algeria

☐ Argentina

☐ Australia

☐ Azerbaijan

☐ Bahrain

☐ Bangladesh

☐ Belgium

☐ Canada

☐ China

☐ Czechia

☐ Egypt

☐ France

☐ Georgia

☐ India

☐ Indonesia

☐ Iran

Former Sanctions

☐

Law Enforcement

☒

Regulatory Enforcement

☒

Profile of Interest (POI)

☒

Special Interest Entity (SIE)

☒ Terror

☒ Organised Crime

☒ Financial Crime

☒ Narcotics Crime

☒ Modern Slavery

☒ Bribery and Corruption

☒ Cyber Crime

☒ Disqualified Directors

☒ Reputational Risk

☒ Other

☐ Insolvency

State Owned Enterprise (SOE)

☒ Current SOE

☒ Former SOE

Applies Across All Categories

Entity Type

☒ Aircraft

☒ Vessel

View source lists

Custom Watchlists

Include

Name

Type

Last Updated

Status

Actions

☒

Fictional Blacklist 2025

Individual

Oct 07, 2025

Updated

Edit

Delete

Update

Cancel

Deactivate Organisation

Delete Organisation

DEMOPEP3 Details

Settings

Monitoring Settings

Users

List Access

Risk Settings

Notifications

Data Source(s):
☒ LexisNexis

All Watchlists

☒ Politically Exposed Person (PEP)
 ☒ Former PEP

☒ Relative or Close Associate (RCA)

☒ Special Interest Person (SIP)
 ☒ Terror
 ☒ Organised Crime
 ☒ Financial Crime
 ☒ Narcotics Crime
 ☐ War Crimes
 ☒ Modern Slavery
 ☒ Bribery and Corruption
 ☒ Cyber Crime
 ☒ Disqualified Directors
 ☒ Other
 ☐ End Use Control
 ☐ Environmental Crime
 ☐ Fugitive
 ☐ Gambling
 ☐ Human Rights Violation
 ☐ Interstate Commerce Violation
 ☐ Labour Violation
 ☐ Pharma Trafficking
 ☐ Piracy
 ☐ Unauthorised Incident

☒ Official Lists (SIP & SIE)
 ☒ Sanctions Lists
 ☒ All Sanctions
 ☐ Major Sanctions
 ☐ DFAT
 ☐ EU
 ☐ HMT
 ☐ OFAC
 ☐ UNSC
 ☐ Specific Country Sanctions
 ☐ International
 ☐ Argentina
 ☐ Australia
 ☐ Austria
 ☐ Azerbaijan
 ☐ Bahrain
 ☐ Belarus
 ☐ Belgium
 ☐ Canada
 ☐ China
 ☐ Czechia
 ☐ Egypt
 ☐ Estonia
 ☐ France
 ☐ Holy See
 ☐ Hong Kong
 ☐ India
 ☒ Law Enforcement
 ☒ Regulatory Enforcement

☒ Special Interest Entity (SIE)
 ☒ Terror
 ☒ Organised Crime
 ☒ Financial Crime
 ☒ Narcotics Crime
 ☐ War Crimes
 ☒ Modern Slavery
 ☒ Bribery and Corruption
 ☒ Cyber Crime
 ☒ Disqualified Directors
 ☒ Other
 ☐ End Use Control
 ☐ Environmental Crime
 ☐ Fugitive
 ☐ Gambling
 ☐ Human Rights Violation
 ☐ Interstate Commerce Violation
 ☐ Labour Violation
 ☐ Pharma Trafficking
 ☐ Piracy
 ☐ Unauthorised Incident

 ☒ State Owned Enterprise (SOE)
 ☒ Current SOE
 ☒ Former SOE

Applies Across All Categories

☒ Entity Type
 ☒ Aircraft
 ☒ Vessel

View source lists

Custom Watchlists

Add

Include	Name	Type	Last Updated	Status	Actions
☒	Fictional Blacklist 2025	Individual	Oct 07, 2025	Updated	EditDelete

Update

Cancel

Deactivate Organisation

Delete Organisation

DEMOPEP3 Details Settings Monitoring Settings Users **List Access** Risk Settings Notifications

Data Source(s):
☒ MemberCheck ☒ Acuris ☒ LexisNexis
☐ Select Data Source during screening ⓘ

☐ All Watchlists [View source lists](#) ↓

☒ Politically Exposed Person (PEP)

- ☒ PEP Tier 1
- ☒ PEP Tier 2
- ☒ PEP Tier 3
- ☒ Former PEP

☒ Relative or Close Associate (RCA)

☒ Special Interest Person (SIP)

- ☒ Terror
- ☒ Organised Crime
- ☒ Financial Crime
- ☒ Narcotics Crime
- ☒ War Crimes
- ☒ Modern Slavery
- ☒ Bribery and Corruption
- ☒ Cyber Crime
- ☒ Disqualified Directors
- ☒ Reputational Risk
- ☒ Other
- ☒ Insolvency
- ☒ End Use Control
- ☒ Environmental Crime
- ☒ Fugitive
- ☒ Gambling
- ☒ Human Rights Violation
- ☒ Interstate Commerce Violation
- ☒ Labour Violation
- ☒ Pharma Trafficking
- ☒ Piracy
- ☒ Unauthorised Incident

☒ Official Lists (SIP & SIE)

☒ Sanctions Lists

- ☒ All Sanctions
- ☐ Major Sanctions
 - ☐ DFAT
 - ☐ EU
 - ☐ HMT
 - ☐ OFAC
 - ☐ UNSC
- ☐ Specific Country Sanctions
 - ☐ International
 - ☐ Algeria
 - ☐ Argentina
 - ☐ Australia
 - ☐ Austria
 - ☐ Azerbaijan
 - ☐ Bahrain
 - ☐ Bangladesh
 - ☐ Belarus
 - ☐ Belgium
 - ☐ Canada
 - ☐ China
 - ☐ Czechia
 - ☐ Egypt
 - ☐ Estonia
 - ☐ France
 - ☐ Georgia
- ☒ Former Sanctions
- ☒ Law Enforcement
- ☒ Regulatory Enforcement

☒ Profile of Interest (POI)

☒ Special Interest Entity (SIE)

- ☒ Terror
- ☒ Organised Crime
- ☒ Financial Crime
- ☒ Narcotics Crime
- ☒ War Crimes
- ☒ Modern Slavery
- ☒ Bribery and Corruption
- ☒ Cyber Crime
- ☒ Disqualified Directors
- ☒ Reputational Risk
- ☒ Other
- ☒ Insolvency
- ☒ End Use Control
- ☒ Environmental Crime
- ☒ Fugitive
- ☒ Gambling
- ☒ Human Rights Violation
- ☒ Interstate Commerce Violation
- ☒ Labour Violation
- ☒ Pharma Trafficking
- ☒ Piracy
- ☒ Unauthorised Incident

☒ State Owned Enterprise (SOE)

- ☒ Current SOE
- ☒ Former SOE

Applies Across All Categories

☒ Entity Type

- ☒ Aircraft
- ☒ Vessel

Custom Watchlists ⓘ [Add](#) ⓘ

Include	Name	Type	Last Updated	Status	Actions
☒	Fictional Blacklist 2025	Individual	Oct 07, 2025	Updated	Edit Delete

[Update](#)
[Cancel](#)
[Deactivate Organisation](#)
[Delete Organisation](#)

For organisations that have access to multi-data sources, there is the option for the Compliance Officer to enable the selection of the data sources during screening. By default, this is switched off.

Refer to [List Categories](#) for a full list of the definitions of all the main categories and subcategories available in the system. Your subscription may provide access to some and not all of these categories and subcategories.

A detailed list of sources utilised in the system for Sanctions, Regulatory Enforcement and Law Enforcement are available for your download and reference via **Download source list** on this screen.

Screening scope for Aircraft and Vessels

You can refine the scope of screening by including or excluding the **Aircraft** and **Vessels** profile types from the Sanctions and Adverse Media search. For organisations that do not screen aircraft or vessels, excluding these profile types reduces the number of irrelevant results to review. Both are included by default.

Custom Watchlists

You can include any specific watchlists or blacklists for your organisation to extend the PEP and Sanction screening.

For details on adding your own lists, refer to [Manage Custom Watchlists](#)

Risk Settings

The **Risk Settings** tab enables you to standardise risk levels for PEP and Sanction categories and subcategories across your organisation. Risk levels can also be applied to each list within your Custom Watchlist.

Set **High**, **Medium** or **Low** risk levels for any combination of categories and subcategories. These pre-defined levels are then displayed as recommended risk scores during due diligence workflows, but are not enforced.

Category risk levels apply to any unclassified subcategories under them. However, an explicitly set subcategory level takes precedence over its parent category level.

The overall risk score shown reflects the highest associated category/subcategory level for that profile.

DEMOPEP Details
Settings
Monitoring Settings
Users
List Access
Risk Settings
Notifications

Risk Level Categories

Category and subcategory risk levels are mutually exclusive. Risk levels for the categories are for unclassified subcategories.

Politically Exposed Person (PEP)

H

M

L

PEP Tier 1

H

M

L

PEP Tier 2

H

M

L

PEP Tier 3

H

M

L

Former PEP

H

M

L

Relative or Close Associate (RCA)

H

M

L

Profile of Interest (POI)

H

M

L

Official Lists (SIP & SIE)

H

M

L

Sanctions Lists

H

M

L

Former Sanctions

H

M

L

Law Enforcement

H

M

L

Regulatory Enforcement

H

M

L

Custom Watchlists

H

M

L

Corporate Blacklist - 2026 Q1

H

M

L

Special Interest Person (SIP)

H

M

L

Terror

H

M

L

Organised Crime

H

M

L

Financial Crime

H

M

L

Narcotics Crime

H

M

L

Modern Slavery

H

M

L

Bribery and Corruption

H

M

L

Cyber Crime

H

M

L

Disqualified Directors

H

M

L

Reputational Risk

H

M

L

Other

H

M

L

Insolvency

H

M

L

Special Interest Entity (SIE)

H

M

L

Terror

H

M

L

Organised Crime

H

M

L

Financial Crime

H

M

L

Narcotics Crime

H

M

L

Modern Slavery

H

M

L

Bribery and Corruption

H

M

L

Cyber Crime

H

M

L

Disqualified Directors

H

M

L

Reputational Risk

H

M

L

Other

H

M

L

Insolvency

H

M

L

State Owned Enterprise (SOE)

H

M

L

Current SOE

H

M

L

Former SOE

H

M

L

Update
Cancel
Deactivate Organisation
Delete Organisation

An example of how this would be viewed within the scan result due diligence workflow:

 Match Decision
 ✕

Subcategory:

High Risk: SIE - Financial Crime SIE - Law Enforcement

Medium Risk: SIE - Regulatory Enforcement

Low Risk: SIE - Reputational Risk



The risk level is set to **"High Risk"** based on the results of the subcategories matching the predefined rules of this organisation. You may choose a different risk level based on your own risk assessment.

Match Decision:

Not Reviewed
▼

Add Comment (max 200 characters)

OK

Cancel

Notifications

The **Notifications** tab (previously **Email Notifications**) enables you to configure how your Organisation receives notifications from the MemberCheck system. Tailoring these notifications ensures that the relevant personnel are informed about specific events according to your Organisation's needs.

Notifications can be via email, webhook or both.

Supported webhook services

Webhook support is available for Slack and Mattermost. If you have a specific webhook support requirement, please reach out to our Support team.

Field	Description
Send Notification Emails to	Opt to send system email notifications to the assigned Compliance Officers, or specify the email addresses designated to receive the system notifications. You can add up to five distinct email addresses. This address field is separate from the primary Organisation Email address. Emails will be sent to the designated Compliance Officer(s). If specific Notification Email Addresses are provided, they will be used. If no Compliance Officer is assigned and no Notification Email Address(es) have been specified, notifications will be sent to the Organisation Email address as a backup.
Webhook Notifications	Opt to send system notifications via webhooks. Once you have set up an incoming webhook in your preferred platform or service, select the Webhook Service and copy your webhook URL into the URL field. You can optionally enter the Channel Name for ease of reference. Click Test Connectivity to send a test message to the webhook.
Notification Preferences	List of events that trigger emails and notifications from the system. Some events are not able to be switched off as these are important information affecting the Organisation's subscription, and have been listed here for reference. Organisations subscribed to ID Verification can enable the IDV request completed preference to be notified by email and/or webhook when an identity verification request is completed. This option appears only for organisations with ID Verification enabled, and is switched off by default. For privacy, notifications reference the Scan ID and IDV Reference rather than any personal information.



Daily limit for Single Scan emails

Please note that a daily email quota applies per Organisation for **Single Scans** to ensure that you receive important notifications without potential interruption from email providers or being overwhelmed by emails.

The daily quota is 100 emails, but may be adjusted based on the load and usage.



System Email Information

Please be aware that users will receive emails triggered automatically by the system for important events such as subscription renewal reminders, monitoring rescan reminders, password resets, and other critical system communications necessary for service operation and account management.

Notification settings for a root parent organisation:

MCDEMO Details
Settings
Monitoring Settings
Users
List Access
Risk Settings
Notifications

☒ Enable Email Notification

☐ Send to Compliance Officers
☒ Send to Notification Email Addresses (up to 5 addresses):

✖ john.co@somedomain.com ✖ scans@somedomain.com ✖

☒ Enable Webhook URL Notification ⓘ

Webhook Service:

Slack

Channel Name:

Optional

URL:

https://hooks.slack.com/services/T011AAAAAAA/B09BBD1111/IEKXikLJDkd987LKDJ

Test Connectivity

Notification Preferences:

Matches found for Single Scans
Notify when a match is found for a single scan, subject to daily email limits.

⏻

Batch scan completed with matches
Notify when a batch file has been processed with matches.

🔵

IDV request completed
Notify when an IDV request has been completed.

⏻

Updates detected from Monitoring
Notify when ongoing monitoring detects changes affecting your monitored entities (summary only).

🔵

Annual monitoring rescan result
Notify results of the annual rescan of your monitoring list.

🔵

Upcoming annual monitoring rescan
Notify when the annual subscription is approaching "Renewal Date" for rescanning all monitored entities.

🔵

Subscription renewal reminder
Notify of upcoming subscription renewal.

🔵

Account scan service change
Notify when the scan service status for your account is changed.

🔵

Account activity notification
Notify when the account reaches specific thresholds of scan activity or is inactive for prolonged periods.

🔵

Account deactivation reminder
Notify when your account is approaching or has reached "Termination Date" and will be deactivated.

🔵

Update

Cancel

Deactivate Organisation

Delete Organisation

Notification settings for a suborganisation organisation:

Copyright ©2019 Member Check Pty Ltd. All rights reserved.

Document Version: V10.5.3:1 | Last updated: 13 September 2026

Page 35

MCDEMO_C1 Details Settings Monitoring Settings Users List Access Risk Settings **Notifications**

☒ **Enable Email Notification**

☒ Send to Compliance Officers

☐ Send to Notification Email Addresses (up to 5 addresses):

☒ **Enable Webhook URL Notification** ?

Webhook Service: Channel Name:

URL: [Test Connectivity](#)

Notification Preferences:

Matches found for Single Scans ☐
 Notify when a match is found for a single scan, subject to daily email limits.

Batch scan completed with matches ☒
 Notify when a batch file has been processed with matches.

IDV request completed ☐
 Notify when an IDV request has been completed.

Updates detected from Monitoring ☒
 Notify when ongoing monitoring detects changes affecting your monitored entities (summary only).

Annual monitoring rescan result ☒
 Notify results of the annual rescan of your monitoring list.

[Update](#) [Cancel](#) [Deactivate Organisation](#) [Delete Organisation](#)

Deactivate Organisation

For organisations that are no longer used but require retention of historical scan results and reports, you may deactivate the suborganisation or organisation. Deactivated organisations remain accessible for historical information but will not allow new scans or monitoring.

Users must be assigned to at least 1 active organisation

Please note that all users must have at least 1 active organisation assigned to their account to access MemberCheck.

Delete Organisation

For unused organisations and suborganisations without historical scans, you can deactivate or delete them.

To delete organisations with historical data, run Data Management to erase it first. Reassign or unassign all users associated with the organisation or suborganisation before deleting the account. For security, only organisations with no users or historical data can be deleted.

Deleted accounts cannot be restored.


Users must be assigned to at least 1 active organisation

Please note that all users must have at least 1 active organisation assigned to their account to access MemberCheck.

Quick How-To Guides

Screen against major sanctions lists only

Example of List Access setup to screen against the major sanctions only.



DEMOPEP Details Settings Monitoring Settings Users **List Access*** Risk Settings

☒ All Watchlists [Download source list](#)

- ☐ Politically Exposed Person (PEP)
 - ☐ PEP Tier 1
 - ☐ PEP Tier 2
 - ☐ PEP Tier 3
 - ☐ Former PEP
- ☐ Relative or Close Associate (RCA)
- ☐ Special Interest Person (SIP)
 - ☐ Terror
 - ☐ Organised Crime
 - ☐ Financial Crime
 - ☐ Narcotics Crime
 - ☐ Modern Slavery
 - ☐ Bribery and Corruption
 - ☐ Cyber Crime
 - ☐ Disqualified Directors
 - ☐ Reputational Risk
 - ☐ Other
 - ☐ Insolvency
- ☒ Official Lists (SIP & SIE)
 - ☒ Sanctions Lists
 - ☐ All Sanctions
 - ☒ Major Sanctions
 - ☒ DFAT
 - ☒ EU
 - ☒ HMT
 - ☒ OFAC
 - ☒ UNSC
 - ☐ Specific Country Sanctions
 - ☐ Algeria
 - ☐ Argentina
 - ☐ Australia
 - ☐ Azerbaijan
 - ☐ Bahrain
 - ☐ Bangladesh
 - ☐ Belgium
 - ☐ Canada
 - ☐ China
 - ☐ Czechia
 - ☐ Egypt
 - ☐ France
 - ☐ Former Sanctions
 - ☐ Law Enforcement
 - ☐ Regulatory Enforcement
 - ☐ Profile of Interest (POI)
- ☐ Special Interest Entity (SIE)
 - ☐ Terror
 - ☐ Organised Crime
 - ☐ Financial Crime
 - ☐ Narcotics Crime
 - ☐ Modern Slavery
 - ☐ Bribery and Corruption
 - ☐ Cyber Crime
 - ☐ Disqualified Directors
 - ☐ Reputational Risk
 - ☐ Other
 - ☐ Insolvency
- ☐ State Owned Enterprise (SOE)
 - ☐ Current SOE
 - ☐ Former SOE

The selected sanctions will be displayed during screening:

Scan Settings:

Name Match Type: **Exact**

Whitelist Policy: **Apply**

PEP Jurisdiction: **Ignore**

Residence Policy: **All**

Default Country of Residence: **Australia**

Exclude Deceased Persons: **Yes**

Web Search: **Yes**

FATF Jurisdiction Risk: **Yes**

Name Match Type: ?

☒ Exact

☐ Exact (Incl. Mid Name)

☐ Close

Whitelist Policy: ?

☒ Apply

☐ Ignore

PEP Jurisdiction: ?

☐ Exclude: None

☒ Ignore

Residence Policy: ?

☒ Apply to All

☒ Apply to PEP

☒ Apply to POI

☒ Apply to RCA

☒ Apply to SIP (TER)

☐ Ignore

Default Country of Residence: ?

Australia

☐ Apply to Blank Addresses ?

Exclude Deceased Persons: ?

☒ Yes

☐ No

Web Search: ?

☒ Yes

☐ No

FATF Jurisdiction Risk: ?

☒ Yes

☐ No

Watchlists: ?

Official Lists - Sanctions Lists (DFAT, EU, HMT, OFAC, UNSC) ←

Screen against the United Kingdom sanctions lists only

Example of List Access setup to screen against the United Kingdom sanctions only. You can view the list of sanctions on mouse hover over the country jurisdiction.

DEMOPEP Details

Settings

Monitoring Settings

Users

List Access*

Risk Settings

☒ All Watchlists

☐ Politically Exposed Person (PEP)

☐ PEP Tier 1

☐ PEP Tier 2

☐ PEP Tier 3

☐ Former PEP

☐ Relative or Close Associate (RCA)

☐ Special Interest Person (SIP)

☐ Terror

☐ Organised Crime

☐ Financial Crime

☐ Narcotics Crime

☐ Modern Slavery

☐ Bribery and Corruption

☐ Cyber Crime

☐ Disqualified Directors

☐ Reputational Risk

☐ Other

☐ Insolvency

☒ Official Lists (SIP & SIE)

☒ Sanctions Lists

☐ All Sanctions

☐ Major Sanctions

☐ DFAT

☐ EU

☐ HMT

☐ OFAC

☐ UNSC

☒ Specific Country Sanctions

Taiwan

Tajikistan

Thailand

Trinidad and Tobago

Tunisia

Türkiye

Ukraine

United Arab Emirates

☒ United Kingdom

Her Majesty's Treasury/Office of Financial Sanction Implementation (HMT/OFSI), United Kingdom Foreign, Commonwealth & Development Office, United Kingdom Home Office, United Kingdom Home Office list of Proscribed Terrorist Groups

United States

Uzbekistan

Viet Nam

☐ Former Sanctions

☐ Law Enforcement

☐ Regulatory Enforcement

☐ Profile of Interest (POI)

☐ Special Interest Entity (SIE)

☐ Terror

☐ Organised Crime

☐ Financial Crime

☐ Narcotics Crime

☐ Modern Slavery

☐ Bribery and Corruption

☐ Cyber Crime

☐ Disqualified Directors

☐ Reputational Risk

☐ Other

☐ Insolvency

☐ State Owned Enterprise (SOE)

☐ Current SOE

☐ Former SOE

Download source list

The selected sanctions will be displayed during screening:

Scan Settings:

Name Match Type: Exact	Whitelist Policy: Apply	PEP Jurisdiction: Exclude: None	Residence Policy: All	Default Country of Residence: Australia
Exclude Deceased Persons: Yes	Web Search: Yes	FATF Jurisdiction Risk: Yes		

Name Match Type: ☒ Exact ☐ Exact (Incl. Mid Name) ☐ Close	Whitelist Policy: ☒ Apply ☐ Ignore	PEP Jurisdiction: ☒ Exclude: None ☐ Ignore	Residence Policy: ☒ Apply to All ☒ Apply to PEP ☒ Apply to POI ☒ Apply to RCA ☒ Apply to SIP (TER) ☐ Ignore	Default Country of Residence: Australia ☐ Apply to Blank Addresses
Exclude Deceased Persons: ☒ Yes ☐ No	Web Search: ☒ Yes ☐ No	FATF Jurisdiction Risk: ☒ Yes ☐ No		

Watchlists:
 Official Lists - Sanctions Lists (United Kingdom) 

Screen against all watchlists

Example of List Access setup to screen against all watchlists.

DEMOPEP Details Settings Monitoring Settings Users **List Access*** Risk Settings

☒ All Watchlists [Download source list](#)

☒ Politically Exposed Person (PEP) ☒ PEP Tier 1 ☒ PEP Tier 2 ☒ PEP Tier 3 ☐ Former PEP ☒ Relative or Close Associate (RCA)	☒ Official Lists (SIP & SIE) ☒ Sanctions Lists ☒ All Sanctions ☐ Major Sanctions ☐ DFAT ☐ EU ☐ HMT ☐ OFAC ☐ UNSC ☐ Specific Country Sanctions ☐ Taiwan ☐ Tajikistan ☐ Thailand ☐ Trinidad and Tobago ☐ Tunisia ☐ Türkiye ☐ Ukraine ☐ United Arab Emirates ☐ United Kingdom ☐ United States ☐ Uzbekistan ☐ Viet Nam ☐ Former Sanctions ☒ Law Enforcement ☒ Regulatory Enforcement ☒ Profile of Interest (POI)	☒ Special Interest Entity (SIE) ☒ Terror ☒ Organised Crime ☒ Financial Crime ☒ Narcotics Crime ☒ Modern Slavery ☒ Bribery and Corruption ☒ Cyber Crime ☒ Disqualified Directors ☒ Reputational Risk ☒ Other ☒ Insolvency ☒ State Owned Enterprise (SOE) ☒ Current SOE ☐ Former SOE
--	--	--

The selected watchlists will be displayed during screening:

Scan Settings:

Name Match Type: Exact	Whitelist Policy: Apply	PEP Jurisdiction: Ignore	Residence Policy: All	Default Country of Residence: Australia
Exclude Deceased Persons: Yes	Web Search: Yes	FATF Jurisdiction Risk: Yes		

Name Match Type: ?

☒ Exact

☐ Exact (Incl. Mid Name)

☐ Close

Whitelist Policy: ?

☒ Apply

☐ Ignore

PEP Jurisdiction: ?

☐ Exclude: None

☒ Ignore

Residence Policy: ?

☒ Apply to All

☒ Apply to PEP

☒ Apply to POI

☒ Apply to RCA

☒ Apply to SIP (TER)

☐ Ignore

Default Country of Residence: ?

Australia

☒ Apply to Blank Addresses ?

Exclude Deceased Persons: ?

☒ Yes

☐ No

Web Search: ?

☒ Yes

☐ No

FATF Jurisdiction Risk: ?

☒ Yes

☐ No

Watchlists: ?

PEP (Tier 1, Tier 2, Tier 3)

POI

RCA

SIP - Terror, Organised Crime, Financial Crime, Narcotics Crime, Modern Slavery, Bribery and Corruption, Cyber Crime, Disqualified Directors, Other, Insolvency, Reputational Risk

Official Lists - Sanctions Lists (All), Law Enforcement, Regulatory Enforcement

Manage Users

Permissions

Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor
					

Key Elements

- User details
- Assigned organisation
- Role and Access Rights
- API Access Key

A user can be assigned to one or multiple organisations and suborganisations. To create a user account, you must assign an organisation or suborganisation to the user, else they will be unable to login to access the service.

A user account can be associated to a single role which applies to the entire organisation hierarchy. If a user plays different roles for different suborganisations, we would recommend they be created with multiple user accounts with their own unique usernames and email addresses with the specific roles for the associated suborganisation. Each user account must have a unique **Username** and **Email**.

Each organisation can have up to 3 **Compliance Officers**, and a **Compliance Officer** can be assigned to multiple organisations or suborganisations.

Roles and Access Rights

For a summary of the permissions available to the various user roles, refer to **Overview > User Roles**.

User Roles offer a quick and easy way to allocate permissions for users. Access rights provide additional fine-tuning of a user's access to the features. Access rights are dependent on the user role selected, and you may see different permissions displayed based on the **User Role** selected.

Access Rights	Description
Single Scan	Permission to perform single scans for individuals.
Scan Results	Permission to view scan results.
Batch Scan	Permission to perform batch scans for individuals.
Batch Scan Results	Permission to view batch scan results
Corporates	Access to Corporate scan functionality. This is used in addition to the above permissions to enable the user to run corporate scans, view corporate scan results, run corporate batch scans and view corporate batch scan results.
Due Diligence Decisions	Permission to perform due diligence decisions. The user may be able to view the final match decision but is not able to view history of due diligence decisions and comments.
Due Diligence Report	Permission to view the Due Diligence Reports for individuals and corporates.
Activity Report	Permission to view the Activity Reports for individuals and corporates.
Organisation Management	Permission to manage organisation settings. This applies to Compliance Officers of a suborganisation.
Data Management	Permission to remove scan data. This applies to Compliance Officers of a suborganisation.
Monitoring	Permission to access the ongoing monitoring features including adding scans to the monitoring list.
Dashboard	Permission to view the organisation dashboard.
ID Verification Service	Permission to screen for Identity Verification (IDV) in Individual Single Scan. This does not restrict the ability to view IDV results if <code>Scan Results</code> permission is enabled. This is visible if the organisation has been activated for the IDV service and the user role permits screening.

Know Your Business Service

Permission to screen for Know Your Business (KYB) in Corporate Single Scan. This does not restrict the ability to view KYB results if `Scan Results` permission is enabled.

This is visible if the organisation has been activated for the KYB service and the user role permits screening.

User Account Statuses

User accounts will have one of the following statuses:

Status	Description
Pending	Account pending user activation. User must set up password and security question/answer to activate. For API only accounts, this can remain Pending and will not affect the API key access.
Active	Account is active and web access is available to the service.
Inactive	Account is deactivated and will not be able to access the service.
Locked	Account is/was locked due to multiple failed login attempts. Locked accounts are automatically unlocked after a period of time, however the status remains as <code>Locked</code> for the attention of the Compliance Officer.

API Access Key

Your access to the MemberCheck service includes API access.

To integrate with MemberCheck's API, generate an API key for each user that requires access. Users can create one API key at a time in their profile's **API Access Key** field.



Separate user and system accounts for API

As API Keys are associated with user accounts, having a separate user account with its own API Key for your production system reduces the risk of impact if the individual user's account is deactivated if they were ever to leave your company.

 API Keys are specific to environments

The API keys are different for the Demo and Production environments. If you have accounts in both environments, please use the environment specific key to enable your requests to be successfully authenticated and authorised. Also check the API URL relevant to the location of your account.

Deactivate User Account

Users who have left the organisation or no longer need MemberCheck access can be deactivated. This helps improve security and management of access.

Delete User Account

For pending user accounts or user accounts which do not have any associated historical scans, you can delete these to help improve security and management of access.

Deleted accounts cannot be restored.

 Users must be assigned to at least 1 active organisation

Please note that all users must have at least 1 active organisation assigned to their account to access MemberCheck.

Single Sign-On

The service supports enterprise-level single sign-on with OpenID Connect (OIDC) and SAML authentication protocols. The integration requires some configuration by the client as well as the MemberCheck team. If you would like to integrate your organisation's identity provider for SSO, please reach out to your Account Manager or the MemberCheck Support team for more details.

Custom Watchlists

Custom watchlists are managed within the Organisation's **List Access** tab and is only available to the **Compliance Officer**. Custom watchlists enables you to expand on the available sources provided by MemberCheck, making this a versatile solution for clients who have specific blacklists for screening.

Profiles in a custom watchlists are generalised as Special Interest Person (SIP) or Special Interest Entity (SIE) with the name of the list displayed as a watchlist category.

Example of an Individual profile found on a custom watchlist:

Custom Watchlist



Charles Montgomery Burns

100%

SIP

DOB 01 Jan 1909

Burns Manor, Oregon, Springfield, United States

Decision (Risk):

Comment:

Not Reviewed

General Information

Categories:

Special Interest Person (SIP) - Custom Watchlist - Fictional Blacklist 2025

Primary Location:

Burns Manor, Oregon, Springfield, United States

Whether you have a single-level organisation or part of a multi-level organisation, the **Compliance Officer** at every organisation and suborganisation level can upload and manage their own custom watchlists. These custom watchlists can be enabled for inclusion in PEP & Sanction screening for suborganisations.

Example of a multi-level organisation where the root parent organisation displays a blank for **Parent Org**:

Organisations

[Switch to classic interface](#) [Support](#)

4 organisations found. Select a row to view details.

Name	Parent Org	Compliance Officer	Email	Status
Demo IDV (DEMOIDV)	← Root Parent Organisation	May Smith (demo.may@membercheck.com)	scan-notifications@membercheck.com	Active
Demo IDV Branch A (MCAU114652)	DEMOIDV	May Smith (demo.may@membercheck.com)	scan-notifications@membercheck.com	Active
DEMO PEP Sub-Branch A1 (MCAU114662)	DEMOIDV > MCAU114652	May Smith (demo.may@membercheck.com)	scan-notifications@membercheck.com	Active
MemberCheck Demo Company (MCDEMO)	← Root Parent Organisation	May Smith (demo.may@membercheck.com)		Active

[Add New Sub-Organisation](#)

Adding a Custom Watchlist

You can add new custom watchlists within the **List Access** tab of your selected organisation.

Custom Watchlist formatting and samples

Before uploading the custom watchlist, please check [Custom WatchList Templates](#) for information on structuring the watchlists as well as access available samples to help get you started.

The default screen where no custom watchlists are set up yet:

MCDEMO Details Settings Monitoring Settings Users **List Access** Risk Settings Notifications

Data Source(s):
☒ MemberCheck ☒ Acuris ☒ LexisNexis

☐ All Watchlists [View source lists](#)

☒ Politically Exposed Person (PEP)

- ☒ PEP Tier 1
- ☒ PEP Tier 2
- ☒ PEP Tier 3
- ☒ Former PEP

☒ Relative or Close Associate (RCA)

☐ Special Interest Person (SIP)

- ☒ Terror
- ☒ Organised Crime
- ☒ Financial Crime
- ☒ Narcotics Crime
- ☒ War Crimes
- ☒ Modern Slavery
- ☒ Bribery and Corruption
- ☒ Cyber Crime
- ☒ Disqualified Directors
- ☒ Reputational Risk
- ☒ Other
- ☐ Insolvency
- ☒ End Use Control
- ☒ Environmental Crime
- ☒ Fugitive
- ☒ Gambling
- ☒ Human Rights Violation
- ☒ Interstate Commerce Violation
- ☒ Labour Violation
- ☒ Pharma Trafficking
- ☒ Piracy
- ☒ Unauthorised Incident

☐ Official Lists (SIP & SIE)

☐ Sanctions Lists

- ☒ All Sanctions
- ☐ Major Sanctions
 - ☐ DFAT
 - ☐ EU
 - ☐ HMT
 - ☐ OFAC
 - ☐ UNSC
- ☐ Specific Country Sanctions
 - ☐ Singapore
 - ☐ South Africa
 - ☐ South Korea
 - ☐ Sri Lanka
 - ☐ Switzerland
 - ☐ Taiwan
 - ☐ Tajikistan
 - ☐ Thailand
 - ☐ Trinidad and Tobago
 - ☐ Tunisia
 - ☐ Türkiye
 - ☐ Ukraine
 - ☐ United Arab Emirates
 - ☐ United Kingdom
 - ☐ United States
 - ☐ Uzbekistan
 - ☐ Viet Nam
- ☒ Former Sanctions
- ☒ Law Enforcement
- ☒ Regulatory Enforcement

☒ Profile of Interest (POI)

☐ Special Interest Entity (SIE)

- ☒ Terror
- ☒ Organised Crime
- ☒ Financial Crime
- ☒ Narcotics Crime
- ☒ War Crimes
- ☒ Modern Slavery
- ☒ Bribery and Corruption
- ☒ Cyber Crime
- ☒ Disqualified Directors
- ☒ Reputational Risk
- ☒ Other
- ☐ Insolvency
- ☒ End Use Control
- ☒ Environmental Crime
- ☒ Fugitive
- ☒ Gambling
- ☒ Human Rights Violation
- ☒ Interstate Commerce Violation
- ☒ Labour Violation
- ☒ Pharma Trafficking
- ☒ Piracy
- ☒ Unauthorised Incident

☒ State Owned Enterprise (SOE)

- ☒ Current SOE
- ☒ Former SOE

Custom Watchlists [Add](#)

Include	Name	Type	Last Updated	Status	Actions
You have not uploaded any custom watchlists yet. Please click the Add button to upload a custom watchlist.					

[Update](#) [Cancel](#) [Deactivate Organisation](#) [Delete Organisation](#)

You can create a custom watchlist to contain:

- Individual profiles only
- Corporate profiles only
- Both types of profiles.

The formatting of the CSV for Individuals and Corporates are different and require that these are maintained in separate CSVs.

Field	Required	Character Limit	Description
-------	----------	-----------------	-------------

Watchlist Name	Mandatory	50	Name of the watchlist for easy identification.
Description	Optional	500	Description of the watchlist.
Upload Watchlist Type	Mandatory	-	Select the type of watchlist you would like to upload. Options are: Individual file - Select this option to upload a single CSV of Individual profiles. Corporate file - Select this option to upload a single CSV of Corporate profiles. Both - Select this option to upload the 2 CSV files of both types of profiles.
Upload File	Mandatory	-	Upload CSV of Individual and/or Corporate profiles.

Depending on which option you have selected for upload, you may see the following panes.

Your browser does not support the video tag.

Combine or separate watchlists for Individuals and Corporates?

The system provides for both approaches depending on your preference and availability of organisation data. You may prefer to maintain both types of profiles within the same custom watchlist or maintain separate watchlists for Individuals and Corporates.

Please note that you can only remove and delete the CSV file by removing the Custom Watchlist. You are not able to select individual CSV files within the custom watchlist to remove. This may assist you in your decision to main combined or separate watchlists for the different entities.

Large file for uploads

If you have a large sized CSV file, you can compress this file and upload the ZIP file which allows up to 30 MB.

Editing a Custom Watchlist

You can edit the custom watchlist to change the following:

- Change Watchlist Name
- Change Watchlist Description
- Upload updated replacement CSV files

When you select an existing custom watchlist or the associated **Edit** button, the **Replace Custom Watchlist** pane is displayed with options to upload both Individual and Corporate profiles. This option enables you to extend the custom watchlist to include both types of entity profiles, regardless of whether you had initially only uploaded profiles for a single type of entity.

To update your custom watchlists with new profiles, changed profile details, or removal of profiles, select the required watchlist and upload the latest CSV into the relevant Individual and/or Corporate file upload boxes to replace the existing data.

Within this pane, you can download the latest uploaded CSV files for reference.

Example of editing a custom watchlist with both Individual and Corporate profiles:

Custom Watchlists
?
↺
Add
?

Include	Name	Type	Last Updated	Status	Actions
☒	Blacklist - High Exposure - 2021	Individual Corporate	Sep 24, 2021	Updated	Edit Delete

Replace Custom Watchlist
?

You can create your own custom watchlists by uploading CSV of profiles.
For help with the CSV templates, refer to the [Help Guide](#).

Watchlist Name:

Blacklist - High Exposure - 2021

List of high risk exposure entities updated for Jun 2021. Includes both Individuals and Corporates

List Files:

- [Individual - Blacklist - Master Copy.csv \(Individual\)](#)
- [Corporate - Blacklist - Master Copy.csv \(Corporate\)](#)

Replace File:

Drag and drop a file here or click

choose file

Drag and drop a file here or click

choose file

Replace Watchlist

Cancel

Example of editing a custom watchlist with only Individual profiles:

Custom Watchlists
?
↺

+ Add ?

Include	Name	Type	Last Updated	Status	Actions
☒	Blacklist - High Exposure - 2021	Individual Corporate	Sep 24, 2021	Updated	Edit Delete
☒	Special Interest - 2021	Individual	Sep 24, 2021	Updated	Edit Delete

Replace Custom Watchlist ?

You can create your own custom watchlists by uploading CSV of profiles. For help with the CSV templates, refer to the [Help Guide](#).

Watchlist Name:

Description (Optional)

List Files:

[Individual - SIP - Master Copy - 2021.csv \(Individual\)](#)

Replace File:

Drag and drop a file here or click

[choose file](#)

Drag and drop a file here or click

[choose file](#)

Replace Watchlist
Cancel

Screening against the Custom Watchlist

When a custom watchlist is added, it is activated for the organisation or suborganisation it was uploaded for only. Any associated suborganisations inherit access to the custom watchlists, however, it is not activated by default.

The Compliance Officer for the suborganisation and the Compliance Officer for the parent organisation can opt to enable the custom watchlists. It is not possible to hide the custom watchlists within the organisation hierarchy.

To include the custom watchlists in the PEP and Sanction screening process, simply select the checkbox under **Include** against the associated custom watchlist entry. To exclude the custom watchlist from being included in the screening, simply deselect the checkbox.

Deleting a Custom Watchlist

To remove profiles uploaded in the custom watchlist, you can delete the custom watchlist entry. If you have both Individual and Corporate profiles combined in the single custom watchlist, deleting of the custom watchlist will remove both types of profiles as you cannot select the CSVs separately to remove.

Quick How-To Guides

Add a new custom watchlist of Individual profiles

Example of creating a new custom watchlist of Individual profiles.

Your browser does not support the video tag.

Add a new custom watchlist of both Individual and Corporate profiles

Example of creating a new custom watchlist of both Individual and Corporate profiles.

Your browser does not support the video tag.

Refresh custom watchlist

The creation, update or removal of a watchlist may take some time between minutes to hours, depending on the volume of data and the load activity on the server.

You can click on the refresh icon next to the Custom Watchlist to refresh the screen to display the latest status.

Your browser does not support the video tag.

Edit an existing custom watchlist

Example of updating the watchlist of Corporate profiles.

Your browser does not support the video tag.

Delete a custom watchlist

Your browser does not support the video tag.

Watchlist Categories

Within the service, profile records in watchlists are categorised into the following main categories and subcategories. The availability of these categories and subcategories depends on your subscription to the relevant data sources.

Categories for Individuals

Politically Exposed Person (PEP) Tiers

Individuals who hold prominent public positions and may be at a higher risk for corruption.

PEPs may be further categorised into 3 different tiers depending on their level of risk exposure:

Category	Description
----------	-------------

**PEP Tier
1**

Represents:

- Head of state and their deputies
- Head and members of government (national level in unitary states; sub-federal/state level in federations; supranational level European Commission, Europe Council) and their deputies
- Heads and top commanders of the armed forces - armed forces joint command members, commanders of the main branches of the armed forces
- Members of the legislature (national level in unitary states; sub-federal/state level in federations; supranational level European Parliament)
- Heads and members of last-instance courts (supreme, constitutional, high, European Court of Justice, specialised courts)
- Heads and members of central banks and court of auditors (national level in unitary states; sub-federal/state level in federations; supranational level European Court of Auditors)
- Party leaders and executive council members (Parties represented in the national parliament of unitary states and in the federal and sub-federal parliaments in federations)

**PEP Tier
2**

Represents:

- Senior diplomats (ambassadors, high-commissioners, charge d'affaires, permanent representatives)
- Heads and board members of the executive bodies of international organisations established by treaty (the highest governing bodies of ARI list of organisations)
- Members of the board of directors of SOEs, top executives (C-level)
- Senior officials (e.g. high-ranking civil servants, director generals, directors, heads of units) of agencies and boards appointed by the head of state, the government (cabinet and ministries) and the parliament
- Members of executive (e.g. governor, prefect) bodies at sub-national level in unitary states and below sub-federal level in federal jurisdictions
- Members of legislative (e.g. aldermen, councillors) bodies at sub-national level in unitary states and below sub-federal level in federal jurisdictions
- Mayor of capital city and large municipalities (megapolis)
- Judges, justices, magistrates, prosecutors, attorneys in courts with jurisdiction at sub-national level in unitary states and below the sub-federal level in federations
- Commanders of major national military units (battalions, brigades, flotillas, bases)

**PEP Tier
3**

Represents:

- Middle ranking diplomats (minister-counsellors, councillors, 1st Secretaries and 2nd Secretaries) and low-ranking diplomats (attaché)
- Mayor, council member and senior officials of medium to small municipality.

**Former
PEP**

Defined as the natural persons who served in a relevant PEP position within the past 12 months (or a longer period as defined by the national PEP definition)

Relatives and Close Associates (RCA)

Relatives or Close Associates refer to individuals who have a close relationship with a politically exposed person (PEP). This can include family members such as spouses, children, parents, siblings, as well as close friends, business associates, and other individuals who have a significant connection to the PEP.

Profile of Interest (POI)

Profile of Interest is a category designed to capture legacy data of PEPs who served on relevant PEP positions more than 12 months ago, as well as legacy data of profiles which no longer fits the new Reputational Risk Exposure methodology. This includes individuals whose appointments have not been reinstated for a period of 10 years after their status was updated to **Former PEP**.

Special Interest Persons (SIP)

Special Interest Persons refer to individuals who have been identified as being involved in activities that may pose a higher risk for money laundering, terrorism financing or various financial related crimes. These are grouped into the following subcategories.

Category	Description
Sanctions Lists	Persons appearing on official financial sanctions lists who are involved, or suspected of being involved, in illegal activities.
Law Enforcement	Persons appearing on an official law enforcement public domain site as either wanted, investigated, or arrested by an official law enforcement body or the police; or individuals or entities charged, prosecuted, convicted and/or sentenced by a competent criminal court that constitutes a criminal act.
Regulatory Enforcement	Persons listed on an official regulatory enforcement public domain site against whom official regulatory administrative action has been taken by a government or independent regulatory agency responsible for the supervision and oversight of specific administrative regulations or rules for breaches of said rules and regulations.
Bribery & Corruption	Persons involved or alleged to have been involved in criminal activity relating to bribery and corruption, including being bribed, bribing another person (including facilitation payments), bribing a foreign public official, failure of a relevant commercial organisation to prevent bribery, and corrupt practices.

Cyber Crime	Persons involved or alleged to have been involved in criminal activity relating to cybercrime, including identity theft, scams, hacking, and credit card or payment fraud.
Disqualified Directors	Individuals that have been disqualified as acting as company directors (for UK only).
End Use Control	An end use control incident occurs when an entity involved in exporting dual-use or military technology, which has both commercial and military applications, poses a heightened risk of breaching non-proliferation rules. End users, typically foreign entities that ultimately utilise these exported items, may not be intermediaries but could be purchasers or financiers..
Environmental Crime	An environmental crime incident involves individuals or groups attempting, committing, or conspiring to systematically and wilfully engage in illegal acts that directly harm the environment for personal gain. These acts exploit, damage, trade, or steal natural resources, violating international, local, or extraterritorial environmental laws. A key aspect is the organised, systemic approach to wrongfully contaminate the atmosphere, soil, or water with harmful substances, securing financial advantages through profit or cost avoidance. Such pollution is likely to adversely affect the natural environment or life. A key aspect is the organised, systemic approach to wrongfully contaminate the atmosphere, soil, or water with harmful substances, securing financial advantages through profit or cost avoidance. Such pollution is likely to adversely affect the natural environment or life. Examples include dumping industrial waste in water bodies, illicitly trading hazardous waste, trafficking endangered species, smuggling ozone-depleting substances, and illegal logging. The category also covers incidents determined by courts to be criminally negligent acts.
Financial Crime	Persons involved or alleged to have been involved in criminal activity relating to financial crime, including financial and non-financial fraud, money laundering, tax offences, embezzlement, counterfeiting of currency, high-value theft and robbery, insider trading, unexplained wealth orders / interim assets freeze, and failure to comply with relevant financial regulations.
Fugitive	A fugitive incident involves a person who flees a jurisdiction or prison to avoid arrest, prosecution for a crime, imprisonment, or to avoid giving testimony in any criminal proceeding.

Gambling	A gambling operation incident involves individuals or groups attempting, committing, or conspiring to conduct, finance, manage, supervise, direct, or own part of an illegal, organised gambling business. These operations, also known as illegal gaming, demonstrate a systemic approach likely to involve illicit fund flows through the financial system, posing heightened abuse risks. They may further organised crime, terrorism financing, or other AML predicate offences. Unorganised or low-risk gambling operations are excluded.
Human Rights Violation	A human rights violation incident involves individuals or groups attempting, committing, or conspiring to violate fundamental rights established by international agreements, conventions, customs, or national laws. These rights, acknowledged by authoritative institutions like governments, the UN, EU, or NGOs, include life, freedom from torture, fair trial, assembly, religion, expression, and freedom from slavery or arbitrary arrest. This category also encompasses crimes against humanity, where individuals or groups knowingly participate in widespread, systematic attacks against civilians, as directed by organisations or states. Examples include apartheid, forced population transfers, enforced disappearances, enslavement, extermination, genocide, murder, persecution based on group identity, sexual violence, and torture. Such violations often further political destabilisation, terrorism, conflicts, or organised crime, posing elevated financial system abuse risks.
Insolvency	Individuals that have been declared as bankrupt or insolvent (for UK and Ireland only).
Interstate Commerce Violation	An interstate commerce incident involves an individual or a group that attempts, commits, or conspires to unlawfully purchase, sell, or exchange of commodities, money or goods through transport by land or water in contravention of interstate laws and regulations, the prescribed laws of the subject legal jurisdiction, or in violation of any extraterritorial laws to which the entity is subject. Interstate commerce includes the movement of goods and services across U.S. state borders.
Labour Violation	A labour violation incident involves individuals or groups attempting, committing, or conspiring to violate laws that define and protect employee rights from employer retaliation. These violations include interfering with employee rights or labour organisation formation, discriminating in hiring or tenure, influencing union membership, refusing collective bargaining, violating child labour laws, and breaching labour laws to secure financial advantages. Key criteria are wilful intent for material gain and likelihood of illicit fund flows through the financial system, posing heightened abuse risks. The category excludes violations that are unlikely to involve such flows and civil labour claims.

Modern Slavery	Persons involved or alleged to have been involved in criminal activity relating to modern slavery, including human trafficking and exploitation, labour trafficking and exploitation, and sex trafficking and exploitation.
Narcotics Crime	Persons involved or alleged to have been involved in criminal activity relating to narcotics, including production, trafficking and distribution of drugs.
Organised Crime	Persons involved or alleged to have been involved in criminal activity relating to organised crime, including illicit arms trafficking, smuggling or illicit trafficking in goods, and organised crime groups, gangs and syndicates.
Pharma Tracking	A pharmaceutical products trafficking incident involves individuals or groups attempting, committing, or conspiring to engage in the organised, systemic manufacture, trade, transport, and distribution of fake, stolen, or illicit medicines and medical devices. This activity contravenes international laws, local jurisdiction's prescribed laws, or any applicable extraterritorial laws. The category excludes single instances of selling pharmaceutical products and small-scale prescription drug sales.
Piracy	A piracy incident involves individuals or groups attempting, committing, or conspiring to engage in criminal acts of violence, detention, or depredation. These acts, perpetrated by crew or passengers of a private ship or aircraft, are directed against another vessel or its persons or property on the high seas for private benefit. The category includes incidents outside a state's sovereign maritime borders, under universal jurisdiction where states or international organisations can claim criminal jurisdiction regardless of the crime's location. It specifically includes maritime piracy in international waters and incidents involving vessels at sea or on rivers.
Reputational Risk	Individuals that have been involved or alleged to have been involved in activities which exposes a risk in reputation.
Unauthorised Incident	An unauthorised incident involves entities not officially permitted, approved, or licensed by a regulatory authority to practice, sell, advise, provide services, or engage in other regulated activities within a specified jurisdiction.

War Crime

A war crime incident involves individuals or groups that have been indicted, wanted, accused, or charged by national governments or international organisations for attempting, committing, or conspiring to violate laws, treaties, customs, or practices governing military or armed conflict between international and non-international states or parties.

This consolidated category also includes incidents involving unlawful manufacture, possession, sale, delivery, display, use, threat to use, or making readily accessible CBRN (chemical, biological, radiological, or nuclear) weapons or high explosives. These weapons of mass destruction (WMDs), also known as ABC (atomic, biological, or chemical) weapons, are capable of high-order destruction, causing death or serious harm to large numbers of people, or mass destruction to human-made or natural structures.

Examples of war crimes include atrocities against persons or property, murder or ill-treatment of civilians, prisoners of war, or hostages, biological experiments, plunder, wanton destruction of cities, and unjustified devastation. War crimes may be committed by government forces, irregular forces, political leaders, judiciary members, or industrialists.

Other

Individuals involved with other alleged offences related to any of the above categories but without evidence of official action by relevant national or foreign authorities.

**Custom
Watchlist**

Individuals that have been listed in your organisation's self managed custom watchlist.

Terror/Terrorism (TER)

Terrorism encompasses acts of politically or socially motivated violence perpetrated by individuals, organised groups, or lone actors who aim to influence governmental or international organisational policies and populations through fear and coercion. This includes domestic extremism, state-sponsored violence, and ideologically driven attacks across both single and multiple territories. Key identifiers include: membership in recognised terrorist organisations, involvement in activities dangerous to human life or property, and actions intended to further specific political or social objectives.

Former PEP

Former PEPs are individuals who have previously held a prominent public function, typically a senior role, but no longer does. Despite leaving office, these individuals may still pose a risk due to their potential for corruption and the informal influence they retain.

There is no globally accepted timeframe for how long someone retains their PEP status, with some jurisdictions, like the EU, mandating a minimum of 12 months. Other institutions, such as

the FATF, advocate for an open-ended, risk-based approach that considers factors like the individual's previous role, potential for continued influence, and the level of corruption in their country.

Categories for Corporates

Profile of Interest (POI)

Profile of Interest is a category designed to capture legacy data of profiles which no longer fits the new Reputational Risk Exposure methodology.

Special Interest Entities (SIE)

Special Interest Entities refer to organisations that have been identified as being involved in activities that may pose a higher risk for money laundering, terrorism financing or various financial related crimes. These are grouped into the following subcategories.

Category	Description
Sanctions Lists	Entities appearing on official financial sanctions lists what are involved, or suspected of being involved, in illegal activities.
Law Enforcement	Entities appearing on an official law enforcement public domain site as either wanted, investigated, or arrested by an official law enforcement body or the police; or individuals or entities charged, prosecuted, convicted and/or sentenced by a competent criminal court that constitutes a criminal act.
Regulatory Enforcement	Entities listed on an official regulatory enforcement public domain site against whom official regulatory administrative action has been taken by a government or independent regulatory agency responsible for the supervision and oversight of specific administrative regulations or rules for breaches of said rules and regulations.
Bribery & Corruption	Entities involved or alleged to have been involved in criminal activity relating to bribery and corruption, including being bribed, bribing another person (including facilitation payments), bribing a foreign public official, failure of a relevant commercial organisation to prevent bribery, and corrupt practices.
Cyber Crime	Entities involved or alleged to have been involved in criminal activity relating to cybercrime, including identity theft, scams, hacking, and credit card or payment fraud.

Disqualified Directors	Entities that are associated with company directors who have been disqualified or professionally suspended (for UK only).
End Use Control	An end use control incident occurs when an entity involved in exporting dual-use or military technology, which has both commercial and military applications, poses a heightened risk of breaching non-proliferation rules. End users, typically foreign entities that ultimately utilise these exported items, may not be intermediaries but could be purchasers or financiers..
Environmental Crime	An environmental crime incident involves individuals or groups attempting, committing, or conspiring to systematically and wilfully engage in illegal acts that directly harm the environment for personal gain. These acts exploit, damage, trade, or steal natural resources, violating international, local, or extraterritorial environmental laws. A key aspect is the organised, systemic approach to wrongfully contaminate the atmosphere, soil, or water with harmful substances, securing financial advantages through profit or cost avoidance. Such pollution is likely to adversely affect the natural environment or life. A key aspect is the organised, systemic approach to wrongfully contaminate the atmosphere, soil, or water with harmful substances, securing financial advantages through profit or cost avoidance. Such pollution is likely to adversely affect the natural environment or life. Examples include dumping industrial waste in water bodies, illicitly trading hazardous waste, trafficking endangered species, smuggling ozone-depleting substances, and illegal logging. The category also covers incidents determined by courts to be criminally negligent acts.
Financial Crime	Entities involved or alleged to have been involved in criminal activity relating to financial crime, including financial and non-financial fraud, money laundering, tax offences, embezzlement, counterfeiting of currency, high-value theft and robbery, insider trading, unexplained wealth orders / interim assets freeze, and failure to comply with relevant financial regulations.
Fugitive	A fugitive incident involves a person who flees a jurisdiction or prison to avoid arrest, prosecution for a crime, imprisonment, or to avoid giving testimony in any criminal proceeding.
Gambling	A gambling operation incident involves individuals or groups attempting, committing, or conspiring to conduct, finance, manage, supervise, direct, or own part of an illegal, organised gambling business. These operations, also known as illegal gaming, demonstrate a systemic approach likely to involve illicit fund flows through the financial system, posing heightened abuse risks. They may further organised crime, terrorism financing, or other AML predicate offences. Unorganised or low-risk gambling operations are excluded.

Human Rights Violation	A human rights violation incident involves individuals or groups attempting, committing, or conspiring to violate fundamental rights established by international agreements, conventions, customs, or national laws. These rights, acknowledged by authoritative institutions like governments, the UN, EU, or NGOs, include life, freedom from torture, fair trial, assembly, religion, expression, and freedom from slavery or arbitrary arrest. This category also encompasses crimes against humanity, where individuals or groups knowingly participate in widespread, systematic attacks against civilians, as directed by organisations or states. Examples include apartheid, forced population transfers, enforced disappearances, enslavement, extermination, genocide, murder, persecution based on group identity, sexual violence, and torture. Such violations often further political destabilisation, terrorism, conflicts, or organised crime, posing elevated financial system abuse risks.
Insolvency	Entities that have been declared as bankrupt or insolvent (for UK and Ireland only).
Interstate Commerce Violation	An interstate commerce incident involves an individual or a group that attempts, commits, or conspires to unlawfully purchase, sell, or exchange of commodities, money or goods through transport by land or water in contravention of interstate laws and regulations, the prescribed laws of the subject legal jurisdiction, or in violation of any extraterritorial laws to which the entity is subject. Interstate commerce includes the movement of goods and services across U.S. state borders.
Labour Violation	A labour violation incident involves individuals or groups attempting, committing, or conspiring to violate laws that define and protect employee rights from employer retaliation. These violations include interfering with employee rights or labour organisation formation, discriminating in hiring or tenure, influencing union membership, refusing collective bargaining, violating child labour laws, and breaching labour laws to secure financial advantages. Key criteria are wilful intent for material gain and likelihood of illicit fund flows through the financial system, posing heightened abuse risks. The category excludes violations that are unlikely to involve such flows and civil labour claims.
Modern Slavery	Entities involved or alleged to have been involved in criminal activity relating to modern slavery, including human trafficking and exploitation, labour trafficking and exploitation, and sex trafficking and exploitation.
Narcotics Crime	Entities involved or alleged to have been involved in criminal activity relating to narcotics, including production, trafficking and distribution of drugs.

Organised Crime	Entities involved or alleged to have been involved in criminal activity relating to organised crime, including illicit arms trafficking, smuggling or illicit trafficking in goods, and organised crime groups, gangs and syndicates.
Other	Entities involved with other alleged offences related to any of the above categories but without evidence of official action by relevant national or foreign authorities.
Pharma Tracking	A pharmaceutical products trafficking incident involves individuals or groups attempting, committing, or conspiring to engage in the organised, systemic manufacture, trade, transport, and distribution of fake, stolen, or illicit medicines and medical devices. This activity contravenes international laws, local jurisdiction's prescribed laws, or any applicable extraterritorial laws. The category excludes single instances of selling pharmaceutical products and small-scale prescription drug sales.
Piracy	A piracy incident involves individuals or groups attempting, committing, or conspiring to engage in criminal acts of violence, detention, or depredation. These acts, perpetrated by crew or passengers of a private ship or aircraft, are directed against another vessel or its persons or property on the high seas for private benefit. The category includes incidents outside a state's sovereign maritime borders, under universal jurisdiction where states or international organisations can claim criminal jurisdiction regardless of the crime's location. It specifically includes maritime piracy in international waters and incidents involving vessels at sea or on rivers.
Reputational Risk	Entities involved or alleged to have been involved in activities which exposes a risk in reputation.
Unauthorised Incident	An unauthorised incident involves entities not officially permitted, approved, or licensed by a regulatory authority to practice, sell, advise, provide services, or engage in other regulated activities within a specified jurisdiction.

War Crime

A war crime incident involves individuals or groups that have been indicted, wanted, accused, or charged by national governments or international organisations for attempting, committing, or conspiring to violate laws, treaties, customs, or practices governing military or armed conflict between international and non-international states or parties.

This consolidated category also includes incidents involving unlawful manufacture, possession, sale, delivery, display, use, threat to use, or making readily accessible CBRN (chemical, biological, radiological, or nuclear) weapons or high explosives. These weapons of mass destruction (WMDs), also known as ABC (atomic, biological, or chemical) weapons, are capable of high-order destruction, causing death or serious harm to large numbers of people, or mass destruction to human-made or natural structures.

Examples of war crimes include atrocities against persons or property, murder or ill-treatment of civilians, prisoners of war, or hostages, biological experiments, plunder, wanton destruction of cities, and unjustified devastation. War crimes may be committed by government forces, irregular forces, political leaders, judiciary members, or industrialists.

**Custom
Watchlist**

Entities that have been listed in your organisation's self managed custom watchlist.

Terror/Terrorism (TER)

Terrorism encompasses acts of politically or socially motivated violence perpetrated by individuals, organised groups, or lone actors who aim to influence governmental or international organisational policies and populations through fear and coercion. This includes domestic extremism, state-sponsored violence, and ideologically driven attacks across both single and multiple territories. Key identifiers include: membership in recognised terrorist organisations, involvement in activities dangerous to human life or property, and actions intended to further specific political or social objectives.

State Owned Enterprises (SOE)

A State-Owned Enterprise is a government-owned corporate entity recognised by national law, where the state holds full, majority, or significant minority ownership. SOEs include joint stock companies, limited liability companies, and statutory corporations engaged in economic activities, often with government representation on their boards. Defined by the OECD, this classification helps meet Anti-Money Laundering (AML) compliance, as board members of SOEs may qualify as Politically Exposed Persons (PEPs) based on the level of state control.

Former State Owned Enterprises

The Former SOE category includes entities that were previously owned or controlled by a government but have since undergone privatisation, restructuring, or other changes in ownership status. These entities may no longer be under direct state control or influence, yet their historical background as SOEs can still provide valuable context for monitoring and analysis purposes.

Consolidated Categories

Official watchlist consisting of Sanctions, Financial Regulation and Law Enforcement which apply to both Individual and Corporate entities:

Official Lists (SIP & SIE)

Category	Description
----------	-------------

Sanction Lists

Sanctions are restrictive measures imposed by an international body, multilateral agency, or national government to achieve a desired outcome. They can be imposed on a regime, organisation or individual. Sanctions range from multilateral programmes, such as those imposed by the UN or EU, to unilateral sanctions enacted by individual nations like Australia, Japan, and Switzerland. These are divided into the following levels for screening scope:

- All Sanctions Lists
- Major Sanctions Lists
- DFAT - Department of Foreign Affairs and Trade
- EU - European Union Council
- HMT - Her Majesty's Treasury/Office of Financial Sanction Implementation
- OFAC - Office of Foreign Assets Control
- UNSC - United Nations Security Council
- International sanctions lists e.g. Consolidated Sanctions List, Asian Development Bank
- Sanctions by country e.g. Australia, New Zealand, Japan
- Sanctions lists by country e.g. Austrac, Australian National Security, New Zealand Police Force, Japan Ministry of Finance etc.

Law Enforcement

Persons or entities appearing on an official law enforcement public domain site as either wanted, investigated, or arrested by an official law enforcement body or the police; or individuals or entities charged, prosecuted, convicted and/or sentenced by a competent criminal court that constitutes a criminal act.

**Regulatory
Enforcement**

Persons or entities listed on an official regulatory enforcement public domain site against whom official regulatory administrative action has been taken by a government or independent regulatory agency responsible for the supervision and oversight of specific administrative regulations or rules for breaches of said rules and regulations.

Former Sanctions

The Former Sanctions category encompasses entities that were once listed on international, regional or national sanctions lists but have since been removed from active sanction status due to various reasons such as compliance with imposed conditions, resolution of conflicts, or changes in geopolitical situations. These entities, although no longer subject to restrictive measures, may still be of interest for monitoring purposes given their historical involvement in activities that led to their initial listing.

Reports

Permissions

Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor

Permissions

Compliance Officers and **Auditors** have access to view reports for all associated organisations, active and disabled.

Advanced Users, Standard Users and **Billing Officers** have access to view reports for all associated organisations which are active.

Report Types

The following reports are available in the system.


Report Name	Section	Description
Organisation Activity	Reports	Scan activities per day for the selected organisation. The report includes number of scans for both PEP & Sanctions, ID Verification and Know Your Business. The annual Monitoring Rescan activities are also included in this report. This report is generated overnight and does not include scan activities of the current day.

Organisation Group Activity	Reports	Summary of total number of scans for one or more selected organisation. The report includes activities for both PEP & Sanctions, ID Verification and Know Your Business. This report is generated overnight and does not include scan activities of the current day.
Monitoring	Reports	Ongoing monitoring activities per day/fortnight/week/month/quarter/semi-annual for both individuals and corporates. This schedule is based on your agreed subscription frequency. The report includes number of individuals and corporates being monitored on a regular basis and the number of detected changes to profiles affecting monitored entities.
Monitoring Group Summary	Reports	Overview of the number of active items in the monitoring list and monitoring rescan within the defined date range. The report includes the number of lowest, highest and average number of actively monitored entities in the monitoring list as well as the number of items screened for the annual monitoring rescan if exists within the period.
Individual Due Diligence	Reports	A report of due diligence decisions and comments recorded against individual scan matches. This applies to PEP & Sanctions scans only.
Corporate Due Diligence	Reports	A report of due diligence decisions and comments recorded against company scan matches.
Business and UBO Check Activity Report	Reports	A report for Know Your Business checks including requested documents and enhanced company profiles, request dates, associated delivery statuses, and prices.

Results Summary Report	Scan Results (Individuals and Corporates)	A report containing a summary of all profile matches returned and the associated due diligence decisions. This report is only available in CSV format.
-------------------------------	--	--

To view the reports, select the **Report Type**, select an **Organisation or suborganisation** from the available list and the period of activity. The **Activity Date** defaults to "year to date".

For a quick view of the report contents, select from **Download** the option **Preview PDF Report** . You may also opt to download a copy as PDF, Word or Excel.



Screening Activity Details and Results

For record keeping and for purposes of auditing for your organisation, you can download reports of your screening activities and the associated results, and lists of monitored entities. The reports can be downloaded in PDF, Word, Excel and CSV formats. Where large volumes of data are downloadable, the application may only offer download in CSV format.

The report download options are available as a **Download** button throughout the application within the **Scan Results**, **Batch Scan Results**, **Monitoring Results** and **Monitoring List** screens.

Data Management

Permissions

Compliance Officer	Advanced User	Standard User	Data Entry Operator	Billing Officer	Auditor
	×	×	×	×	×

The **Compliance Officer** can remove historical scan data and whitelists for the organisation.

It is recommended that *before deleting any data* from the system, you have downloaded all the relevant reports for audit management. **Data deleted from the system is permanent and cannot be retrieved.**

Options for data deletion

Within **Data Management**, you can select to delete the following types of data for your organisation:

Option	Description
1 - ID Verification scan data only	This options enables you to delete all historical ID Verification only scans. This option is only visible if your organisation has subscribed to the ID Verification service.
2 - KYB scan data only	This options enables you to delete all historical Know Your Business only scans.
3 - Selected Single Scan data	This options enables you to filter and select specific individual or corporate scans for deletion. If your organisation has subscribed to ID Verification, this option will also enable you to remove ID Verification scans.

4 - Selected PEP & Sanctions Batch Scan data	This options enables you to individually select from a list of individual or corporate batch scans for deletion.
5 - PEP & Sanction data, where No Matches were found from single and batch scan information	If you choose to delete only data that had no matches, it is recommended that prior to deletion, you download a Full Report for all batch scans that have been run so that you can keep a record of all members that have been scanned whether they lead to a match or no match.
6 - All Single Scan, Batch Scan and whitelist data	This option deletes all scan data including single scan data, batch scan data and all whitelist information. Scan Results and Batch Scan Results will show no scans found. Matches previously added to the whitelist will also be deleted. If your organisation has subscribed to ID Verification, this option will also remove all ID Verification scan information. If you choose to delete all scan and whitelist information, it is recommended that prior to deletion, you run the appropriate Individual and Corporate Due Diligence Reports so that you can keep a record of all due diligence decisions recorded. Entities in the Monitoring List will continue to be monitored and are unaffected.
7 - All Single Scan, Batch Scan, whitelist and Monitoring List data	This option deletes all scan data including single scan data, batch scan data, all whitelist information and monitored entities. Scan Results and Batch Scan Results will show no scans found. Matches previously added to the whitelist will also be deleted. Monitoring List will also be emptied. If your organisation has subscribed to ID Verification and Know Your Business, this option will also remove these scan information. If you choose to delete all scan and whitelist information, it is recommended that prior to deletion, you run the appropriate Individual and Corporate Due Diligence Reports so that you can keep a record of all due diligence decisions recorded.
8 - Selected Supporting Document data only	The option to delete Supporting Documents associated with Individual and Corporate entities. You can filter documents for deletion by scan type and scan service for Batch and Single scans.

**9 - Risk Assessment scans
data only**

This option deletes all stand alone historical AML Risk Assessment Checks. This does not include Risk Assessment Checks associated with PEP and Sanctions, IDV or KYB scans. This option is only visible if your organisation has subscribed to the AML Risk Assessment Check service.


Once you have completed due diligence on a batch file it is recommended that you delete selected batch data (option 4) or only data that lead to no matches (option 5), to comply with National Privacy Principles.

Deleting scan data means that there will be no record of it in the **Scan Results, Batch Scan Results** or **Monitoring Results**. Whitelist entries are only retained if you choose to delete selected batches (option 4) or only data that lead to no matches (option 5).

API Key

Generate Your Own API Key

All users are able to generate an API key for their own accounts via **My Profile** screen after logging in.

A screenshot of the 'Profile' tab in the user settings. The tab is selected, and the 'Security' tab is also visible. The form contains several input fields: 'First Name' (MemberCheck), 'Last Name' (CO Demo), 'Address' (empty), 'Postal Address' (empty), 'Phone Number' (empty), 'Fax Number' (empty), 'Username' (mc.com.officer2), 'Email' (mc.com.officer2@membercheck.com), and 'Status' (Active). There is a 'Generate' button next to the 'API Access Key' field, which is currently empty. A red arrow points to the 'Generate' button. At the bottom, there are 'Update' and 'Cancel' buttons. On the right side, there is a summary box showing 'User Role: Compliance Officer', 'Creation Date: Aug 27, 2020 11:00:16 AM', and 'Last Login: Jul 1, 2022 7:59:27 PM'.

Once your API Access Key has been generated, click on **Update** to save the changes to your profile.


API Key prefix identifiers

Environment and region-specific prefixes were introduced for API keys in release **10.4.7** to assist with identification. Existing keys without prefixes will continue to work and are not affected.

Generate API Key for another account

A **Compliance Officer** can generate an API Key for any user account assigned to their organisation or suborganisation.

This can be managed through **Administration > User**.



Once you have selected the required user account to view the profile details, click **Generate** for **API Access Key**.

First Name: MemberCheck	Last Name: CO Demo	Address: 	Creation Date: Jun 12, 2020 12:29:11 PM Last Login: Jul 1, 2022 7:59:27 PM Last Active: Jul 23, 2022 8:12:25 PM
Postal Address: 	Phone Number: 	Fax Number: 	
Username: mc.com.officer2	Email: mc.com.officer2@membercheck.com	Status: Active	
API Access Key: 		MFA: Virtual MFA Device	
Copy Generate			

Once your API Access Key has been generated, click on **Update** to save the changes to your profile.

**Dedicated user account for API access**

To prevent service disruption once integrated with MemberCheck, we recommend creating a dedicated service account and generating the API key on that account. This ensures API access continues unaffected when team members leave your organisation and their accounts are deactivated.

Important Note

API keys are different for the Demo and Production environments and within different regions. If you have accounts in both environments, please use the environment specific key to ensure your requests are able to be authenticated and authorised.

Batch File Templates and Samples

Templates

Batch scans for **Individuals** and **Corporates** are separate due to their different schema and contents.

The **templates** and **sample** batch files have been provided to assist you in preparing your batch files, and you will need to make some minor adjustments to appropriate the files for your organisation.

Description	 Download Template	
Batch file template for Individuals	CSV	XML
Batch file template for Corporates	CSV	XML
All batch file templates (Individuals and Corporates)	ZIP	

Sample Batch Files

For a quick start, you can download the sample CSV and XML batch files which contain sample text and preset fields.

Before running the sample batch file you will need to ...

Please replace the generic Org ID `DEMOORG` in the sample batch with the **Org ID** assigned to you during enrolment.

To ensure the file formatting and encoding is retained, we recommend editing these sample files via a text editor rather than Excel or Numbers as these applications can change the formatting and structure of the CSV files.

Individual Sample Batch Files

Minimum requirements for due diligence or monitoring:

Preview batch file

✕

Display 5 records per page

Items: 4

Search

	Organisation ID	Client ID	First Name	Middle Name	Last Name	DOB	Address	Gender	Original Script Name or Full Name	ID Number	Country	Nationality
1	DEMOORG	DEMOID-100	Scott	John	MORRISON							
2	DEMOORG	DEMOID-101	Chris		BOWEN							
3	DEMOORG	DEMOID-102							Anthony Norman ALBANESE			
4	DEMOORG	DEMOID-103							廖嬋娥			

Type of Data Required

 Download Sample

CSV

XML

- Org ID
- Client ID
- First Name and Last Name
- Original Script Name
- Full Name

You must include either **First Name and Last Name**, or **Original Script Name or Full Name**. If you are not able to separate the First and Last Names, you can enter the individual's Full Name into the **Original Script Name or Full Name** field.

Minimum requirements (no due diligence or monitoring):

Preview batch file

✕

Display 5 records per page

Items: 4

Search

	Organisation ID	Client ID	First Name	Middle Name	Last Name	DOB	Address	Gender	Original Script Name or Full Name	ID Number	Country	Nationality
1	DEMOORG		Scott	John	MORRISON							
2	DEMOORG		Chris		BOWEN							
3	DEMOORG								Anthony Norman ALBANESE			
4	DEMOORG								廖嬋娥			

Type of Data Required	Download Sample
-----------------------	-----------------

CSV XML

- Org ID
- First Name and Last Name
- Original Script Name
- Full Name

You must include either **First Name and Last Name**, or **Original Script Name or Full Name**. If you are not able to separate the First and Last Names, you can enter the individual's Full Name into the **Original Script Name or Full Name** field.

Additional member details with Gender, Original Script Names/Full Name and ID Number:

Preview batch file ×											
Display	5	records per page	Items: 4		Search						
Organisation ID	Client ID	First Name	Middle Name	Last Name	DOB	Address	Gender	Original Script Name or Full Name	ID Number	Country	Nationality
1 DEMOORG	DEMOID-100	Scott	John	MORRISON	13/05/1968	AU	Male		PA234567		
2 DEMOORG	DEMOID-101	Chris		BOWEN	1973	Fairfield, NSW, Australia	Male		PA1000111		
3 DEMOORG	DEMOID-102				02/03/1963	AU	M	Anthony Norman ALBANESE	PA0123456		
4 DEMOORG	DEMOID-103				1959	15 Coronation Drive, Yarralumla, ACT 2600, AU	Male	廖輝娥	DE1234567		

Type of Data Required	Download Sample
-----------------------	-----------------

[CSV](#)[XML](#)

- Org ID
- Client ID
- First Name and Last Name
- Date of Birth
- Address
- Gender
- Script Name or Full Name
- ID Number

You must include either **First Name and Last Name**, or **Original Script Name or Full Name**. If you are not able to separate the First and Last Names, you can enter the individual's Full Name into the **Original Script Name or Full Name** field.

Full member details with multiple Countries of Residence and Nationalities:

Preview batch file

✕

Display	5	records per page	Items: 5							Search		
	Organisation ID	Client ID	First Name	Middle Name	Last Name	DOB	Address	Gender	Original Script Name or Full Name	ID Number	Country	Nationality
1	DEMOORG	DEMOID-100	Scott	John	MORRISON	13/5/1968	AU	Male		PA234567	AU	
2	DEMOORG	DEMOID-101	Chris		BOWEN	1973	Fairfield, NSW, Australia	Male		PA1000111	AU	
3	DEMOORG	DEMOID-102				2/3/1963		M	Anthony Norman ALBANESE	PA0123456	AU	AU
4	DEMOORG	DEMOID-103				1959	15 Coronation Drive, Yarralumla, ACT 2600	Male	廖嬋娥	DE1234567	AU,CN	CN
5	DEMOORG	DEMOID-104	Benjamin		Smith			Male			FR,GB	CA,US

Type of Data Required

[Download Sample](#)

[CSV](#)[XML](#)

- Org ID
- Client ID
- First Name and Last Name
- Date of Birth
- Address
- Gender
- Script Name or Full Name
- ID Number
- Country of Residence (up to 5)
- Nationality (up to 5)

You must include either **First Name and Last Name**, or **Original Script Name or Full Name**. If you are not able to separate the First and Last Names, you can enter the individual's Full Name into the **Original Script Name or Full Name** field.

Original Script Search or Full Name not enabled for your organisation

If your organisation does not have the **Original Script Search/Full Name** setting activated, the **Original Script Name/Full Name** field should not be included from your batch files.

Full member details with Gender and ID Number (excluding Original Script Name/Full Name):

Preview batch file

x

Display 5

records per page

Items: 4

Search

	Organisation ID	Client ID	First Name	Middle Name	Last Name	DOB	Address	Gender	ID Number	Country	Nationality
1	DEMOORG	DEMOID-100	Scott	John	MORRISON	13/05/1968	AU	Male	PA234567		
2	DEMOORG	DEMOID-101	Chris		BOWEN	1973	Fairfield, NSW, Australia	Male	PA1000111		
3	DEMOORG	DEMOID-102	Anthony	Norman	ALBANESE	02/03/1963	AU	M	PA0123456		
4	DEMOORG	DEMOID-103	Jingye		CHENG	1959	Yarralumla, ACT 2600, AU	Male	DE1234567		

Type of Data Required

Download Sample

CSV

XML

- Org ID
- Client ID
- First Name and Last Name
- Date of Birth
- Address
- Gender
- ID Number

Original Script Search/Full Name setting

To check if your organisation has this setting enabled, check out this [FAQ](#) or get in contact with your Compliance Officer.

Corporate Sample Batch Files

Minimum requirements for due diligence and monitoring:

Preview batch file

Display 5 records per page

Items: 4

Search

	Organisation ID	Client ID	Company Name	Registration Number	Address	Country
1	DEMOORG	DEMOID-C-10	Microsoft Corporation			
2	DEMOORG	DEMOID-C-11	Alpha, Bravo & Charlie Pty Ltd			
3	DEMOORG	DEMOID-C-12	The Company			
4	DEMOORG	DEMOID-C-13	Apple Incorporated			

Type of Data Required

Download Sample

CSV

XML

• Org ID

• Client ID

• Company Name

Minimum requirements (no due diligence or monitoring):

Preview batch file

Display 5 records per page

Items: 4

Search

	Organisation ID	Client ID	Company Name	Registration Number	Address	Country
1	DEMOORG		Microsoft Corporation			
2	DEMOORG		Alpha, Bravo & Charlie Pty Ltd			
3	DEMOORG		The Company			
4	DEMOORG		Apple Incorporated			

Type of Data Required

Download Sample

CSV

XML

• Org ID

• Company Name

Full company details:

Preview batch file

Display 5 records per page Items: 4

Search

	Organisation ID	Client ID	Company Name	Registration Number	Address	Country
1	DEMOORG	DEMOID-C-10	Microsoft Corporation	91-1144442	One Microsoft Way, Redmond WA 98052-6399, United States	
2	DEMOORG	DEMOID-C-11	Alpha, Bravo & Charlie Pty Ltd	91-1144442	United States	
3	DEMOORG	DEMOID-C-12	The Company	C1234567	US	
4	DEMOORG	DEMOID-C-13	Apple Incorporated	942404110	US	

Type of Data Required

Download Sample

CSV

XML

- Org ID
- Client ID
- Company Name
- Registration Number
- Address/Country

Company details with multiple operating locations:

Preview batch file

Display 5 records per page Items: 4

Search

	Organisation ID	Client ID	Company Name	Registration Number	Address	Country
1	DEMOORG	DEMOID-C-10	Microsoft Corporation	91-1144442	One Microsoft Way, Redmond WA 98052-6399	US
2	DEMOORG	DEMOID-C-11	Alpha, Bravo & Charlie Pty Ltd	91-1144442		US;CA
3	DEMOORG	DEMOID-C-12	The Company	C1234567		AU;US;GR
4	DEMOORG	DEMOID-C-13	Apple Incorporated	942404110		US;IE

Type of Data Required

Download Sample

	CSV	XML
• Org ID		
• Client ID		
• Company Name		
• Registration Number		
• Address/Country		
• Countries		

CSV Batch Files Explained

A CSV (comma separated values) file is a text file containing records and fields delimited with commas. You can create a CSV file containing multiple records where each line records represents a profile. The CSV file follows a specific format and specific order of fields.

- Each line of the file represents a record (details of one individual or entity)
- Each line of the profile starts with your assigned Organisation ID. This information is available in your account enrolment email or within the Organisation Details if you have appropriate access.
- Headings are optional in the CSV. If included, the first line must start with `OrgId` to be recognised.
- Each line is terminated with a carriage return and line feed, `CRLF` or `\r\n`.
- The sequence order of the fields are important as they will be processed as specific types of information
- Details containing commas (e.g. addresses, company names etc.) should be enclosed with double quotes (`"`)
- Special symbols should be replaced by HTML characters e.g. `&` should be written as `&`

- Each line is separated or delimited by commas without spaces in between fields. The commas are necessary to differentiate the sequence of fields. Do not remove the commas even if fields are empty
- Batch files containing original script, umlauts or diacritics should be saved in UTF-8 encoding to preserve the information.

Batch files for **Individuals** and **Corporates** are separate and different due to their different structure and contents.

Individuals

Based on your organisation settings, the requirements for the minimum information required to be included in the batch file may differ.

Additional information may be required as a minimum for the batch file to be processed if for example:

- **Client ID** is required if **Ongoing Monitoring** is enabled

The screening fields **Date of Birth**, **Gender**, **Nationality**, **ID Number** and **Registration Number** are never required. The **Matching Scope** your **Compliance Officer** sets for each of these fields controls how widely a supplied value narrows the results, and replaces the **Ignore Blank** policies. A field you leave blank narrows nothing.

If your organisation has **Default Country** specified and **Apply Blank Address** enabled, leaving the **Address** field blank will default to the specified country.

The order of the fields in the CSV file are important and are as follows:

Field	Order	Required	Character Limit	Remarks
OrgID	1	Mandatory	20	The OrgID associated with the organisation or suborganisation you are scanning against. This is assigned to your organisation during enrolment. If unsure, please contact your organisation's Compliance Officer.

ClientID	2	Conditional	100	Unique identifier for the individual such as Customer Reference Number. This is required for due diligence decisions and for ongoing monitoring.
FirstName	3	Mandatory	255	First name or Given name of the individual. This field is required unless you are entering an Original Script Name or Full Name. If the person has a single mononymous name, enter a dash (-) in this field and the mononymous name into LastName.
MiddleName	4	Optional	255	If the individual has multiple middle names, enter all middle names separated by spaces.
LastName	5	Mandatory	255	Last Name or Surname or Family Name of the individual. If the individual has a single mononymous name, enter the name in this field.
DateofBirth	6	Optional	10	The Matching Scope set for Date of Birth controls how widely a supplied value narrows the results. Supported formats: DD/MM/YYYY or YYYY
Address	7	Optional	255	You may enter the full address enclosed in double quotes, or just the Country. Only the Country in the address field will be used for matching.
Gender	8	Optional	20	The application will recognise: Female , F , Male , or M .
OriginalScriptName	9	Optional	255	Non-Latin-based original script name such as Cyrillic, Hebrew, Chinese, Korean, Arabic etc, or Latin-based full name if unable to identify and separate by First and Last Names.

IDNumber	10	Optional	100	Identifier for the individual such as Passport Number, National ID, VAT/Tax Number, Professional Registration Number.
Country	11	Optional	15	ISO 3166-1 alpha-2 code equivalent for the country of residence. Use semicolon (;) to separate values. Supports up to 5 countries.
Nationality	12	Optional	15	ISO 3166-1 alpha-2 country code equivalent for the individual's nationality or citizenship. Use semicolon (;) to separate values. Supports up to 5 countries.

An example of a CSV batch file viewed in a spreadsheet e.g. MS Excel

	A	B	C	D	E	F	G	H	I	J	K	L
1	OrgID (DO NOT DELETE HEADER)	ClientID	FirstName	MiddleName	LastName	DateOfBirth	Address or Country	Gender	OriginalScriptName or Full Name	IDNumber	Countries, up to 5 separated by semicolon (;)	Nationality, up to 5 separated by semicolon (;)
2	DEMOORG	DEMOID-100	Scott	John	MORRISON	13/5/1968	AU	Male		PA234567		AU
3	DEMOORG	DEMOID-101	Chris		BOWEN	1973	Fairfield, NSW, Australia	Male		PA1000111		AU
4	DEMOORG	DEMOID-102				2/3/1963		M	Anthony Norman ALBANESE	PA0123456	AU	AU
5	DEMOORG	DEMOID-103				1959	15 Coronation Drive, Yarralumla, ACT 2600	Male	廖嬋娥	DE1234567	AL;CN	CN
6	DEMOORG	DEMOID-104	Benjamin		Smith			Male			FR;GB	CA;US

An example of a CSV batch file viewed in a text editor e.g. Atom. Some advanced text editors can provide greater insight to the structure and encoding of a CSV file compared to Excel spreadsheet.

sample_batch_individual_... X												
1	OrgID (DO NOT DELETE HEADER),ClientID,FirstName,MiddleName,LastName,DateOfBirth,Address or Country,Gender,OriginalScriptName or Full Name,IDNumber,"Countries, up to 5 separated by semicolon (;)","Nationality, up to 5 separated by semicolon (;)"␣↵											
2	DEMOORG,DEMOID-100,Scott,John,MORRISON,13/5/1968,AU,Male,,PA234567,,AU␣↵											
3	DEMOORG,DEMOID-101,Chris,,BOWEN,1973,"Fairfield, NSW, Australia",Male,,PA1000111,,AU␣↵											
4	DEMOORG,DEMOID-102,,,2/3/1963,,M,Anthony Norman ALBANESE,PA0123456,AU,AU␣↵											
5	DEMOORG,DEMOID-103,,,1959,"15 Coronation Drive, Yarralumla, ACT 2600",Male,廖嬋娥,DE1234567,AU;CN,CN␣↵											
6	DEMOORG,DEMOID-104,Benjamin,,Smith,,,Male,,,FR;GB,CA;US											

The key elements of the CSV batch file:

Line #1: Default header provided for reference

Lines #2 - #4: Contains ClientID which will enable due diligence and ongoing monitoring of the individual

Line #5: Mononymous name with dash in FirstName field

Line #7: Initial of FirstName with asterisk to indicate partial scan required

OrgID: Change to reflect your **Org ID** as per enrolment email or Organisation Details

DateOfBirth: Supports format **'DD/MM/YYYY'** and **'YYYY'**

Gender: Can be **'F', 'Female', 'M', 'Male'**

"CRLF" line ending

"UTF-8" encoding

Corporates

The order of the fields in the CSV file are as follows:

Field	Order	Required	Character Limit	Remarks
OrgID	1	Mandatory	20	The OrgID associated with the organisation or suborganisation you are scanning against. This is assigned to your organisation during enrolment. If unsure, please contact your organisation's Compliance Officer.
ClientID	2	Optional		Unique identifier for the company such as Company Reference Number or Account Number. This is Required for due diligence decisions.
CompanyName	3	Mandatory	255	Name of company.
RegistrationNumber	4	Optional	100	Company's registration number such as ABN, ACN, NZBN, CRN, RN or equivalent.

Address	5	Optional	255	The company's country of operation or registration. Enter the ISO 3166-1 2-letter country code, or the country name. You can also enter the full address (there are no restrictions imposed on the address format). Only the country component will be used for comparing country of operation or registration when the Country of Operation policy is applied during scanning.
Country	16	Optional	15	ISO 3166-1 alpha-2 code equivalent for the country of operation. Use semicolon (;) to separate values. Supports up to 5 countries.

An example of a CSV viewed in a spreadsheet e.g. MS Excel

	A	B	C	D	E	F
1	OrgID (DO NOT DELETE HEADER)	ClientID	CompanyName	RegistrationNumber	Address or Country	Countries, up to 5 separated by semicolon (;)
2	DEMOORG	DEMOID-C-10	Microsoft Corporation	91-1144442	One Microsoft Way, Redmond WA 98052-6399	US
3	DEMOORG	DEMOID-C-11	Alpha, Bravo & Charlie Pty Ltd	91-1144442		US;CA
4	DEMOORG	DEMOID-C-12	The Company	C1234567		AU;US;GR
5	DEMOORG	DEMOID-C-13	Apple Incorporated	942404110		US;IE
6	DEMOORG	DEMOID-C-14	Micro Software		IN	

An example of a CSV batch file viewed in a text editor e.g. Pulsar. Some advanced text editors can provide greater insight to the structure and encoding of a CSV file compared to Excel spreadsheet.

sample_corp_batch.csv	
1	OrgID,ClientId,CompanyName,RegistrationNumber,"Address or Country" (DO NOT DELETE HEADER LINE)
2	YOURORGID,C2101,Microsoft Corporation,91-1144442,"One Microsoft Way, Redmond WA, USA"
3	YOURORGID,C2102,Micro Software,,India
4	YOURORGID,C2103,The Alphabet Company,,AU
5	YOURORGID,,"Apple, Bravo & Charlie",,
6	
sample_corp_batch.csv* 1:1	
CRLF UTF-8 Plain Text GitHub	

The key elements of the CSV batch file:

Line #1: Default header provided for reference

Lines #2 - #4: Contains ClientID which will enable due diligence and ongoing monitoring of the company

i 'Null' names or strings

Due to a technicality in the processing of CSV files within the system, the string "NULL" (N - U - L - L) should be avoided as this will be ignored by the system. To enter this as a name or string text, use "Null" or "null" (N - u - l - l or n - u - l - l) to avoid all uppercase.

XML Batch Files Explained

Individuals

The batch XML file can be validated against the following DTD.

```
<?xml version="1.0" encoding="UTF-8"?>
<!ELEMENT InputList (Person+)><!ELEMENT Person (OrgID, MemberNumber?, ClientID?,
FirstName, MiddleName?, Surname, DOB?, Address?, Gender?, ScriptNameFullName?,
IDNumber?)>
<!ELEMENT OrgID (#PCDATA)>
<!ELEMENT MemberNumber (#PCDATA)> <!-- superseded by ClientID -->
<!ELEMENT ClientID (#PCDATA)>
<!ELEMENT FirstName (#PCDATA)>
<!ELEMENT MiddleName (#PCDATA)>
<!ELEMENT Surname (#PCDATA)>
<!ELEMENT DOB (#PCDATA)>
<!ELEMENT Address (#PCDATA)>
<!ELEMENT Gender (#PCDATA)>
<!ELEMENT OriginalName (#PCDATA)> <!-- (if Original Script Search is enabled) -->
<!ELEMENT ScriptNameFullName (#PCDATA)> <!-- (if Original Script Search is
enabled) -->
<!ELEMENT IDNumber (#PCDATA)>
<!ELEMENT Country (#PCDATA)>
<!ELEMENT Nationality (#PCDATA)>
```

The format of the XML file may be similar to the following example where we have the full address in `Address` :

```
<?xml version="1.0" encoding="utf-8" ?>
<InputList>
  <Person>
    <OrgID>DEMOORG</OrgID>
    <ClientID>DEMOID-100</ClientID>
    <FirstName>John</FirstName>
    <MiddleName>Andrew</MiddleName>
    <Surname>SMITH</Surname>
    <DOB>13/05/1968</DOB>
    <Address>1 Short Street, Sydney, 2000 NSW, Australia</Address>
    <Gender>Male</Gender>
    <ScriptNameFullName></ScriptNameFullName>
    <IDNumber>M1234567</IDNumber>
  </Person>
</InputList>
```

This can be simplified using the ISO 3166-1 2-letter country code in `Address` :

```
<?xml version="1.0" encoding="utf-8" ?>
<InputList>
  <Person>
    <OrgID>DEMOORG</OrgID>
    <ClientID>DEMOID-100</ClientID>
    <FirstName>John</FirstName>
    <MiddleName>Andrew</MiddleName>
    <Surname>SMITH</Surname>
    <DOB>13/05/1968</DOB>
    <Address>AU</Address>
    <Gender>Male</Gender>
    <ScriptNameFullName></ScriptNameFullName>
    <IDNumber>M1234567</IDNumber>
  </Person>
</InputList>
```

For dual citizenship:

```
<?xml version="1.0" encoding="utf-8" ?>
<InputList>
  <Person>
    <OrgID>DEMOORG</OrgID>
    <ClientID>DEMOID-100</ClientID>
    <FirstName>John</FirstName>
    <MiddleName>Andrew</MiddleName>
    <Surname>SMITH</Surname>
```

```

    <DOB>13/05/1968</DOB>
    <Address>AU</Address>
    <Gender>Male</Gender>
    <ScriptNameFullName></ScriptNameFullName>
    <IDNumber>M1234567</IDNumber>
    <Nationality>AU;GB</Nationality>
  </Person>
</InputList>

```

For multiple country of residences:

```

<?xml version="1.0" encoding="utf-8" ?>
<InputList>
  <Person>
    <OrgID>DEMOORG</OrgID>
    <ClientID>DEMOID-100</ClientID>
    <FirstName>John</FirstName>
    <MiddleName>Andrew</MiddleName>
    <Surname>SMITH</Surname>
    <DOB>13/05/1968</DOB>
    <Address>AU</Address>
    <Gender>Male</Gender>
    <ScriptNameFullName></ScriptNameFullName>
    <IDNumber>M1234567</IDNumber>
    <Country>CA;US;FR</Country>
  </Person>
</InputList>

```

Corporates

The batch XML file can be validated against the following DTD.

```

<?xml version="1.0" encoding="UTF-8"?>
  <!ELEMENT InputList (Company+)>
  <!ELEMENT Company (OrgID, EmployerNumber?, ClientID?, CompanyName, IDNumber?,
RegistrationNumber?, Address?)>
  <!ELEMENT OrgID (#PCDATA)>
  <!ELEMENT EmployerNumber (#PCDATA)> <!-- superseded by ClientId -->
  <!ELEMENT ClientID (#PCDATA)>
  <!ELEMENT CompanyName (#PCDATA)>
  <!ELEMENT IDNumber (#PCDATA)> <!-- superseded by RegistrationNumber -->
  <!ELEMENT RegistrationNumber (#PCDATA)>
  <!ELEMENT Address (#PCDATA)>
  <!ELEMENT Country (#PCDATA)>

```

The format of the XML file may be similar to the following example where we have the full address in `Address` :

```
<?xml version="1.0" encoding="utf-8" ?>
<InputList>
  <Company>
    <OrgID>DEMOORG</OrgID>
    <ClientID>DEMOID-C-100</ClientID>
    <CompanyName>ABC Corporation</CompanyName>
    <RegistrationNumber>12 345 678 012</RegistrationNumber>
    <Address>One Alphabet Way, Sydney, 2000, NSW, Australia</Address>
  </Company>
</InputList>
```

This can be simplified using the ISO 3166-1 2-letter country code in `Address` , and the spaces removed from the ABN in `RegistrationNumber` :

```
<?xml version="1.0" encoding="utf-8" ?>
<InputList>
  <Company>
    <OrgID>DEMOORG</OrgID>
    <ClientID>DEMOID-C-100</ClientID>
    <CompanyName>ABC Corporation</CompanyName>
    <RegistrationNumber>12345678012</RegistrationNumber>
    <Address>AU</Address>
  </Company>
</InputList>
```

Example with multiple countries of operation:

```
<?xml version="1.0" encoding="utf-8" ?>
<InputList>
  <Company>
    <OrgID>DEMOORG</OrgID>
    <ClientID>DEMOID-C-100</ClientID>
    <CompanyName>ABC Corporation</CompanyName>
    <RegistrationNumber>12345678012</RegistrationNumber>
    <Country>AU;JP;US</Country>
  </Company>
</InputList>
```

Common Questions

? Batch file not able to be processed

If a batch file is not able to be processed, please check if the following are applicable to your batch file **Encoding and formatting**:

- The file has UTF-8 encoding
- The file does not contain corrupted or unreadable characters (such as ? or ♦), which can occur when the file encoding is incorrect or the data was altered during export. The batch file preview detects these and reports an encoding error.
- Line breaks for each record is separated by carriage return and line feed e.g. CRLF or \r\n
- Ampersands should be replaced with HTML format e.g. & ;
- The OrgID in the profile records refers to your own organisation. The header should not be changed.

? Should I use Excel or a text editor to view a batch file?

Both options provide different advantages and can be used to complement each other.

Viewing the CSV batch file via a spreadsheet such as MS Excel will provide a quick overview of the contents of the CSV file and if contents are listed under the correct fields or columns. However, it does not provide detailed information on the encoding, or type of line breaks used in the file, or if there are correct number of specified fields in a row. Additionally, Excel may have some limitations on the size of the contents of a cell.

An advanced text editor e.g. *Atom*, *Notepad++*, *Sublime Text*, to name a few, provides detailed insights to the encoding and structure of the CSV file, the explicit number of fields per row, and the ability to control and change the encoding of the file and line breaks. However, it may be a bit more challenging to obtain an overview of the contents compared to a spreadsheet.

Therefore, it is not unusual to use Excel for an initial review of the contents of the batch file. If troubleshooting is required, the use of advanced text editors can be used for more detailed investigation into the batch file.

Custom Watchlist Templates and Samples

MemberCheck supports custom watchlist to enable you to extend the PEP and Sanction screening to include any blacklist or specific lists applicable to your organisation.

The custom watchlist templates for **Individuals** and **Corporates** require separate CSVs due to their different structure and schema.

The sample templates have been provided to assist you in preparing your own files.

Templates

Example	 Download Sample
Custom watchlist for individual profiles	CSV
Custom watchlist for corporate profiles	CSV

Individual Custom Watchlist

The fields in the CSV file for individual entities are as follows:

Field	Required	Remarks
UniquelD	Mandatory	The unique identifier for the entity for tracking within the system.
Names	Mandatory	Name of the entity including variations in spelling and aliases. Supports multiple names.
DOBs	Optional	Full date of birth or year of birth. Supports multiple dates.
Gender	Optional	Gender of the profile.
Addresses	Optional	Registered or known locations associated with the entity. Supports multiple addresses.

LinkedIndividuals	Optional	Other individuals associated with this entity. Supports multiple unique identifiers (<code>UniqueID</code>) of profiles defined in the same custom watchlist.
LinkedCompanies	Optional	Other business entities associated with this entity. Supports multiple unique identifiers (<code>UniqueID</code>) of profiles defined in the corporate custom watchlist.

Formatting and Samples

The first row of the CSV contains the header.

Please keep the items in the header and ensure the contents match the sequence of the header items.

Some fields support array of multiple values, for example: Names, Date of Birth, Addresses, Linked Individuals and Linked Companies. For multiple values in the array, each set of data should be separated by semicolon (;) and text containing commas (,) should be enclosed with double quotes (").

The first value in the array of multiple values are considered primary data and will be displayed as the main data in the result profile.

Details of supported formats and examples:

Field	Supported Formats	Examples
UniqueID	Up to 10 digits	Unique identifier from 1 up to 10 digits: • 1 • 10001 • 100001 • 200001

Names	Up to 255 characters per name.	Single name:
	Supported name formats:	• "Charles, Montgomery, Burns" • "Charles, Burns" • Charles Burns • - Suharto • 習近平
	• FirstName,MiddleName,LastName • FirstName,LastName • FirstName LastName • OriginalScriptName For mononymous names, please enter dash (-) for the FirstName and the actual name in the LastName. See example for <code>Suharto</code> in the next column.	Multiple names: • "Charles, Montgomery, Burns; Monty, Burns; Charlie Burns" • "Jinping XI; 習近平; 近平習"

DOBs	Supported date formats:	Single date:
	• DD-MM-YYYY	• 20-04-1960
	• DD/MM/YYYY	• 20/04/1960
	• DD MMM YYYY	• 20 APR 1960
	• YYYY-MM-DD	• 1960-04-20
	• YYYY/MM/DD	• 1960/04/20
	• YYYY	• 1960
		Multiple dates:
		• 1960; 1961; 01/01/1961
		• "1950-04-01; 1950-04-02"

Gender	Supported gender values:	
		• Female
	• Female	• female
	• Male	• Male
	For "Unspecified" gender, please leave blank.	• male

Addresses

Address contains 6 specific components separated by commas (,).

The country component is essential to enable screening by Country of Residence. Other components are not used in the screening but provide more detailed information for the profile.

Leave the components blank if you do not have information.

- Building name
- Street address
- City
- State or County
- Postal or Zip code
- **Country**

Single location:

- " , , , , MU"
- " , , Notting Hill, London, , GB"
- " , 213/100 Railway Street, Chatswood, NSW, AU"
- "Building A, 213/100 Railway Street, Chatswood, NSW, 2067, AU"
- "Character Building, 742 Evergreen Terrace, Springfield, Oregon, , US"

Multiple locations:

- " , , Port Louis, , , MU; , , Pretoria, , , ZA; , , Maputo, , ,
- " , , Notting Hill, London, , GB; , , Canberra, ACT, , AU; , , Arlington, Virginia, , US"
- "Character Building, 742 Evergreen Terrace, Springfield, Oregon, , US; , , San Angelo, Texas, , US"

Note: Common and general country names are accepted, however, to minimise incompatibilities v spelling variations and official vs common names, still recommend using the ISO 3166-1 2-letter code where possible.

LinkedIndividuals	The unique identifier (UniqueID) of the individual(s) associated with this entity. Ensure the unique identifier refers to an existing profile in the same custom watchlist.	Single associated individual: • 10001 Multiple associated individuals: • 10001;10002;10335
LinkedCompanies	The unique identifier (UniqueID) of the business entity associated with this entity. Ensure the unique identifier refers to an existing profile in the corporate custom watchlist to be uploaded together with the individual custom watchlist.	Single associated company: • 50001 Multiple associated individuals: • 50001;50002

Example of CSV content

```

1 UniqueID,Names,Gender,DOBs,"Addresses (Building,Street
2 address,City,State,Postal code,Country)",LinkedIndividuals,LinkedCompanies
3 1001,"Charles, Montgomery, Burns; Monty Burns; Charlie Bernz",Male,
4 1960-01-01;01/01/1961,"Character Building, 742 Evergreen Terrace,
5 Springfield, Oregon,,US; ,,Notting Hill,London,,GB",1002;1003,5001
6 1002,"Liliana, Bancroft;Liliana, Lily, Bancroft;Lily, Bancroft",Female,
1955,",,,,,US",1001,
1003,Larry Burns, Male,1940-01-01;1939-12-31,",,,Oregon,,US",1001,
1004,Clifford Burns,Male,28/12/1980,",,San Angelo,Texas,,US",,5002
1005,- Suharto;- Soeharto,Male,,",,,,,ID",,

```

Screening for **Charles Burns** would return the following profile from the sample custom watchlist:



Charles Montgomery Burns

SIP

DOB 01 Jan 1960

AI Analysis (0/5)

Download

Summary

Decision (Risk):

Comment:

Not Reviewed

General Information

Categories:

Special Interest Person (SIP) - Custom Watchlist

Also Known As

Full Name	Type
Charlie Bernz	Name Spelling Variation
Monty Burns	Name Spelling Variation

Important Dates

Type	Date
Date of Birth	01 Jan 1960
Date of Birth	01 Jan 1961

Locations

Country	City	Address	Type
United States	Springfield	Character Building, 742 Evergreen Terrace Oregon	Residential
United Kingdom	Notting Hill	London	Residential

Linked Individuals

Full Name	Category	Description
Liliana Bancroft	SIP	
Larry Burns	SIP	

Linked Companies

Name	Category	Description
Springfield Nuclear Power Plant	SIE	

Corporate Custom Watchlist

The fields in the CSV file for corporate entities are as follows:

Field	Required	Remarks
UniquelD	Mandatory	The unique identifier for the entity for tracking within the system.
Names	Mandatory	Name of the entity including variations in spelling and aliases. Supports multiple names.

Addresses	Optional	Registered or known locations associated with the entity. Supports multiple addresses.
LinkedIndividuals	Optional	Other individuals associated with this entity. Supports multiple unique identifiers (<code>UniqueID</code>) of profiles defined in the Individuals custom watchlist.
LinkedCompanies	Optional	Other business entities associated with this entity. Supports multiple unique identifiers (<code>UniqueID</code>) of profiles defined in the same custom watchlist.

Formatting and Samples

The first row of the CSV contains the header.

Please keep the items in the header and ensure the contents match the sequence of the header items.

Some fields support array of multiple values, for example: Names, Addresses, Linked Individuals, and Linked Companies. For multiple values in the array, each set of data should be separated by semicolon (;) and text containing commas (,) should be enclosed with double quotes (").

The first value in the array of multiple values are considered primary data and will be displayed as the main data in the result profile.

Details of supported formats and examples:

Field	Supported Formats	Examples
UniqueID	Up to 10 digits	Unique identifier from 1 up to 10 digits: • 1 • 10001 • 100001 • 200001

Names	Up to 255 characters per name.	Single name:
	Supported name formats:	"AB & C Alphabet Company" "Alpha, Bravo & Charlie Pty. Ltd." • CompanyName • Springfield Nuclear Power Plant • OriginalScriptName • 關州烟草
		Multiple names: "AB & C Alphabet Company; ABC Alphabet Company; The Alpha Bet Incorporated; The Company" "China Tobacco Industrial Company Ltd; 關州烟草"

Addresses

Address contains 6 specific components separated by commas (,).

The country component is essential to enable screening by Country of Residence. Other components are not used in the screening but provide more detailed information for the profile.

Leave the components blank if you do not have information.

- Building

- Street address

- City

- State or County

- Postal or Zip code

- **Country**

Single location:

- " , , , , MU "
- " , , Notting Hill, London, , GB "
- " , 213/100 Railway Street, Chatswood, NSW, , AU "
- "Building A, 213/100 Railway Street, Chatswood, NSW, 2067, AU "
- "Tower A, 1002 Evergreen Terrace, Springfield, Oregon, , US "

Multiple locations:

- " , , Port Louis, , MU; , , Pretoria, , ZA; , , Maputo, , MZ "
- " , , Notting Hill, London, , GB; , , Canberra, ACT, , AU; , , Arlington, Virginia, , US "
- "Tower A, 1002 Evergreen Terrace, Springfield, Oregon, , US; , , San Angelo, Texas, , US "

Note: Common and general country names are accepted, however, to minimise incompatibilities with spelling variations and official vs common names, we still recommend using the ISO 3166-1 2-letter code where possible.

LinkedIndividuals	The unique identifier (UniqueID) of the individual(s) associated with this entity. Ensure the unique identifier refers to an existing profile in the Individuals custom watchlist to be uploaded together with the corporate custom watchlist.	Single associated individual: • 10001 Multiple associated individuals: • 10001;10002;10335
LinkedCompanies	The unique identifier (UniqueID) of the business entity associated with this entity. Ensure the unique identifier refers to an existing profile in the same corporate custom watchlist.	Single associated company: • 50001 Multiple associated individuals: • 50001;50002

Example of CSV content

```

1 UniqueID,Names,"Addresses (Building,Street address,City,State,Postal
2 code,Country)",LinkedIndividuals,LinkedCompanies
3 5001,Springfield Nuclear Power Plant,",,Springfield,Oregon,,US",1001,
4 5002,"AB & C Alphabet Company; ABC Alphabet Company; The Alpha Bet
5 Incorporated; Alpha, Bravo & Charlie Pty. Ltd.",",,,San Angelo,Texas,,US;
Building A, 188 Main Street, Sydney, NSW, 2000, AU; ,818 Cable Street,
Parramatta, NSW, 2150, AU",1004,
5003,Lumosyn Innovations Pty Ltd; ルモシン・イノベーションズ; 露莫森创新",,,
Kunming, Yunnan Province,, CN",,5004
5004,Nexara Technologies; Teknologi Nexara; ネクスアラテクノロジーズ",,,,,ID",,
5003

```

Screening for **ABC Alphabet Company** would return the following profile from the sample custom watchlist:



AKA

AB & C Alphabet Company

SIE

AI Analysis (0/5)

Download

Summary

Decision (Risk):

Comment:

Not Reviewed

General Information

Categories:

Special Interest Entity (SIE) - Custom Watchlist

Also Known As

Name	Type
ABC Alphabet Company	Name Spelling Variation
Alpha, Bravo & Charlie Pty. Ltd.	Name Spelling Variation
The Alpha Bet Incorporated	Name Spelling Variation

Locations

Country	City	Address	Type	Jurisdictional Alerts
United States	San Angelo	Texas	Operating	
Australia	Sydney	Building A, 188 Main Street NSW 2000	Operating	
Australia	Parramatta	818 Cable Street NSW 2150	Operating	

Linked Individuals

Full Name	Category	Description
Clifford Burns	SIP	

Cross-linking Individuals and Corporates

To cross-link profiles in the Individual and Corporate custom watchlists, you need to upload both files together. Uploading these files separately will not be able to create the associated relationships.

I want to upload:

Individual file Corporate file **Both**

Upload File:

Drag and drop a file here or click
choose file

Drag and drop a file here or click
choose file

Add Watchlist Cancel

Encoding and formatting

For the best compatibility and success of processing the CSV custom watchlists, please ensure you apply the following to your CSVs:

- The file has UTF-8 encoding
- Line breaks for each record is separated by carriage return and line feed e.g. CRLF or \r\n
- Each set of data within multiple-value array should be separated by semicolon (;)
- Values containing commas (,) should be enclosed with double quotes (")
- Dates should follow any of the supported formats as provided above.

Watch out for date formats in spreadsheets

Be mindful of date format changes when using spreadsheets. If you're editing and saving custom watchlists, ensure the date formats stay consistent. For instance, Excel might automatically reformat dates based on your system's settings.

Similar to batch files, you can use a text editor to review contents and formatting, if required.

API Integration

MemberCheck provides a REST API so you can integrate screening and identity verification directly into your own systems for automated, high-volume processing. The API is available in two supported major versions, **API V3** (the latest) and **API V2**.

API versions


Version	Status	Base path
API V3	Latest (recommended for new integrations)	<code>/api/v3</code>
API V2	Supported; planned for deprecation at a future date, to be announced	<code>/api/v2</code>
API V1 (Classic)	Decommissioned on 7 May 2023	N/A

API V3 is the latest major version, introduced in Release 10.5.0. New capabilities, including the enhanced ID Verification service, are delivered through API V3. Authentication and the core screening requests are unchanged from API V2, so existing integrations can move across with minimal effort. Refer to the [API Change Log](#) for the full list of changes.

API V2 remains fully available and supported. It is planned for deprecation at a future date, which will be announced in advance to give you time to migrate. New integrations should use API V3.

API documentation and Developer Centre

The API reference documentation and the interactive Developer Centre (Swagger) let you explore every method and try requests directly. They are also available within the web application under the **Support > API Developer Centre** menu item.



The documentation and Developer Centre are hosted in each service region, and the content is identical across all of them. Use the URL for your own service region.

Service region	Reference documentation	Developer Centre (Swagger)
Demo (default)	https://demo.api.membercheck.com/docs/index.html	https://demo.api.membercheck.com/swagger/index.html
Australia (Oceania)	https://api.membercheck.com/docs/index.html	https://api.membercheck.com/swagger/index.html
Germany (Europe)	https://api.eu.membercheck.com/docs/index.html	https://api.eu.membercheck.com/swagger/index.html
Indonesia (Asia-Pacific)	https://api.id.membercheck.com/docs/index.html	https://api.id.membercheck.com/swagger/index.html
GCC (Gulf)	https://api.z.membercheck.com/docs/index.html	https://api.z.membercheck.com/swagger/index.html

Scans run in the Developer Centre count towards your quota

Most API methods require authentication with an API Access Key or Bearer token. All API scans performed in the Developer Centre count towards your organisation's scan count. If you need to test the API without impacting your scan count, please contact your Account Manager or support@membercheck.com.

Environments and regions

All examples in the API reference documentation use the default **Demo** URL. To send requests to a different environment or region, change the URL domain and check that your API key is correct for that specific region and environment. The same regional domains also host the documentation and Developer Centre listed above.

Environment	Region	Base domain
Demo (default)	Australia (Oceania)	https://demo.api.membercheck.com
Production	Australia (Oceania)	https://api.membercheck.com
Production	Germany (Europe)	https://api.eu.membercheck.com
Production	Indonesia (Asia-Pacific)	https://api.id.membercheck.com
Production	GCC (Gulf)	https://api.z.membercheck.com

Append the version path to the base domain, `/api/v3` (recommended) or `/api/v2`. For example, the Australian production endpoint for API V3 is <https://api.membercheck.com/api/v3>.

The API domain is specific to your service region. You can find the API domain for your account within the **Developer Centre**, accessible via the **Support** menu once you have logged in to the web application.



API keys

The API keys are different for the Demo and Production environments. If you have accounts in both environments or have transferred regions, please use the environment-specific key to enable your requests to be successfully authenticated and authorised.

For information on generating an API key for your account or another user account, please refer to the [API Keys](#) guide.

FAQ

Login

- [Unable to recognise username or password](#)

Screening Names

- [Screen an individual by the Original Script name](#)
- [Screen a person's Full Name instead of separating by First and Last Name](#)
- [Original Script Name or Full Name field not visible](#)
- [Screen by mononymous names \(single names\)](#)
- [Screening for translated names](#)
- [Options to reduce the number of false matches in Individual scans](#)
- [What replaced the Ignore Blank Policy?](#)
- [What does Close Name Match apply to?](#)
- [Search for a date of birth or year of birth within a range](#)

Unique Client Identifier

- [What is a Client ID and why is it important](#)
- [What if I don't have a Client ID?](#)

Scan Results

- [View or download a list of matches with specific decisions for audit](#)
- [What names are covered under Also Known As?](#)
- [Numerical codes appearing within the Original Script Names](#)
- [Accessing cached PDFs of adverse media links](#)
- [Accessing copyright adverse media](#)

- [Tax Haven and jurisdiction risk indicators in the profiles](#)
- [How is the FATF Jurisdiction Risk Assessment scored?](#)
- [Profile Categories of PEP, POI, RCA and SIP](#)

Due Diligence

- [No options available to apply due diligence decisions](#)
- [Determining if an Individual or Corporate is a true match or a false match](#)

Batch Files

- [Limit of batch file sizes](#)
- [Possible reasons for failing batch files](#)

Ongoing Monitoring

- [Procedure for ongoing monitoring service](#)
- [No option to monitor Individuals and Corporates even though my account has Ongoing Monitoring activated](#)
- [Changes detected from automated ongoing monitoring](#)
- [Notification of detected changes via API Callback URL or email](#)
- [Enable Ongoing Monitoring for my account](#)
- [Monitoring Scan vs Monitoring Rescan](#)

Identity Verification (IDV)

- [List of countries supported for ID Verification](#)

Watchlists

- [Watchlists coverage for PEP & Sanctions scan](#)
- [Custom watchlists](#)

Administration

- [Change email recipient for scan notifications](#)
- [Change of the parent Organisation's Compliance Officer](#)
- [Compliance Officer limit on organisations](#)

Testing services

- [Dummy test profiles for trialling services](#)

API

- [API rate limits](#)
-

Unable to recognise my username or password

MemberCheck operates in multiple regions worldwide, giving clients data sovereignty in their chosen location. Logins for each region are provided via distinct URLs in the account activation emails. These URLs are provided here for reference.

Region	Link
Asia Pacific (Australia)	https://app.membercheck.com
Asia Pacific (Indonesia)	https://app.id.membercheck.com
Europe (Germany)	https://app.eu.membercheck.com
Middle East (Oman)	https://app.z.membercheck.com

Screen an individual by the Original Script name

You can search by the Original Script Name (e.g. Arabic, Chinese, Cyrillic, Korean, Japanese, Thai and other non-Latin/Roman scripts). The **Original Script Search or Full Name** is an option that can be enabled by the Compliance Officer for the organisation as an additional search field.

The non-Latin script name must be entered into the **Original Script Name or Full Name** field to search against the Original Script Name in the watchlist record. There is no script conversion applied to the name fields (**First Name** , **Middle Name** , **Last Name**).

Example of [screening by Original Script Name](#).


Screen a person's Full Name instead of separating by First and Last Name

If you are not able to separate the individual's name by First Name (or Given Name) and Last Name (or Family Name), you can search by the Full Name. Enter the full name into the **Original Script Name or Full Name** field. You can enter the name with the last/family name at the beginning or the end, e.g. **XI Jinping** or **Jinping XI**

Example of [screening by Full Name](#).

Original Script Name or Full Name field not visible

If you are not able to view the **Original Script Name or Full Name** field in the **Single Scan** screen for Individuals, it is likely that your organisation settings has not enabled this option. Please check with your organisation's Compliance Officer to check this setting within the [Administration > Organisations](#) settings.



Screen by mononymous names (single names)

Where your customer or applicant has a single mononymous name, you can enter the name into the **Last Name** field. You must enter a dash (-) within the **First Name** field to indicate it is a mononym.

Screening for translated names

There are things that you can do to optimise your screening for translated names. We suggest screening with **Close** match with a match rate of **80%** for names that are translated into English and may have variations of spelling.

Options to reduce the number of false matches in Individual scans

MemberCheck is not able to provide any recommendations on your organisation's scan settings for your AML/CTF obligation. However, you can refer to the following information to assist you with optimising your scan settings to reduce false positives.

As the **Compliance Officer**, it is important to review and set up the scan settings in **Administration > Organisations > Settings** to exclude or filter scans which are not relevant.

The following settings and policies should be reviewed:

- **Default Country of Residence** and **Country of Residence Policy** for Individual screening

These 2 settings work in combination to enable the system to match the Member's country of residence against the watchlists. Where a member's country of residence is not able to be identified during a PEP & Sanctions scan, the Default Country of Residence defined by the CO will be used. Similarly, you can set the Default Country of Residence to be used in the event the member's country of residence is blank using the option **Apply to Blank Addresses**.

- **Default Country of Operation** and **Country of Operation Policy** for Corporate screening

Similar to above, these 2 settings work in combination to enable the system to match the company's country of operation against the watchlists. Where a country of operation is not able

to be identified during a Sanctions scan, the Default Country of Operation defined by the CO will be used.

- **Matching Scope**

A scope is set for each of Date of Birth, Gender, Nationality and ID Number, and for Registration Number on corporate scans. The scope decides how widely a value you enter narrows the results. **Matches only** is the narrowest and returns the fewest false matches, because it drops profiles that hold no value for that field. **Mismatches** is the widest. See [What replaced the Ignore Blank Policy?](#)

- **Close Name Match Rate**

Close Name Match Rate sets the results returned based on the similarity of the names by assigning a percentage where **100%** is very close with minimal variations and **1%** being loosely similar. The default Close name match rate recommended by the system is **80%**, however the Compliance Officer may specify a different Close Match Rate to be applied for all scans, or leave the closeness of the name matching up to the user during scan. The match rate is only applied to the names and does not include date of birth or other data of the profile.

A reasonable close name match rate should be considered during scanning as a low Close Name Match Rate could return a large number of results containing all types of variations of the entered name.

For more information on these fields and their impact, please refer to [Customise Scan Settings](#).

What replaced the Ignore Blank Policy?

The **Matching Scope** replaced it. Instead of one option that said what to exclude, each screening field now carries a single setting that shows how wide the results will be.

A scope is set for **Date of Birth**, **Gender**, **Nationality** and **ID Number** on individual screening, and for **Registration Number** on corporate screening.

The options are, from the narrowest to the widest:

Option	What it returns
--------	-----------------

`Matches only`	Only profiles whose value matches the value you enter. This is the narrowest scope and returns the fewest false matches.  A watchlist entity that could be a true match is eliminated if its record does not hold a value for this field.
`Matches and Blanks`	The above, and also profiles that hold no value for this field. This is the default.
`Mismatched`	The above, and also profiles whose value disagrees with the value you enter. Those profiles are flagged as unmatched. This is the widest scope and returns the most results to review.
`User Defined`	The user selects one of the three scopes above when starting the scan.

Your existing settings were carried over, so your results did not change. `Yes` became `Matches only`, `No` became `Matches and Blanks`, and `User Defined` is unchanged. To widen a scope to `Mismatched`, set it on the settings page after the upgrade.

Entering a value is no longer required. The old policy made a field mandatory on the scan form. That rule is withdrawn. You can run a scan with any of these fields blank, and a field you leave blank narrows nothing.

Monitoring carries a scope of its own, apart from the scan setting, so you can monitor more widely than you screen, or the reverse. Monitoring has the first three options only, because no user is present to make a choice.

For details, refer to [Scan Settings in Guides > Administration > Manage Organisation](#).

What does Close Name Match apply to?

The Close Name Match scan type and Close Name Match Rates in PEP, Sanction and Adverse Media screening only applies to the name fields such as First Name, Last Name and Full Name for Latin-based names. Currently, the close matching of names does not include Original Script Name (non-Latin based text e.g. Arabic, Cyrillic, Chinese, Korean etc.).

Close Name Match does not include other factors such as Date of Birth or Year of Birth.

How do I search for a date of birth or year of birth within a range?

You can specify a tolerance value for Date of Birth or Year of Birth during screening. If you do not see this option, or you are not able to change the number of years, the Compliance Officer for your Organisation may have turned this off or set a specific value based on screening policies.

What is a Client ID and why is it important

Client ID, formerly "Member Number" for Individuals or "Entity Number" for Companies, is the organisation's unique identifier used to distinguish the individual being scanned (e.g. client reference, account number or profile name given during scanning). A Client ID is required for recording due diligence decisions, reporting and reconciliation, as well as ongoing monitoring of an Individual.

Similarly, a Client ID is required for recording due diligence decisions, reporting and reconciliation, as well as ongoing monitoring of a Corporate entity.

What if I don't have a Client ID?

Client ID (e.g. client reference, account number or profile name given during scanning) is the organisation's unique identifier used to distinguish the individual being scanned. It is used for recording due diligence decisions, reporting and reconciliation.

In cases where individuals do not have and never will have a Client ID, such as staff for example, arbitrary Client IDs can be used and prefixed by a letter, or letters, to distinguish them from your regular client base.

In cases where individuals may be allocated a Client ID in the future, such as new clients for example, an arbitrary number should not be allocated. The client identifier that will be allocated to the individual when they become a 'new client' should be used as the Client ID for scanning and tracking purposes. In this way, due diligence decisions will be allocated to the real client identifier and subsequently the whitelist will also be appropriately applied to that Client ID.

View or download a list of matches with specific decisions for audit

You can use a combination of options in the **Scan Result Settings** panel in **Scan Results** to filter the view and download the results for your organisation's record keeping.

Scan Results Settings:

Match Type: All	Whitelist: All	Result: Matches Found	Categories: All	Decisions: Match, No Match, Not Sure	Risks: All
Web Search (Adverse Media): All					

Match Type: ☒ Exact ☒ Exact (Incl. Mid Name) ☒ Close	Whitelist Policy: ⓘ ☒ Applied ☒ Ignored	Scan Result: ☒ Matches Found ☐ No Matches Found	Categories: ⓘ ☒ All ☐ TER ☐ PEP ☐ RCA ☐ SIP (subcategories)	Decision Includes: ☐ All ☐ Not Reviewed ☒ Match ☒ No Match ☒ Not Sure	Assessed Risk: ☒ All ☐ High ☐ Medium ☐ Low ☐ Unallocated
--	--	---	---	---	--

Web Search (Adverse Media):

☒ Yes

☒ No

- Go to **Scan Results** for either Individual or Corporate
- Specify a date range or leave blank to report on all scans
- Select the Scan Types **Batch** and **Single Scans** to ensure you have covered both types of scans
- Select the appropriate **Decisions** options e.g. **Match**, **No Match**, **Not Sure**, **Not Reviewed**
- To download the screened entities, click the **Download** button to preview or export the report as an Excel, PDF, Word or CSV file.
- To download the profiles which match the screened entities, click the **Download** button and select **Results Summary Report**.

You may be asked to present a record of screening performed and the due diligence conducted for your business. To do so, you can filter and download reports based on the specific decisions of **Match** and **No Match**.

What names appear under Also Known As?

This section of the profile record contains AKAs (Also Known As), FKAs (Formerly Known As) and aliases for both Individual and Corporate entity profiles. For Individuals, it may contain aliases, maiden names, variations of spelling of names, and original script names. It contains names which differ partially or completely from the name contained in the primary name fields, or names in addition to the name contained in the primary name fields.

Numerical codes appearing within the Original Script Names

For Chinese names, some may include the 'Chinese Commercial Codes' applicable to the name. These codes, which are four-digit numbers from 0000 to 9999, have a one-to-one relationship with the corresponding Chinese characters and are searchable. For example, 5045 6602 1627 is equivalent to 习近平.

Accessing cached PDFs of adverse media links

This is applicable to specific data source subscriptions.

URLs to sources and adverse media links can be archived, moved, removed and changed causing broken links in the original URL. Where available, a PDF copy of the article is cached and made available with the date of the captured snapshot. To access this, look for hyperlinked dates in **Date of Capture**.

Where there are multiple dates with hyperlinks for the same article or publication, these are multiple snapshots taken at the various dates indicated.

Sources and Adverse Media

URL	Category	Date of Capture
https://privycouncil.independent.gov.uk/privy-council/privy-council-members/	PEP	2021-05-31
https://www.wsj.com/articles/afiniti-names-david-cameron-as-advisory-board-chairman-1155930040?mod=searchresults&page=1&pos=3	PEP, ID/V	2019-09-27
https://www.afiniti.com/team/david-cameron	PEP, ID/V	2019-09-27
http://www.winstonchurchill.org/about/whos-who/honorary-members	PEP	2016-05-23
http://cartertoneducationaltrust.weebly.com/about-us.html	PEP	2016-05-23
http://www.abdabs-yt.co.uk/	PEP	2016-05-23
http://www.youngpilepsy.org.uk/about-us/who-we-are/president-and-vice-presidents/	PEP	2016-05-23
https://www.epilepsysociety.org.uk/president-and-vice-presidents#.V0LIU_krLIU	PEP	2016-05-23
http://www.parliamentaryrecord.com/content/profiles/mp/David-Cameron/Witney/661	PEP, ID/V	2010-07-21
http://www.parliament.uk/biographies/david-cameron/25752	PEP, ID/V	2010-07-21 , 2010-06-24
http://www.number10.gov.uk/news/topstorynews/2010/05/her-majestys-government-49840	PEP	2010-05-21
http://news.bbc.co.uk/1/hi/uk_politics/election_2010/8675705.stm	PEP, ID/V	2010-05-13, 2010-05-12

Accessing copyright adverse media

This is applicable to specific data source subscriptions.

Copyright sources which are not accessible via the URL can be requested. Click on the date of capture, and if available, the date will change to a link to download the PDF of the copyrighted material.

Please note that this link is available for up to 15 minutes. After expiry, the request will need to be submitted again.

A question mark is indicative of copyrighted material:

Category	Date of Capture
PEP	2024-01-08  ?

Click on the date to check if the copyright material is available. If so, the date of capture will change to a link for download:

Category	Date of Capture
PEP	2024-01-08 

Tax Haven and jurisdiction risk indicators in the profiles

The profiles provide indicators when an individual's primary country of residence or a business's primary country is on the FATF black list, FATF grey list or tax haven lists.

The tax haven list includes the top 10 countries from the Corporate Tax Haven Index (CTHI) and WorldData.info compiled from:

- FATF: Financial Action Task Force's black and grey lists
- EU: EU List of Non-Cooperative Countries and Territories
- IMF: International Monetary Fund blacklist
- Oxfam: Corporate Tax Havens list

The term 'tax haven' lacks a universally accepted definition, as there is no absolute measure determining when a country qualifies as one. Countries may be considered tax havens if they provide favourable tax conditions that incentivize foreign individuals or companies to shelter assets or income. Though subjective, the designation relies on factors like low or no taxes on foreign earnings, strict bank secrecy laws, and limited transparency requirements. As a result, the distinction remains unclear, as characteristics considered when labelling jurisdictions as tax havens continuously evolve.

How is the FATF Jurisdiction Risk Assessment scored?

The Financial Action Task Force (FATF) Jurisdiction Risk Assessment process is designed to evaluate countries based on their Anti-Money Laundering and Combating the Financing of Terrorism (AML/CFT) systems. The assessment methodology primarily involves two key components: effectiveness and technical compliance.

Effectiveness Assessment: This component evaluates whether a country's AML/CFT measures are operational and achieving the intended outcomes. It is based on 11 Immediate Outcomes (IOs), which represent critical goals for an effective AML/CFT system. Each IO receives a rating, and these ratings are converted into scores to derive an average effectiveness score for the country.

Technical Compliance Assessment: This component assesses whether a country has implemented the necessary laws, regulations, and institutional frameworks as recommended by FATF. The assessment is based on 40 FATF Recommendations, each of which receives a risk rating. These ratings are also converted into scores to derive an average technical compliance score.

Profile Categories of PEP, POI, RCA and SIP

The description of the categories and subcategories available for profiles can be viewed at [Profile Categories for Individuals](#) and [Profile Categories for Corporate Entities](#)

No options available to apply due diligence decisions

You will need to have associated a **Client ID** with the Individual or Corporate entity during scans. A Client ID is required if you would like to perform due diligence on the matches returned for both single scans and batch scans.

Once the Client ID is included during the scan, the options to include due diligence decisions with assessed risk levels for matched profiles will be available to you.

Example where an Individual is assigned with a Client ID and another without a Client ID:

Monitor	Client ID	Name (First Middle Last)	Categories	Date	Matches	Due Diligence	Risk
		Paul John BROWN	PEP	May 03, 2021	1	☒ ☐ ☐ ☐	☒ ☐ ☐ ☐
☒	2021-PJB-001	Paul John BROWN	PEP	May 03, 2021	1	☒ ☐ ☐ ☐	☒ ☐ ☐ ☐

If you have applied the Client ID during screening and can verify that the Client ID is assigned to the Individual or Corporate entity, but still unable to view the due diligence options, your user account may not be enabled with **Due Diligence Decisions** access rights. In this case, please contact the Compliance Officer for your organisation to activate this permission.

Determining if an individual or corporate is a true match or a false match

If you are having difficulty determining if an entity is a true match or a false match:

- Record the Match Decision as “Not Sure” until additional information is provided that enables a more definitive decision to be made.
- Allocate a Risk, either **Low**, **Medium** or **High**, based on the profile. Check to see what activities the entity may have been involved in, in the past. Also check for any current or expired orders.
- Monitor the entity's transactions for a period to determine if any activity is suspicious.
- Based on the above information, conduct enhanced due diligence if you determine that it is required, i.e. “obtain information about the source of wealth or funds of the customer or beneficial owner and take reasonable steps to verify the source of that wealth”.
- If still unsure, seek assistance from your compliance and legal team.

If you would like information or assistance to conduct enhanced due diligence (EDD), please reach out to your Account Manager or the team at sales@membercheck.com.

Limit of batch file sizes

The file size upload limit for a single batch file is **30 MB**.

For faster and successful uploads of batch files, especially large file sizes, we recommend compressing the CSV or XML file into ZIP for upload. Each ZIP file should only contain a single CSV or XML file.

Possible reasons for failing batch files

There are 3 supported formats for batch file scanning, **CSV**, **XML** and compressed **ZIP** containing a single CSV or XML file. Batch files can be performed via the MemberCheck web application and via REST API.

Sample batch file templates to get you started

[Sample templates of the CSV and XML batch files](#) are available in for your download to help you get started.

CSV format batch files

Refer to the following sections for details and examples of the CSV fields and formatting:

- [Individual CSV Batch Files](#)
- [Corporate CSV Batch Files](#)

When using CSVs, please take note of the following factors which may invalidate your file:

For Individual batch files:

- Check that all mandatory fields are included
- A single individual entity should be contained in a single row/line.

Use a text editor to view formatting and invisible characters

You can use Notepad++ for Windows, or Atom for Mac or Linux or alternative preferred text editors to view if the number of fields are correct for each row as well as invisible characters such as new line characters or carriage return characters.

- Do not add spaces between field separators
- Remove any trailing spaces at the end of the line/row
- Do not include footers or blank lines/rows in the file
- Batch files containing diacritics and original script name should be UTF-8 encoded
- Commas are required to separate all fields even if they are blank. There should be a minimum of 7 fields

Record with only FirstName, LastName (no ClientID, MiddleName, DateofBirth or Address)

OrgID,,FirstName,,LastName,,

- Multiple names in **First Name**, **Middle Name** or **Last Name** should be separated by a blank space

First Name and Last Name contains multiple names

OrgID,ClientID,**Anne Marie,Sarah,Van Hallen**,DateofBirth,Address

- First Names and Middle Names can be combined in **FirstName**, with **MiddleName** left blank.

Combine First and Middle Name into FirstName

OrgID,ClientID,**Anne Marie Sarah**,,Van Hallen,DateofBirth,Address

- Single or mononymous name should be added to the **LastName**. **FirstName** should include a dash (-)

Dash in FirstName, single name in LastName

OrgID,ClientID,-,,**SUHARTO**,,

- If the Address contains commas (,) to distinguish them from the commas used to separate the fields, the address should be enclosed in double quotes

Multiple lines or commas in Address

OrgID,ClientID,FirstName,MiddleName,LastName,DateofBirth,"**7 Railway Street, Chatswood, NSW Australia**"

Batch file validation

The Batch Scan preview shows two kinds of feedback on your file:

Errors identify records that cannot be screened reliably and are excluded from the scan. These include formatting or structural issues, a placeholder value such as `N/A` in a **name** field (a usable name is required for screening), and corrupted or unreadable characters caused by incorrect file encoding (for example, `?` or `◆`); saving the file in UTF-8 resolves encoding issues. Duplicate entries, where duplicate validation is enabled, must be resolved before you can proceed.

Warnings are advisory and the record is still scanned. They identify entries that are valid in format but may produce incorrect matches or no matches in your screening results, such as very short names, address fields containing only numbers or dates, unrecognised gender values, or a placeholder value such as `N/A` in a field other than a name.

In the web interface, errors and warnings are shown in the preview, where you can choose **Close** to re-upload the corrected file, or **Scan Anyway** to proceed. The error checks also apply to batch files submitted through the API: records with errors are reported in the batch result and excluded, and the batch finishes with a "Completed with errors" status. The advisory warnings are shown in the web interface preview only.

If you are unable to proceed to scan the batch file, your organisation settings may be stopping you from doing so. Please check the **Batch Setting** as described in [Administration > Manage Organisation](#).

XML format batch files

Refer to the following sections for details of the data type definition to ensure your XML are well-formed and valid:

- [Individual XML Batch Files](#)
- [Corporate XML Batch Files](#)

RESTful API

If your MemberCheck subscription includes access to API, you can access the RESTful API documentation in **Main Menu > API**. This link is available to all user roles within the organisation.

Procedure for ongoing monitoring service

An overview of the ongoing monitoring procedure from registration, usage, monitoring and renewal process.

Step	Action	Details
Step 1: Sign Up	Register for a 12-month subscription to access the MemberCheck monitoring services	Upon signing up, you will gain access to a pre-defined number of scans which you can use to screen names against our AML watchlists.
Step 2: Use of Scans	Utilise your allocated scans to screen individuals and entities.	Add names to your monitoring lists, which will be monitored on a daily basis to ensure compliance with AML regulations. Note: The number of scans and the frequency of monitoring can be adjusted based on your needs and regulatory requirements. Please contact your account manager for more information.
Step 3: Pre-Renewal Notification	Be aware of upcoming subscription renewal.	You will receive notifications alerting you that your subscription renewal is approaching, usually 3 months and another at 1 month before the renewal date.
Step 4: Review Monitoring List	Check your current monitoring list for accuracy.	Prior to renewal, review the monitoring list to ensure there are no duplicates and that it only includes active customers. Remove any individuals or entities that are no longer relevant to your operations.
Step 5: Renewal and Rescreening	Automated renewal and rescreening of names on the monitoring list.	On the renewal date, all names that are active on the monitoring list will be automatically rescreened. This scan counts towards your scan usage for the new subscription term.
Step 6: Continuous Monitoring	Continue the monitoring process.	The monitoring and rescreening process will repeat each subscription term, ensuring ongoing compliance and vigilance.

No option to monitor Individuals and Corporates even though my account has Ongoing Monitoring activated

If your organisation and user account have ongoing monitoring activated and permissions enabled respectively, you will be able to add Individuals and Corporates to the Monitoring List during PEP & Sanction scans.

You will need to associate a unique **Client ID** with the Individual or Company during the screening process for Single Scans or Batch Scans. This cannot be added post-screening. Depending on your organisation settings, once the **Client ID** is assigned, the Individual or Company can then be added to the Monitoring List.

Examples of a Single Scan where users are given the option to update the Monitoring List during screening:

☒ Perform Due Diligence	Member Number/Client ID: ?
☒ Update Monitoring List ?	Required Field  Note: Enter Client ID to enable Monitoring and Due Diligence for the individual.

☒ Perform Due Diligence	Member Number/Client ID: ?
☐ Update Monitoring List ?	Required Field  Note: Enter Client ID to enable Monitoring and Due Diligence for the individual.

Examples where the organisation has preset the Monitoring List option to be enabled or disabled and cannot be changed during screening:

☒ Perform Due Diligence	Member Number/Client ID: ?
☒ Update Monitoring List ?	Required Field  Note: Enter Client ID to enable Monitoring and Due Diligence for the individual.

☒ Perform Due Diligence	Member Number/Client ID: ?
☐ Update Monitoring List ?	Required Field  Note: Enter Client ID to enable Monitoring and Due Diligence for the individual.

Changes detected from automated ongoing monitoring

Ongoing monitoring checks for Individuals and Corporate entities in the organisation and suborganisation Monitoring List on a regular basis. Any changes in the profile information may trigger a new match, an update to the match, or removal of a match. These are reflected in the monitoring status such as a **New Matches**, **Updated Entities** or **Removed Matches** and are reported in the **Scan Results and Monitoring Results** screens.

Scan Type:
☐ Batch Scans ☐ Single Scans ☒ Monitoring Scans ☐ Monitoring Rescans

Scan Results Settings:

Match Type: **All** Whitelist: **All** Result: **Matches Found** Categories: **All** Decisions: **All** Risks: **All** Monitoring Status: **All Changes**

Match Type:
☒ Exact
☒ Exact (Incl. Mid Name)
☒ Close

Whitelist Policy:
☒ Applied
☒ Ignored

Scan Result:
☒ Matches Found
☐ No Matches Found

Categories:
☒ All
☐ TER
☐ PEP
☐ RCA
☐ SIP (subcategories)

Decision Includes:
☒ All
☐ Not Reviewed
☐ Match
☐ No Match
☐ Not Sure

Assessed Risk:
☒ All
☐ High
☐ Medium
☐ Low
☐ Unallocated

Monitoring Status:
☐ All
☒ New Matches
☒ Updated Entities
☒ Removed Matches
☐ No Changes

Notification of detected changes via email and API Callback

You may select the methods to receive notification of detected changes. Supported methods are email and API callback URL. By default, email notification is disabled, and can be switched on.

Notifications can be sent via **email** to the Compliance Officer or the specified email address based on the preference in **Administration > Organisations > Email Notifications**.

Notifications can also be sent via **API** through the callback URL defined in the **Administration > Organisations > Monitoring Settings**.

Callback URL

The specified callback URL must be available via the GET method and should not require authentication.

You can specify a URL for the MemberCheck system to notify you via API for any detected changes.

The following parameters will be included in the callback URL query:

- **ClientId:** The Client ID (unique identifier) of the monitored entity.

- **entityType**: The type of monitored entity. It could be `Individual` or `Corporate`.
- **type**: Type of detected change. It could be one of `Added`, `Updated`, or `Deleted`.
- **scanId**: The scan identifier is used to retrieve details of the monitoring scan.

For example, if the callback URL is set to `https://yourdomain.com/api/notification`, the returned callback URL may look like:

- `https://yourdomain.com/api/notification?clientId=ID.1150&entityType=Individual&type=Updated&scanId=1022922`
- `https://yourdomain.com/api/notification?clientId=ID.428&entityType=Corporate&type=Added&scanId=229215`
- `https://yourdomain.com/api/notification?clientId=ID.350&entityType=Corporate&type=Deleted&scanId=229210`

Use **scanId** in `GET /api/v2/member-scans/single/{id}` or `GET /api/v2/corp-scans/single/{id}` for Individual and Corporate entities respectively.

Enable Ongoing Monitoring for my account

Ongoing Monitoring is an additional service in MemberCheck. This is activated during enrolment as part of the subscription agreement.

If you already have an account and would like to activate this service, please contact your Account Manager or at sales@membercheck.com.

Monitoring Scan vs Monitoring Rescan

There are two types of monitoring scans:

- **Monitoring Scans** - detects changes in monitored entities against the frequently updated watchlists on a regular basis and displays the differences in the watchlist profile from when the ongoing process schedule is last run.
- **Monitoring Rescans** - runs on the anniversary of the subscription renewal to scan the monitored entities against the entire watchlist database and returns matches found. This process does not detect and highlight changes in the profiles returned.

The difference between a Monitoring Scan and Monitoring Rescan is the former checks the entities in the Monitoring List against smaller and regularly updated profiles that are updated, newly added or removed from watchlists. The latter checks the entities in the Monitoring List against the entire database watchlist.

You may find that Monitoring Rescans have picked up more matches whereas the Ongoing Monitoring Scan did not. This would be due to profiles that exists in the database but are not new or updated recently to trigger the ongoing monitoring detection mechanism.

Therefore, **New Matches**, **Updated Entities** and **Removed Matches** only applies to Monitoring Scans whereas these statuses are displayed with **-** for Monitoring Rescan activities.

Example below displays both Monitoring Scan and Monitoring Rescan activities:

Date	↑↓ Total Individuals Monitored	↑↓ Individuals Checked	↑↓ New Matches	↑↓ Updated Entities	↑↓ Removed Matches	↑↓ Status
Jul 01, 2022	7	7 (Rescanned)	-	-	-	Completed
Jun 14, 2022	7	1	0	1	0	Completed
Jun 11, 2022	7	1	0	1	0	Completed
Jun 10, 2022	7	1	0	1	0	Completed
Jun 08, 2022	7	2	0	1	0	Completed

List of countries supported for ID Verification

The Identity Verification process contains 2 different types of verification:

- FaceMatch - self-verification using biometric facial matching against government-issued documentation.
- ID Check - verify documentation information against reputable data sources.

The customer self-verification biometric facial verification (FaceMatch) supports various types of documents (e.g. passports, driver license, ID Cards etc.) in over **200 countries**.

The list of countries supported for ID Check (document verification) are:

Country	Country Code	Pre-registration Required?
Australia	AU	Optional

Austria	AT	No
Brazil	BR	Optional
Canada	CA	Optional
China	CN	No
Denmark	DK	No
Finland	FI	No
France	FR	Optional
Germany	DE	Optional
Ghana	GH	No
Hong Kong	HK	No
India	IN	No
Italy	IT	Optional
Japan	JP	No
Kenya	KE	No
Mexico	MX	No
Netherlands	NL	Optional
New Zealand	NZ	No
Nigeria	NG	No
Norway	NO	No
Poland	PL	No
Sierra Leone	SL	No

Singapore	SG	No
South Africa	ZA	No
Spain	ES	No
Sweden	SE	No
Switzerland	CH	No
Turkey	TR	No
United Arab Emirates	AE	No
United Kingdom	GB	Optional
United States	US	No

Country sources that require pre-registration can be applied online via MemberCheck. Country sources where pre-registration is indicated as **Optional** would enable you to have access to additional data sources, but is not mandatory to get started. Please enquire with your Account Manager or sales@membercheck.com for further information.

Watchlists coverage for PEP & Sanctions scan

For a comprehensive list of sanctions, financial regulatory and law enforcement source lists covered by the system, these are available within the **Administration > Organisation > List Access** screen. This is available to **Compliance Officer** and **Advanced User** roles.

Should you have any questions about the coverage of specific lists, please reach out to support@membercheck.com.

Custom watchlists

You can extend the available watchlists in the service to include additional custom watchlists of your own for use within your organisation hierarchy. These custom lists may be region-specific lists, industry-specific lists, or any blacklists specific for your organisation.

The file size upload limit for a single custom watchlist file is **30 MB**.

For faster and successful uploads of files, we recommend compressing the CSV file into ZIP for upload. Each ZIP file should only contain a single CSV file.

For details on creating your custom watchlists or accessing the sample templates, refer to [Custom Watchlists](#)

Change email recipient for scan notifications

Scan related activities and notifications are emailed to the Compliance Officer(s) by default. To change this setting, the Compliance Officer can specify an alternate email address to receive scan notifications.

The Compliance Officer can change the preference in the **Email Notifications** screen to enter the preferred email address (supports up to 5 unique email addresses) in [Administration > Organisations](#).

Change of the parent Organisation's Compliance Officer

Please have the director of the company, with the **director's role and company signature**, email MemberCheck Support (support@membercheck.com) to authorise the change of Compliance Officer. The following details should be provided in the email:

1. Authorisation to change Compliance Officer
2. Confirmation to **deactivate** or **change the role** of the outgoing Compliance Officer
3. Full name and email address of the new Compliance Officer.

If the outgoing Compliance Officer user account is to be retained, the role will be changed to [Advanced User](#).

Compliance Officer limit on organisations

Effective 24 August 2024, the service has been upgraded to allow up to three Compliance Officers per organisation or suborganisation, up from the previous limit of one. This change

offers clients greater flexibility in configuring and utilising their organisational accounts within the service.

Dummy test profiles for trialling the services

There are no available preset dummy data which can be used within the trial environment, however we can offer the following suggestions to preview the various services offered.

PEP and Sanctions

To trial the **PEP & Sanction** screening service, we would recommend testing with a well known political figure or special interest person, such as the president or prime minister of your country to sample the data.

Ongoing Monitoring

To sample the ongoing monitoring detection, we would recommend testing with an entity that is trending in the current news which are highly likely to generate adverse media and sanction list updates. If you are unable to do so, please contact our Support team.

Customer Identity Verification

As of Dec 7, 2022, dummy profiles for use in the trial service for identity verification are no longer available. This change will shift the trial service to be more aligned with the production service.

You can request for a temporary trial account on the [MemberCheck Demo](#) environment to preview the service via the web application and API.

If you would like to trial any of these services, please contact your MemberCheck Account Manager or support@membercheck.com.

API rate limits

API requests are rate limited based on the type of request e.g. POST, GET, PUT, DELETE.

If you exceed this limit, the system will return a HTTP **429** response code for too many requests.

Request Type	Rate limit per 5 minutes
POST	2,000
GET/PUT/DELETE	720

If you are an enterprise client with high-volume transactions or require support for short-term traffic surges and are unable to throttle your traffic, please contact your Account Manager to discuss your specific business needs.


Further Assistance

If you have any question which are not covered in this help site, please email us at support@membercheck.com.

Supporting Documentation and Resources

Watchlists and Methodologies


Documentation of watchlist source coverage and scope methodologies are available within the MemberCheck application to Compliance Officers and Advanced Users. Documentation is accessible in **Organisation Administration > List Access > View source lists**



Videos

Getting Started

Videos to help you get started are available at <https://video-tutorials.membercheck.com>. This page is protected and the password can be found via the MemberCheck dashboard application.



ID Verification Overview

This video gives an overview of ID Verification options of running the verification on behalf of a customer, or sending the link to the customer via email or SMS for self-completion.

Release Notes

Release 10.5.3

Released: Sep 13, 2026

Change	Application Section	Description
--------	---------------------	-------------

Enhancement Organisation Settings,
Scan Settings, Single
Scans, Batch Scans,
Ongoing Monitoring, API

Matching Scope replaces the **Ignore Blank Policy**. Each screening field now has a single setting that defines result breadth.

Set a scope for **Date of Birth**, **Gender**, **Nationality** and **ID Number** (and **Registration Number** for corporate screening). Options, from narrowest to widest:

- `Matches only` - exact matches
- `Matches and Blanks` - also includes blank fields
- `Mismatches` - also includes conflicting values

Select `User Defined` to let users choose per scan.

Existing settings are preserved; results are unchanged. To widen a scope, update it on the settings page after upgrading.

Values are no longer required to run a scan; blank fields do not narrow results. Ongoing Monitoring has its own scope, independent of the scan setting. The scope is available via the API and recorded against each scan for reproducibility.

The `ignoreBlankPolicy` API parameter is still accepted and unchanged; no integration work is needed. It is replaced by `matchScopePolicy` and will be deprecated in a future release, with a date announced beforehand.

Enhancement ID Verification, Scan
Results, Reports, API

You can now **override an ID Verification outcome** and set it to **Verified** or **Not Verified**. This is useful for a **Review Required** result, where glare or an unclear image capture prevents a confident read and you can confirm the details yourself.

Every action requires a comment. An override can be removed so the original outcome applies again.

The override replaces the outcome wherever it is shown and is marked as overridden. Where a scan covers both **ID Check** and **FaceMatch**, one override replaces both statuses. The original outcome and all verification evidence are retained; every action is recorded in the **Override History**.

Use the new **Override Includes** filter on Scan Results to find overridden verifications. Available via **API v3**.

Release 10.5.2

Released: Aug 29, 2026

Change	Application Section	Description
Fix	Scan Results, Batch Scan Results, Monitoring, API - Individual & Corporate	Address the missing Date of Capture field for Acuris adverse media records, both on the profile details screen and in the generated reports. Original script names also show again on profile records.

Release 10.5.1

Released: Aug 2, 2026

Change	Application Section	Description
--------	---------------------	-------------

Fix	Scan Results, Batch Scan Results, Monitoring, API - Individual	To address reported performance incidences, Client ID search for Individual scans has been temporarily adjusted to return exact Client IDs only .
-----	--	--

To search for partial Client IDs, use a wildcard asterisk (*) as shown below:

-

Prefix: crn* - matches anything starting with "crn"

-

Suffix: *2026 - matches anything ending with "2026"

-

Contains: *2026* - matches anything containing "2026"

Corporate scan searches remain unaffected.

Release 10.5.0

Released: Jul 26, 2026

Change	Application Section	Description
Feature	ID Verification, API	The ID Verification service has been enhanced across both ID Check and FaceMatch. ID Check now covers a wider range of countries and documents, available in the application and via the new API v3. Biometric facial verification (FaceMatch) now runs on the enhanced verification platform, with the verification request delivered to the individual by Email, SMS or a generated URL you can share directly. More IDV enhancements are in the works to further expand on country coverage.

Enhancement	Reports - Individual Scan Results	The Country field is now included in the Individual Scan Results CSV report, matching the Corporate report. This makes it easier to identify high-risk countries for reporting and risk management.
Enhancement	Scan Results, Batch Scan Results, Monitoring, API	You can now filter Scan Results, Batch Scan Results and Monitoring lists by a partial Client ID, so entering part of an ID returns all matching entries. This makes it faster to find and bulk-manage groups of related entities. Also available via the API. Scan Results has also had an update to enable bulk selection of records to be added or removed from monitoring.
Enhancement	Scan Results, Reports	FATF Black List and Grey List jurisdiction information now appears in the Jurisdiction Risk tab and in downloadable reports based on the screened entity, whether or not a match is found, with a link through to the FATF source.
Enhancement	Scan Settings, Organisation Administration	You can now refine the scope of your screening by including or excluding the Aircraft and Vessels profile types from the Sanctions and Adverse Media search, reducing the number of irrelevant results to review.
Enhancement	Single Scan, Batch Scan - Individual & Corporate, API	When running PEP and Sanctions scans, you can now specify which watchlist Data Source(s) to screen against when your organisation is subscribed to multi-data sources and this setting enabled by the Compliance Officer.
Fix	Reports - Individual & Corporate Scan Results	Resolved an issue that could prevent the scan result detail (PDF) report from generating when profile data contained certain non-Latin characters in the Advanced Media results.
Fix	IDV Webhook	Resolved an issue with the completed IDV status displaying an incorrect overall status within the webhook. This now aligns with the result in the web interface which remains correct.

Release 10.4.9

Released: Jun 7, 2026

Change	Application Section	Description
--------	---------------------	-------------

Enhancement	Batch Scans - Individual & Corporate	The batch file preview now runs preliminary checks on the contents of your file for entries that may produce incorrect matches in your screening results, such as qualifier values like <code>N/A</code> and very short names within name fields, address fields containing only numbers or dates, or unrecognised gender values. A qualifier such as <code>N/A</code> in a name field prevents reliable screening, so those records are excluded; the same value in other fields is an advisory warning. The error checks apply to batch files submitted through both the web interface and the API, and warnings on the web interface only.
Enhancement	Batch Scans - Individual & Corporate	The system now detects batch files containing corrupted or unreadable characters (for example, <code>?</code> or <code>♦</code>) caused by incorrect encoding, excludes the affected records, and provides guidance to save the file in UTF-8. This applies to both the web interface and the API.
Enhancement	Custom Watchlist	The country component of the Address field in custom watchlist uploads now accepts common and general country names (for example, <code>Vietnam</code> or <code>Viet Nam</code> , <code>Syria</code> or <code>Syrian Arab Republic</code> , and <code>US Virgin Islands</code> , <code>Virgin Islands (US)</code> or <code>U.S. Virgin Islands</code> in addition to ISO codes.
Enhancement	Organisation Administration	The capacity for company and entity Stopwords has been increased to 4,000 characters, including support for non-Latin and original script text, so you can maintain a larger list of exclusions.
Enhancement	Organisation Administration, Identity Verification	Organisations subscribed to ID Verification can now choose to be notified by email and/or webhook when an ID Verification request is completed. The IDV request completed option is available in the Notifications settings and is switched off by default.
Enhancement	Reports, Scan Results - Individual	The Individual Scan Results report now includes the Nationality field, where available, to support reporting and risk management.

Release 10.4.7.3

Released: Apr 26, 2026

Change	Application Section	Description
--------	---------------------	-------------

Enhancement	Organisation Administration	Compliance Officers can now assign each custom watchlist in Risk Settings with risk levels Low , Medium , or High . These risk levels are displayed in Search Results, consistent with other categories and subcategories.
Enhancement	Scan Results, Batch Scan Results - Individual & Corporate, Organisation Administration	Added option for the system to default to displaying both "Matches Found" and "No Matches Found" results in the scan results section. This is configurable by the Compliance Officer in Organisation Settings, enabling quick assessment of screening outcomes without needing to adjust filters.
Change	Scan Results - Individual & Corporate	Scan Date in the web interface automatically applies a date range to filter Scan Results. The date range starts on the date of the subscription renewal. This change improves the relevance of results displayed and lessens the time taken to load results for organisations with large volumes of historical results.
Fix	Scan Results - Individual & Corporate, Reports	Resolved an issue where Scan Result profile details displayed on the user interface was being reflected as empty in the generated report. The Sources and Adverse Media section now correctly displays relevant information. Correction of label name in Corporate Due Diligence report to display the reference to Corporate entities instead of Individuals.
Fix	Data Management, API	Fixed an issue where scan data was still retrievable immediately after performing a DELETE operation via the API due to a temporary cache. Scan data is now permanently and immediately deleted, and not retrievable via any GET endpoints.

Release 10.4.7.1

Released: Feb 14, 2026

Change	Application Section	Description
--------	---------------------	-------------

Fix **Batch Scans - Individual** Resolved an issue where batch files with 10 fields/columns containing ID Numbers may not return results with Country of Residence applied.

Example row entry with 10 fields:

```
YOURORGID,CRN-12345678,John,,Smith,,Australia,,,PA012345.
```

Batch files with fewer or more than 10 fields were unaffected.

Release 10.4.7

Released: Feb 7, 2026

Change	Application Section	Description
Enhancement	Single Scan, Scan Results, Batch Scan Results - Individual & Corporate	Keyword search added to help filter PEP & Sanctions profile results. This can be used to quickly narrow down profiles where certain text exists.
Enhancement	Batch Scan Results, Monitoring Results - Individual & Corporate	Hover your mouse over a batch scan or monitoring scan activity to preview the scan settings and policies applied without having to click the entry to view details.
Enhancement	Scan Results, Batch Scan Results - Individual & Corporate	PEP & Sanctions results now supports the option to download full profile details of matches in a compressed ZIP file.
Enhancement	Reports	Expand language support for Spanish.
Enhancement	My Profile, User management	New API keys generated will contain the environment name as the prefix for improved clarity between production and trial API keys. Existing API keys are not impacted and will continue to work.
Enhancement	Organisation Administration	Applies to resellers only. Reseller accounts can upload and manage their organisation logos. Please take note of logo dimension guidelines within organisation administration screen.

Change	Scan Results, Batch Scan Results - Individual & Corporate	The FATF Jurisdiction Risk option has been changed to always return the jurisdiction risk associated with the screened entity, if available, regardless of whether matching profiles were found.
Fix	Reports	Scan activities of deleted organisations and suborganisations are now visible in Reports. These are limited to high level scan usage only.
Fix	Organisation Administration	Fixed an issue where a reseller account was not able to save customer organisation profile details.
Fix	Risk Assessment	Address issue with translated in-line field text not updated on language change within the page.

Release 10.4.6.1

Released: Dec 13, 2025

Change	Application Section	Description
Fix	General	Improve support for native script text in PDF reports.
Fix	General	Fixed blank data issue in Monitoring Group Summary Report caused by reporting component upgrade.

Release 10.4.6

Released: Nov 30, 2025

Change	Application Section	Description
--------	---------------------	-------------

Enhancement	General	Expanded language support across Web Interface and Reports. • Web Interface: Japanese and Spanish languages added to French, Chinese, and Arabic. • Reports: French, Chinese, Arabic, and Japanese are now supported.
Enhancement	General	Upgrade reporting component and change font for wider support of original or native script text. Some languages may not be fully supported in PDF format and may return an error during download. If this occurs, we recommend to download the report in Word or Excel format while we continue working on expanding support for more native script text.
Fix	User Administration	Fix to exclude any assigned inactive Compliance Officers from being counted in the CO allocation limit per organisation and suborganisation.

Release 10.4.5

Released: Nov 16, 2025

Change	Application Section	Description
Enhancement	Single Scan, Batch Scan - Individual & Corporate, Organisation Administration	New scan policies with user-defined options during screening to enforce or ignore matching on Date of Birth, Nationality, Gender and ID Numbers where these data are not available within the watchlist profiles e.g., blank.
Enhancement	Organisation Administration	New service policy option for Compliance Officers to enforce, exclude, or allow users to select during screening, the Risk Assessment checks.

Release 10.4.4

Released: Oct 11, 2025

Change	Application Section	Description
Enhancement	Single Scan, Scan Results - Individual & Corporate	Additional filters to narrow down profiles matching some or all entered fields to enable quick review of relevant matching profiles to speed up due diligence and risk assessment.
Enhancement	Scan Results - Individual & Corporate	Matched profiles from custom watchlist now displays the custom watchlist name instead of the general "custom watchlist" in the category, to provide more information where the entity has matched.
Change	Organisation Administration	Custom Watchlist for blacklists have been improved to detect duplicate profiles containing the exact same details as well as detection of duplicate unique IDs within the file. Note: Profiles with the exact same information but with different unique IDs will be flagged as a duplicate.
Fix	Scan Results, Monitoring Results - Corporate	Report of all profiles, via Download All for Corporate scans, now correctly reflects the Monitoring status and Last Monitored date of the entity.
Fix	Single Scans - Individual	Fixed screening error when the Original Script Name/Full Name field is deactivated and the Advanced Media option is enabled which caused a blank screen for results.

Release 10.4.3

Released: Sep 7, 2025

Change	Application Section	Description
Enhancement	Single Scans, Batch Scans - Individual	AML Risk Assessment questionnaire updated to include the source of funds for individuals. Also expanded the options for products and services, and customer categories, to better reflect modern services and market segments.
Enhancement	Single Scans, Batch Scans - Corporate	Extend search for company registration identifiers within profile notes to improve ability to find matching results.

Enhancement	Single Scans, Batch Scans - Individual & Corporate	Improve recall of results to support compound names e.g. searching for "Abdul Rahman" will return results for "Abdul-Rahman" and "Abdulrahman" and vice versa.
Enhancement	Organisation Administration	Webhook support in addition to email for system notifications. Currently, supports Slack and Mattermost.
Change	Organisation Administration	Fix email notifications for Matches found for Single Scans to only send emails when matches are found. Previously, this sent email notifications for all single scans performed.
Fix	Scan Results, Batch Scan Results - Individual & Corporate	Fixed the retrieval of asset URLs where the content does not exist or is not accessible.
Fix	Scan Results, Batch Scan Results - Individual & Corporate	Fixed issue where details of linked individuals or companies could not be viewed if the Risk Levels for the associated entities were calculated.

Release 10.4.2

Released: Jul 27, 2025

Change	Application Section	Description
Enhancement	Scan Results, Batch Scan Results - Individual & Corporate	Increase visibility of PEP & Sanctions risk levels of profiles based on an organisation's current risk settings for categories and subcategories. This extends to linked Individuals and Companies.
Enhancement	Single Scans, Batch Scans - Individual & Corporate	Improve the handling of Arabic name variations in prefixes (e.g., .and compound prefix names (o,ö ,suffixes (e.g ,(l,İ,l
Enhancement	Single Scans, Batch Scans - Individual & Corporate	Improve recall and match rates for screening by Full Names for Latin-based names.
Enhancement	Data Management	Add new filter, Scan Type, to Supporting Documents, for more granular document management.

Enhancement	Single Scans - Individual	Add new field for Script Name or Full Name for stand alone Risk Assessment Check. Previously, only First, Middle and Last Name were supported.
Change	Reports	Add the timestamp of report generation to all report headers.
Fix	Scan Results - Individual & Corporate	Display results even if an associated service is deactivated. Previously, details of results were not accessible if any of the combined ID Verification, Know Your Business, or Risk Assessment Check services were deactivated.
Fix	Organisation Administration	Resolve issues in creating suborganisations.

Release 10.4.1

Released: Jun 28, 2025

Change	Application Section	Description
Feature	Single Scans, Batch Scans - Individual & Corporate	Introducing AML Risk Assessment . Answer key questions about your customer including country, product and services offered, and screening outcomes to view the calculated risk score, risk level and actionable recommendations.
Enhancement	General	Support for Chinese (simplified) language within the web user interface.
Enhancement	Organisation administration	Ability to enable the organisation or suborganisation access to ID Check or FaceMatch only. By default, the IDV service allows access to both.
Enhancement	Scan Result reports - Corporate	Add Country column/field in Export as CSV and Corporate Scan History reports.
Enhancement	Reports	KYB only - Enhanced company profile activities are now reflected in the Business and UBO Activity Report to provide a more complete view of all KYB activities and costs.

Release 10.4

Released: Jun 1, 2025

Change	Application Section	Description
Feature	Single Scans - Individual & Corporate	Introducing Advanced Media Search . This can be selected during PEP and Sanctions screening for additional AML/CTF specific news related to the person or entity.
Enhancement	Organisation Administration - Settings	Compliance Officers can define the organisation screening preferences to include or exclude Web Search, Advanced Media Search and FATF Jurisdiction Risk for all users.
Enhancement	Organisation Administration - List Access	Access the latest Financial Regulatory, Law Enforcement and Sanctions source lists for all subscribed data sources within the List Access screen. This is available to Compliance Officers and Advanced User roles.
Enhancement	Single Scans - Individual	Add Client ID for IDV only scans to enable recording of an account number or customer reference number for the individual person.
Change	Scan Results, Batch Scan Results - Individual & Corporate	Change label names for FATF Jurisdiction Risk tags to reflect FATF Black and Grey lists more clearly.
Change	Scan Results - Corporate	Remove references to the monitoring status within reports containing KYB only scan activities due to irrelevance.
Fix	Single Scans - Individual	IDV Global FaceMatch has been fixed to refresh and display relevant form fields.

Release 10.3.4

Released: Apr 13, 2025

Change	Application Section	Description
--------	---------------------	-------------

Enhancement	Scan Results - Individual & Corporate	A Rescan button has been added to the Scan Results screens for all previously scanned individuals and entities for PEP, Sanctions and Adverse Media, allowing you to trigger a new PEP or Sanctions scan using existing details without manual re-entry. Rescans count towards the organisation scan activity.
Enhancement	Organisation Administration	Compliance Officers can select specific events for email notifications and view a list of all event triggers for the organisation. A new option for single scan events has been added and is disabled by default. There is a daily maximum limit of 100 single scan email notifications per organisation. Notifications can be sent to the multiple email addresses (maximum of 5) or continue to be sent to the Compliance Officers by default. The custom multiple email address supersedes the Organisation Email functionality.
Enhancement	Single Scans, Batch Scans - Individual & Corporate	Enhance the PEP, Sanctions and Adverse Media search algorithm to handle spaces in corporate and individual names, ensuring that searches with variations in spacing return accurate results to improve true positive matches.
Enhancement	Single Scan, Scan Results - Individual	IDV only - view the verification URL sent to the end-user via the web UI and API. This is useful for integrating IDV into your own workflows and for troubleshooting.
Change	Single Scans - Corporate	KYB only - Changes to the supported countries and jurisdictions.
Fix	Batch Scans - Individual & Corporate	Fix for persistent feedback prompt on completion of Batch scans.
Fix	General	Feedback bar misaligned in Arabic language dashboard.
Fix	General	Some organisations with multiple Compliance Officers where some are inactive may have experienced issues with active Compliance Officers receiving scan email notifications.

Release 10.3.3

Released: Feb 16, 2025

Change	Application Section	Description
Feature	Single Scan, Scan Results - Individual & Corporate	Upload and securely store documentation for source of funds (SoF) or source of wealth (SoW) of screened entities. This enables all necessary documents to be kept in a centralised, secure location, enhancing compliance and audit readiness.
Enhancement	Dashboard	Overview of scan usage and remaining credits to provide insight to track progress of the organisation's scan usage. This applies to parent organisation view only.
Enhancement	Single Scan, Scan Results - Individual & Corporate	Retrieve copyright media assets. Where sources and adverse media are copyrighted and the URL is not accessible or cached PDFs are not available, you can request for a copy of the copyrighted material.
Enhancement	Scan Results, Batch Scan Results - Individual & Corporate	Option to download a consolidated report of key details for all matches for a screened entity. This is useful for scans which return multiple profiles, allowing you to record the data more efficiently.
Change	Single Scans, Scan Results - Individual	Added and changed the nationality values to reflect more common usage or spelling. Added: Curaçao ; Changed: Argentinian for Argentina , Sint Maarteners for Sint Maarten , Jersey people for Jersey .
Fix	General	Fix download mechanism to enable download of larger volume of entries for Exception Report and Full Report for batch scans.

Release 10.3.2

Released: Jan 19, 2025

Change	Application Section	Description
Enhancement	Organisation Administration	Custom watchlist support is now available for all data source subscriptions.
Enhancement	General	Clients subscribed to multiple data sources can now filter scan results in the web UI by data source type.

Enhancement	General	Notification emails for scan usage are triggered when usage hits predefined thresholds (30%, 50%, 70%, and 100%) to help clients track and understand their usage progress.
Enhancement	General	Additional feedback dialog and button added for ease of our clients to submit feedback and sentiment of the workflow and information presented in the service so we can provide meaningful and impactful enhancements for our customers.
Change	Single Scans - Individual	Matching for multiple nationalities changed from AND to OR logic to ensure better coverage and no potential matches are missed by returning profiles which match any of the entered nationalities.
Change	Scan Results - Individual & Corporate	FATF grey list updated to reflect changes up to October 2024.
Change	Scan Results - Individual	Changed the nationality value from Emirian to Emirati in scan results and API responses, reflecting more common usage of the latter term.
Fix	Data Management	Fixed an issue where selecting "All PEP & Sanctions scan data where No Matches were found " also removed KYB results and documents.

Release 10.3.1

Released: Dec 7, 2024

Change	Application Section	Description
Fix	General	Fix missing PEP & Sanction watchlist coverage notes in scan results and reports for GCC service.

Release 10.3

Released: Dec 1, 2024

Change	Application Section	Description
--------	---------------------	-------------

Feature	General	Subscribe to multiple PEP & Sanctions datasets simultaneously. To access multiple datasets, contact your Account Manager for information.
Feature	Single Scans, Batch Scans - Individual	Screen by nationality for PEP, Sanctions and Adverse Media. This allows screening for dual and multiple citizenship (up to 5).
Enhancement	Single Scans, Batch Scans - Individual	Country of residence expanded to support up to 5 countries. Only profiles matching all locations will be returned.
Enhancement	Single Scan, Batch Scan - Individual & Corporate	Granular scope of PEP & Sanctions screening by category (PEP, RCA, SIP, SIE, SOE etc.) during screening. Previously, the scope of screening is set by the Compliance Officer and applied across to the organisation or suborganisation.
Enhancement	Monitoring Result, Scan Results	Detailed profile report enhanced to improve the layout including the last monitored date and monitoring review status.
Enhancement	Batch Scan Results - Individual & Corporate	Simplify the ability to add batch file entries to the Monitoring List.
Fix	General	Change CSV download mechanism to enable download of larger volume of entries such as Monitoring Lists and scan results.

Release 10.2

Released: Oct 27, 2024

Change	Application Section	Description
Feature	Organisation Administration, Monitoring Results - Individual & Corporate	Track profile updates that have been assessed in the ongoing monitoring process. Turn on this option within Organisation Administration to see the features in the Monitoring Results.
Enhancement	Organisation Administration	Enhance List Access to enable selection of former PEP and former sanctioned entities for more granular scope of screening. These are not selected by default.

Enhancement	Organisation Administration	Enhance List Access to enable granular selection of current and former SOEs (State Owned Enterprise) for improved categorisation and refined screening scope. These were previously categorised as SIE .
Enhancement	Data Management	New option added to extend deletion of all historical scan data including entities in the Monitoring List, All Single Scan , Batch Scan , whitelist and Monitoring List data .
Enhancement	General	The MemberCheck proprietary data, Emerald updated to include data for the origin or source country of the watchlist.
Fix	User Administration	Fix issue when creating new user accounts in the French language.
Fix	General	Fix for duplicate display of Compliance Officers in Organisation > Users administration screen for some organisations.

Release 10.1.3

Released: Sep 29, 2024

Change	Application Section	Description
Change	System	Change database character set to support all Unicode characters (utf8mb4).
Fix	Scan Results - Individual & Corporate	Fixed "Export to CSV reports" to reflect filtered results in UI.
Fix	Scan Results - Individual & Corporate	Fix to not display duplicate Client ID warning prompt when details of the monitored entity is the same.

Release 10.1.2

Released: Aug 24, 2024

Change	Application Section	Description
Enhancement	Organisation Administration	Enhance List Access to enable selection of specific jurisdiction countries for sanction screening.
Enhancement	General	All organisations and suborganisations can now be assigned up to 3 compliance officers.
Enhancement	Dashboard	Monitoring activities and the number of monitored entities are now visible in the Dashboard.
Change	Single Scan - Individual & Corporate	Changed the duplicate Client ID warning system to detect any attempt to add an existing Client ID to the monitoring list, regardless of whether the associated details match or differ.
Change	Single Scan, Scan Results, Batch Scan, Batch Scan Results - Individual & Corporate	Modified the ID Number screening process to return results even when profiles lack identifiers, thereby reducing the risk of overlooking potential matches. Previously, only profiles with a matching identifier were returned.
Change	Single Scan - Corporate	KYB - Remove <code>South Africa</code> from the list of supported countries due to a change at the KYB provider.
Fix	Monitoring Scan Reports - Individual & Corporate	Amendment to the monitoring status exported in Excel reports to be displayed in a separate cell rather than combined with Client ID
Fix	Single Scan, Batch Scan - Individual & Corporate	LexisNexis data only - Fix issue with inconsistent country naming conventions, ensuring proper identification of all countries during location-based screening processes. Countries affected are <code>Åland Islands</code> , <code>Bonaire</code> , <code>Sint Eustatius and Saba</code> , <code>Brunei Darussalam</code> , <code>Cabo Verde</code> , <code>Cocos (Keeling) Islands</code> , <code>Congo</code> , <code>Czechia</code> , <code>Eswatini</code> , <code>Hong Kong</code> , <code>Macao</code> , <code>Myanmar</code> , <code>North Macedonia</code> , <code>Palestine</code> , <code>Pitcairn</code> , <code>Saint Helena</code> , <code>Ascension and Tristan da Cunha</code> , <code>Saint Barthélemy</code> , <code>Saint Martin</code> , <code>South Georgia and South Sandwich Islands</code> , <code>Syrian Arab Republic</code> , <code>Taiwan</code> , <code>Türkiye</code> , <code>U.S. Virgin Islands</code> , <code>Viet Nam</code> .

Release 10.1.1

Released: Jul 28, 2024

Change	Application Section	Description
Enhancement	Organisation Administration	Ability to specify and customise sanction screening to major sanction lists: DFAT, EU, HMT, OFAC and UNSC.
Enhancement	Organisation Administration	Support option to upload CSV custom watchlist in compressed ZIP format to optimise on speed of uploads.
Enhancement	Scan Result Reports - Individual & Corporate	Include the monitoring status (Yes or No) of the individual or corporate entity within reports.
Enhancement	Dashboard	Include Monitoring Rescan activity in Dashboard.
Change	Scan Results - Individual & Corporate	FATF grey list updated to reflect changes up to June 2024.
Change	Password Reset	Simplify the password reset process to remove the need for clients to authenticate themselves in order to initiate the reset. This is in-line with OWASP best practices.

Release 10.1

Released: Jun 30, 2024

Change	Application Section	Description
Enhancement	Login	Include service region links for ease of access to the separate regions.
Enhancement	Monitoring	Option to apply the whitelist policy on continuous monitoring and monitoring rescans to ignore profiles marked as No Match .
Enhancement	Reports	New Monitoring Group Summary Report to provide an overview of monitoring activities for multiple organisations.

Enhancement	Reports	Monitoring Report updated to include numbers for Monitoring Rescan activities.
Enhancement	Administration - Users	Define access to utilise or screen for Know Your Business (KYB) and Identity Verification (IDV) per user account. By default, this is enabled for users where the service is activated for the organisation.
Change	Monitoring Results	Simplify the web interface and email communications to remove the interim process for entities checked column. There are no changes to the monitoring process.
Change	Dashboard	Include all elements of KYB and IDV activities that incur costs in the dashboard. Previously, numbers for these services represented the screened names. For KYB, the new numbers include elements for documents and enhanced company profiles. For IDV, the new numbers include elements for ID Check and FaceMatch.
Fix	Batch Scan Results - Corporate	Fix missing elements of scan activity (organisation name and person who performed the scan) in the Corporate Batch Scan Full Report .
Fix	Scan Results - Individual & Corporate	Fix caching issue where specifically large batch files screened with whitelist policy applied returned matches flagged as <code>No Match</code> .

Release 10.0

Released: Jun 2, 2024

Change	Application Section	Description
--------	---------------------	-------------

Feature	General	Support multiple PEP and Sanction datasets. Two additional datasets have been added to the service, LexisNexis WorldCompliance and MemberCheck's proprietary dataset, Emerald . This rollout enables clients to choose a single dataset of their choice. In our product roadmap, we will enable clients to opt for multiple datasets simultaneously. For more information on the datasets and the impact on your subscription, contact your Account Manager to discuss.
Change	Login	Change in system messages returned for unsuccessful login to include checking of region.
Change	Login	Display the region name of the service to help users identify the correct service for their user accounts.
Fix	Single Scan - Corporate	Know Your Business (KYB) - Change to company search to include all entered words. Previously company suffixes were ignored.
Fix	Scan Results - Individual & Corporate	Fix issue to the monitor toggle to reflect the correct status of the monitored entity.

Release 9.6

Released: May 19, 2024

Change	Application Section	Description
Enhancement	Single Scan - Individual, Administration - Organisation	Allowance of date of birth variations with an adjustable tolerance of [x] years either side of an individual's date of birth or year or birth. Supports a maximum tolerance of 9 years.
Enhancement	Result Summary Report (CSV)	CSV report enhanced to include additional information of profiles with the new columns Subcategories , Nationality and Sources & Adverse Media
Change	Scan Results, Batch Scan Results - Individual	Match rate calculation for Close Match screening by Full Name now returns a more accurate match rate taking into account all words in the name.
Fix	Dashboard	Number for Web Search service corrected to include Corporate web search scans.

Fix	Reports	IDV only - The Organisation Activity Report and Organisation Group Activity Report updated to include a new category for Global FaceMatch scans.
-----	---------	---

Release 9.5.1

Released: Apr 28, 2024

Change	Application Section	Description
Enhancement	ID Verification	ID Verification FaceMatch option expanded to support over 200 countries.
Enhancement	Reports	More details of IDV and KYB related activities added to the Group Activity Report .
Enhancement	Monitoring	The continuous monitoring process has been updated to detect and match on gender .
Change	Single Scan, Administration Organisation	Include Kosovo in country list to support some exceptional screening needs for this jurisdiction.

Release 9.5

Released: Mar 17, 2024

Change	Application Section	Description
Feature	Dashboard	Provide visibility into the scan usage for the organisation, with an overview of the breakdown of the major services used.
Feature	Organisation Administration	Compliance Officers can now set standardised High , Medium , Low risk level recommendations for all profile categories and subcategories under the new tab Risk Settings tab. These pre-configured risk levels are displayed during the due diligence workflows to guide - but not enforce - assessments organisation-wide.

Release 9.4.3

Released: Mar 10, 2024

Change	Application Section	Description
Enhancement	Scan Results - Individual & Corporate	Official Lists within the entity profile now include the Status of the sanction lists in the web interface, which can contain both current and former states. The API updated to include the former state (<code>false</code>).
Enhancement	Single Scan - Corporate	Our business check service for KYB now supports the jurisdiction of Malta .
Change	Scan Results - Individual & Corporate	Include Google web search results in PEP & Sanction result report to provide supplementary adverse media information.
Change	Single Scan, Batch Scan, Scan Results - Individual & Corporate	UI label change from Match Type to Name Match Type to clarify the scope of close match screening to the name.
Fix	Administration - Organisation	Fixed time zone mapping on selection of Country in the drop-down list for Organisation profile details.
Fix	Batch file validation	Fixed an error with incorrect line terminators (must be CRLF (ASCII <code>\r\n</code>) instead of LF (ASCII <code>\n</code>)), preventing any lines from being recognised during the batch file import process.

Release 9.4.2

Released: Feb 17, 2024

Change	Application Section	Description
Enhancement	Batch Scan - Individual & Corporate	Duplicate entries and Client IDs in batch files are detected and displayed in the batch file preview before scanning. If the batch validation setting is turned off, duplicate entries are ignored and excluded from scanning.

Enhancement	Organisation administration	Compliance Officers are able to delete user accounts and organisation accounts which are unused or have no historical scan activities.
Change	General	The fuzzy name matching process is now separated from Elasticsearch to provide greater control and improve performance of Close match scans for batches and ongoing monitoring.
Change	Single Scan Results, Batch Scan Results - Individual & Corporate	Tax haven and Sanctioned jurisdiction indicators have been expanded to cover other aspects of the profile. These now cover the person's primary location and nationality, and for corporates, the primary and registered locations.
Change	Single Scan Results, Batch Scan Results - Individual & Corporate, Administration Organisation	Update country list names to reflect latest standard ISO 3166-2. Note: The common names North Korea (KP) and South Korea (KR) have been retained. • Removed: Abkhazia, South Ossetia, Tibet, Turkish Republic of Northern Cyprus, Kosovo, Netherlands Antilles, Serbia and Montenegro, Macedonia. • Added: Åland Islands (AX), Bonaire, Sint Eustatius and Saba (BQ), French Southern Territories (TF), North Macedonia (MK), United States Minor Outlying Islands (UM)
Fix	Single Scan Results, Batch Scan Results - Individual & Corporate	Improved handling of malformed URLs in Adverse Media source links.
Fix	Single Scan - Individual & Corporate	Fix for Country drop down lists which were not loading in some instances.

Release 9.4.1

Released: Dec 23, 2023

Change	Application Section	Description
--------	---------------------	-------------

Change	Single Scan Results, Batch Scan Results - Individual & Corporate	Scope of tax haven countries limited to top 10 most notorious based on the Corporate Tax Haven Index (CTHI).
Change	Single Scan Results, Batch Scan Results - Individual	Documentation for tax haven indicator for individuals have been corrected to refer to the "primary country of residence" instead of "country of nationality".
Fix	Monitoring Results - Corporate	Preview and download of reports for Corporate monitoring results have been fixed to enable reports to be generated and downloaded.

Release 9.4

Released: Dec 10, 2023

Change	Application Section	Description
Feature	Single Scan - Corporate	Business check service for Know Your Business (KYB) and Ultimate Beneficial Owner (UBO) verifications. Search for a company and select from available registry documents for KYB verification. Optionally, request for the company enhanced profile containing detailed company information, associated directors, shareholders and ultimate beneficial owners. These may incur additional charges, and you are only charged for the specific information requested.
Feature	Reports	New report for KYB and UBO activities with a list of requested documents or UBO requests, and the associated costs and status of document delivery.
Feature	Single Scan Results, Batch Scan Results - Individual & Corporate	Display new indicators where an individual's country of nationality or a business's primary location has operations in countries considered as tax haven or sanctioned , based on WorldData.info data compiled from various sources including FATF, IMF, EU and Oxfam.
Enhancement	Menu bar	New Video link in the top right menu. Links to a library of "how-to" videos with more in-depth details of various features of the application.

Feature - Experimental	Single Scan Results, Batch Scan Results - Individual & Corporate	Integration with OpenAI ChatGPT for analysis of individual and corporate profiles. This is currently available to a limited number of clients and will be made available to a wider scope of users in due time.
Change	General	Improve cache management in the database.

Release 9.3.5

Released: Oct 1, 2023

Change	Application Section	Description
Feature	Single Scan, Batch Scan - Corporate	Supports wildcard (*) search for partial names e.g. Bank of Ame* can return results of Bank of America, Bank of America Corporation, Bank of America Investment Services etc.
Feature	Single Scan, Batch Scan - Corporate, Organisation administration	Expand list of default company stopwords and the ability for organisations to manage their own stopwords. Compliance Officers can manage this in Organisation Settings .
Enhancement	Organisation administration	Expand custom watchlist to enable the Compliance Officer of a suborganisation to upload and manage their own Custom Watchlists. This was previously limited to the root parent organisation to manage for all suborganisations.
Enhancement	Scan Results - Individual	Remove case-sensitivity when searching for Latin-based text in Full Name search field in Scan Results - Individual Search .
Enhancement	General	Support for Arabic language within the web user interface.
Fix	Single Scan, Batch Scan - Corporate	Web interface updated to reflect the minimum company name length supported in API of 1 character.
Fix	Organisation administration	<i>Applies to Oman service only.</i> Fix for custom watchlist administration where the list was not able to be removed for the organisation.

Release 9.3.4

Released: August 6, 2023

Change	Application Section	Description
Feature	Single Scan - Corporate, Batch Scan - Corporate	Inclusion of text-to-number translations for company profiles to expand the variation of company name screening when using <code>Close</code> match. For example, a company name on the watchlist "Company 55 Limited" can be found using <code>Close</code> match type with "Company Fifty Five Limited" or "Company Fifty-Five Limited".
Enhancement	Data Management	Added new option for more granular data deletion of single scan results for Individuals and Corporates. This option is available to Compliance Officers only.
Change	User Management	Added validation during user administration management to prevent orphaned user accounts when not linked to any organisation. All users must be assigned to at least 1 organisation. This feature is available to Compliance Officers only.
Fix	Data Management	Running data management process to remove large number of scan results and whitelist data sometimes returned timeout errors. Fix to improve efficiency of process.

Release 9.3.3

Released: June 25, 2023

Change	Application Section	Description
Feature	Single Scan, Batch Scan - Individual & Corporate	Introducing Jurisdiction Risk ratings. Opt-in to include this information during single scans or batch scans to view the technical compliance and effectiveness ratings for relevant countries based on FATF recommendations.
Enhancement	Single Scan - Individual, Batch Scan - Individual	New field ID Number to enable screening with an identifier (e.g. Passport Number, National ID, VAT/Tax Number).

Enhancement	Single Scan - Corporate, Batch Scan - Corporate	Replaced the Address field for corporate scans with Country of Operation (Address) drop down list to enable screening for country of operation or registration using a standard input. For batch files and API requests, the full address of the corporate entity is still accepted but only the country name or country code (ISO 3166-1 2-letter code) will be used for screening.
Enhancement	Group Activity Report	Added a search field to quickly find an organisation to generate a report. This is useful for multi-level organisations or for resellers managing multiple organisations where the list can be long.
Fix	Scan Results - Corporate, Batch Scan Results - Corporate	Filtering by SIE subcategories sometimes returned no match found for existing profiles. This now correctly displays the filtered profiles.
Fix	Scan Results, Batch Scan Results	Improve handling of malformed URLs in Sources and Adverse Media for PEP and Sanctioned profiles for individuals and companies. Malformatted URLs may not be able to be fixed for existing links, however, these can be reviewed on a case by case basis.

Release 9.3.2

Released: May 28, 2023

Change	Application Section	Description
Enhancement	Single Scan - Corporate, Batch Scan - Corporate	Improved corporate screening by incorporating fuzzy matching for better searchability of name spelling variations.
Enhancement	Batch Scan - Individual & Corporate	Batch scan workflow includes a preview of the formatting of the batch file before scanning. This applies to the web UI only.
Enhancement	Scan Results Reports	New screenings for PEP and sanctions will now show watchlist categories in reports for better auditing.
Enhancement	ID Verification	Display completion timestamps for Quick ID and FaceMatch verifications in the web UI, reports, and API for reference.

Enhancement	Reports	Reports now feature a modern design consistent with the web interface, incorporating additional PEP, Sanction, and Adverse Media information from version 9.3.1 .
Change	Compromised Information report	Separated the Compromised Information report from the PEP, Sanction, and Adverse Media scan result report for improved clarity.

Release 9.3.1

Released: May 7, 2023

Change	Application Section	Description
Enhancement	Watchlist data	PEP, sanction and adverse media profiles expanded with • additional details for PEP roles, publication information of adverse media sources, official lists and location types • support for multiple images of the individual or corporate entity, where available.
Enhancement	Single Scan - Corporate, Batch Scan - Corporate	Include close match rate threshold to enable adjustment of the closeness of screening of names, ranging from 100 % (almost exact names) to 1 % (somewhat similar sounding names).
Enhancement	Single Scan - Corporate, Batch Scan - Corporate	Improve search by business registration/reference number to return more targetted results and reduce false matches.
Enhancement	Single Scan - Individual, Batch Scan - Individual	Adjustment to the fuzzy matching algorithm to improve relevance and reduce false matches for name screening.
Change	Monitoring List	A limit of 10,000 rows applied to the web interface text area for bulk removal of Monitoring List entities. This does not apply to the API requests, which is dependent on existing API rate limits in the service.

Change	Reports	Reports generated in the Demo environments have been restricted to PDF format and highlights the use for trial purposes only.
Fix	Organisation Activity Report	Fix scan count for PEP & Sanctions service. IDV scan counts were previously combined within Individual Scans section of the report.

Release 9.3

Released: February 26, 2023

Change	Application Section	Description
Enhancement	Watchlist data	The database for PEP, sanctions and adverse media profiles have been expanded to contain more detailed information. The API has been updated to include the additional information. Please refer to the API Change Log in this Help Guide, or the relevant API documentation for details. The web user interface will be further enhanced in the coming months to reflect the new information and structure.
Enhancement	Single Scan, Batch Scan, Scan Results, Batch Scan Results, Organisation List Access	Inclusion of a new category for "Profile of Interest" (POI). This category will be enabled by default in the organisation List Access tab.
Enhancement	Single Scan, Batch Scan, Scan Results, Batch Scan Results, Organisation List Access	Inclusion of a new subcategory, "Reputational Risk", under Special Interest Person (SIP) and Special Interest Entity (SIE). This subcategory will be enabled if you have selected SIP or SIE in the organisation List Access tab.
Enhancement	Scan Results - Individual, Batch Scan Results - Individual	Profiles where multiple dates for the same event e.g. date of birth, deceased dates etc. are displayed in the Important Dates section.
Enhancement	Scan Results, Batch Scan Results	Sources and adverse media categories have changed and includes Profile of Interest and Reputational Risk Exposure . ID/V is now Identity .

Enhancement	Scan Results, Batch Scan Results	A new section, Identifiers , lists a variety of ID numbers and unique IDs recorded for the individual or corporate entity. These IDs were previously within the general notes in Further Information . These identifiers include business registration numbers, OFAC unique IDs, VAT/Tax numbers, BIC numbers, IMO numbers etc.
Enhancement	Single Scan - Corporate	Change in the Corporate scanning to take advantage of the new identifiers. Entering a Registration Number during corporate screening will exclude all profiles which do not have an identifier, or if the identifier does not match from being returned as a potential match. This will produce more targeted results and reduce false matches.
Enhancement	General	Service and product updates will be visible in the new Notifications section in the top menu. This central area enables web users to view and manage messages relating to the service.
Change	Scan Results, Batch Scan Results	The Enter Date for a profile has been replaced by Last Reviewed which provides the date the profile record was last reviewed or updated.
Fix	Monitoring List	Bulk removal of monitoring items from monitoring list fixed. This was previously displaying an error when more than 25 items were in the request.

Release 9.2.1

Released: February 12, 2023

Change	Application Section	Description
Feature	Compromised Data check	Enter an individual's email address during PEP, sanction and adverse media screening to check if the member's data has been compromised in known data breaches.
Enhancement	API	IDV - API expanded to enable document verification (ID Check), or biometric facial matching (FaceMatch), or both. Previously FaceMatch could only be performed together with an ID Check.

Change	Application Section	Description
Enhancement	API	IDV - API expanded to enable email of the verification request to individuals. Previously, individuals could only receive SMS of the verification link.
Change	IDV	If the process to run the FaceMatch verification on behalf of the individual on the web application was interrupted, the FaceMatch status was previously flagged as <code>Pending</code> . This is now changed to <code>Incomplete</code> to more accurately reflect the status.
Change	Scan Result reports, API	For scans with IDV only screening, null references to the irrelevant PEP and Sanction labels have been removed to clean up the reports and response body in the API.
Fix	Monitoring Results	Viewing of historical profiles which have been removed from the watchlist database in some circumstances were returning an error. Correct display of the profile details of the removed entities.
Fix	Monitoring Results	Profiles which were marked as 'removed matches' only in ongoing monitoring were not displaying the details of the profile. These were previously displaying "individual not found" in profile details.

Release 9.2

Released: December 10, 2022

Change	Application Section	Description
Enhancement	Single Scan	IDV - Expanded to enable document verification (ID Check), or biometric facial matching (FaceMatch), or both. Previously FaceMatch could only be performed together with an ID Check ^{**} . <i>See note below.</i>
Enhancement	Single Scan	IDV - Added capability to email customer identity verification to individuals, as well as running the document verification on the individual's behalf. Previously, individuals could only receive SMS of the verification link ^{**} . <i>See note below.</i>
Enhancement	Scan Results	IDV - Images of biometric facial matching and documents included in the scan results for review and verification.

Change	Application Section	Description
Enhancement	Single Scan, Batch Scan, Organisation Administration	New option to enable inclusion of specific jurisdictions or countries for PEP screening. Previously, there was only the option to exclude specific jurisdictions for PEPs. This is configurable within the organisation administration settings.
Enhancement	Administration	Automated deactivation of Organisation and associated user accounts upon expiry or termination of subscription. The Compliance Officer of an organisation will receive an email to notify of deactivation.
Enhancement	API	Inclusion of a liveness check for the API service which will enable clients to easily check the liveness and status of the API service. Please refer to the API Reference documentation for details at https://api.membercheck.com/docs/index.html?#membercheck-api-health-check .
Change	Single Scan - Individuals	Changes to the screening workflow to improve and simplify the selection of services before commencing screening, in anticipation of new services to be introduced in the near future.
Change	Single Scan, Batch Scan	Close Match - Addition of phonetic matching algorithms to improve the relevance and fuzzy matching of names for Individual entities.
Change	General	Various improvements and optimisation within the application to improve responsiveness.

****** Note: This is currently only available via the Web UI. API functionality will be made available soon.

Release 9.1.2

Released: October 1, 2022

Change	Application Section	Description
Enhancement	General	Support for French language within the web user interface.

Change	Application Section	Description
Enhancement	Organisation Administration	Additional options for frequency of Ongoing Monitoring, Daily , Weekly , Fortnightly , Monthly , Quarterly and Semi Annually (see Note below).
Change	User Administration	Increase number of organisations able to be assigned to a user account.
Change	General	Various label changes to the UI to improve comprehension of features.
Fix	Monitoring Results	Monitoring Rescan activities can now be viewed within Monitoring with updates if there are updates resulting from the annual rescan.
Fix	Batch Scan	Improve error handling of CSV batch files that contained headers only without any individual or corporate screening contents.
Fix	Scan Results	Fix to display flags for some nationalities which were not appearing in the profile of the matched results.

Changing the ongoing monitoring frequency

Note: Contact your Account Manager or support@membercheck.com if you would like more information on changing the frequency of the ongoing monitoring service for your organisation account.

Release 9.1.1

Released: July 23, 2022

Change	Application Section	Description
Enhancement	Scan Results	Expand downloadable Results Summary Report to include unique client reference, Client ID .
Change	Scan Results	Updated message prompt when downloading Results Summary Report to clarify the use of the email address in lower case as the password for secured ZIP file.

Change	Application Section	Description
Change	Single Scan, Batch Scan	Scanning by First Name and Last Name by Close Match previously returned results where First and Last Names were interchanged to return potential matches where the order of the names were uncertain or may vary. This has been changed to only display results in the specific order as entered. Where the order of names for First and Last Name is uncertain, enter the name into Full Name field instead for an expanded search for greater potential matches.
Change	Single Scan, Scan Results	Close match scanning of names which exactly match the names entered for Individuals are now displayed at the top of the list of results for improved visibility of returned results.
Change	New User Account	New User accounts created on login will be prompted to specify a security question and answer, which are used for verification during password reset. This is currently optional but is highly recommended that users complete this process.

Release 9.1

Released: May 15, 2022

Change	Application Section	Description
Enhancement	Due Diligence Decisions	All due diligence decisions including Decision, Risk level and Comments are displayed in all reports containing due diligence decisions. Previously all Comments and only the latest Decision and Risk levels were retained and displayed
Enhancement	Scan Results	Ability to directly report issues or questions relating to profile details of Individuals or Corporates to MemberCheck Support team to improve quality of data in the watchlists. Predefined reports include profile data incompleteness or inaccuracies, request for more detailed information of a profile, or reasons for profile being listed in the watchlists
Enhancement	General	Resellers of MemberCheck are able to advise if they would like to display their logo in the main menu of the application. Only horizontal/landscape logo designs are supported at the moment

Change	Application Section	Description
Fix	Individual - Single Scan, Batch Scan	Fix for Close match screening of mononymous names. This was previously unable to return results. Exact matching for mononymous names is unaffected
Fix	Individual - Single Scan, Batch Scan	Changes to Full Name search to reduce false matches and improve relevance. All names entered in Full Name will search for occurrences of all the names entered. Note: Screening by Full Name with Exact or Exact (incl. Mid Name) match will return the same results as full name does not differentiate the Middle Name
Fix	Monitoring List	Enable CSV download of large volumes of entries within the Monitoring List . The Download CSV button was previously erroring for downloads of over 1 million entries

Release 9.0

Released: December 11, 2021

Change	Description
Enhancement	Support partial search on First Name of an individual. Where only initials are available, use an asterisk (*) after the initial e.g. K* . For partial or incomplete first names, use an asterisk after the name prefix e.g. Ken*
Enhancement	Expand Results Summary Report to include the latest due diligence decisions. This report in CSV format is available for both single and batch scans for Individuals and Corporates
Enhancement	IDV - Detect and warn of duplicate requests for ID verification of the same name within 24 hours
Enhancement	Organisation Administration - Support for Reseller organisations. Compliance Officer of a reseller organisation can manage and track the Subscription Start Dates and Termination Dates of their clients (suborgs)
Enhancement	System notifications - Important account information such as subscription renewal reminders are automatically sent out to the Compliance Officer of the root parent organisation on behalf of the Account Manager

Change	Description
Enhancement	Various enhancements and optimisation in the backend databases to improve scan response time and retrieval of scan results
Change	The default HTTP 404 error page has been given a facelift with helpful links to help the user navigate back to the site and help guide
Fix	Organisation User management - Remove irrelevant message displayed within User administration list where no users are assigned

Release 8.4

Released: September 25, 2021

Change	Description
Feature	Extend PEP & Sanction screening to support Custom Watchlists . Create one or more custom watchlists by uploading CSV files of Individual and Corporate profiles via List Access .
Enhancement	Activity Reports include separate Web Search (adverse media) scan activities to provide more information for reporting.
Enhancement	New status <code>Pending</code> for user accounts which have not yet completed the account set up to differentiate from the default status of <code>Active</code> users.
Enhancement	Within user's Profile screen, change button label for API Access Key from <code>Reset</code> to <code>Generate</code> for clarity of function. Inclusion of a <code>Copy</code> button to enable ease of copying of the API Access Key.
Enhancement	Unsaved settings detected in Administration and Profile screens will prompt to confirm to discard changes to minimise loss of configuration changes.
Change	Email notifications of scan activity and system reminders will be sent from <code>donotreply@membercheck.com</code> instead of <code>admin@membercheck.com</code> .
Fix	Ongoing monitoring change highlights extended to include changes detected in the addition or removal of cached URLs in Date of Capture of the adverse media.
Fix	Fixed possible minor variation where a large number of scan results are returned for <code>Close match</code> type scans performed with <code>Full Name</code> search.

Release 8.3.1

Released: September 4, 2021

Change	Description
Enhancement	Ability to download a report immediately for Single Scans which do not return matches. Additional message displayed in results panel where no results are found for combined screening of PEP & Sanction and web search.
Fix	Various fixes and changes to the backend for Log reports.

Release 8.3

Released: August 29, 2021

Change	Description
Enhancement	Support secure exporting of additional report containing summary of profiles returned for Single and Batch Scans. The CSV report is compressed and downloadable in a password protected ZIP file. Password is the email address of the user who generated the report. Report is available for download as Results Summary Report .
Enhancement	Reports section has been updated to simplify the selection of reports and includes descriptions to improve usability.
Enhancement	Improve the relevance of web search results returned for Google searches.
Change	Email address validation expanded to support additional top level domains.
Change	Email notifications of scans results sent from the Modern UI has changed in the display order. Links to the Modern UI is displayed before Classic UI.
Fix	Full Report and Exception Report of batch results have been cleaned up to display the number of profiles in the major categories of PEP, RCA, SIP, SIE.
Fix	Various fixes to the validation of XML batch files.

Release 8.2

Released: August 15, 2021

Change	Description
Feature	Option to extend PEP and Sanction screening to include a web search on Google for adverse media for Single Scans. Option is available within Scan Settings panel. API - API clients can enable this setting with the new optional property <code>includeWebSearch</code>.
Enhancement	IDV - New verification source for <code>Singapore</code> .
Enhancement	Added option to quickly generate a suggested new Client ID (previously Member Number and Entity Number) during Single Scans. This is available within the UI only.
Enhancement	Inclusion of a document containing source lists used for PEP & Sanction screening within the organisation List Access. The same document is also available in this help guide Resources section.
Change	Relabel fields Member Number and Entity Number in Individual and Corporate Scans to Client ID to reflect the purpose of the field more accurately. API - a new separate property <code>clientId</code> is available and recommended for use over the existing properties <code>memberNumber</code> and <code>entityNumber</code> which will be deprecated in the future. These however will continue to be available until further notice.
Change	Protect users from over clicking buttons and performing duplicate tasks by displaying a progress icon within the pressed button.
Change	Protect users from processing duplicate batch scans. If the same batch file name is identified as being scanned within the last 12 months, a prompt is displayed for the user to proceed or cancel. API - API clients are able to set if duplicate batch file names are allowed to be processed with the new optional property <code>allowDuplicateFileName</code>.
Change	We have received positive and encouraging feedback on the application and are happy to remove the "PREVIEW" status from the modern interface.
Fix	Error in handling new user account setup after expiry of the registration link.

Release 8.1.1

Released: July 18, 2021

Change	Description
Enhancement	Support monitoring notifications of detected changes via API callback URL defined by the Compliance Officer.
Enhancement	Distinguish monitoring rescan activities in Monitoring Results .
Change	Change "monitoring with updates" filter to only display and notify activities with new, updated or removed results. Changes in Monitoring with updates filter in Monitoring Results and trigger for ongoing monitoring notifications.
Change	Update of icons to reflect the updated modern user interface including browser favicons, due diligence icons in Reports, and light and dark themes.
Fix	Error in allowing multiple COs to be assigned to suborganisations causing multiple suborganisations to be displayed in Organisation list. Fix to enforce single CO per suborganisation.
Fix	Error in sending Monitoring Rescan Emails if no Corporate entity exists in Monitoring List.

Release 8.1

Released: June 27, 2021

Change	Description
Feature	Identity Verification includes biometric face matching, an optional feature in Single Scan .
Feature	Actively monitored entities will be rescanned on first day of renewed subscription.
Feature	Ability to bulk remove multiple entities in Monitoring List .
Enhancement	Display watchlist categories for new scans for scope of PEP & Sanction scan by expanding the scan settings in Single Scan .
Enhancement	Organisation subscription and renewal dates displayed in Organisation details.

Change	Description
Enhancement	API - First release of the new version of API v2 to integrate with modern UI. API Reference and Developer Centre can be accessed via the Support menu item.

Release 8.0.1

Released: June 6, 2021

Change	Description
Feature	Screen for both PEP & Sanction and ID Verification with a single click within Single Scan .
Feature	Option to select specific nation of <code>Australia</code> and <code>New Zealand</code> for targetted sanction scans within List Access .
Feature	ID Verification now includes <code>China</code> as an additional source. Supported countries: Australia, New Zealand, Austria, Brazil, Canada, China, Denmark, Finland, France, Germany, India, Italy, Mexico, Netherlands, Norway, South Africa, Sweden, Switzerland, United Kingdom and United States.
Enhancement	Option to preview Reports before downloading as PDF, Word or Excel format.
Change	Hide columns in Scan Results where no data is available for the page view.
Fix	User login times to reflect organisation timezone.
Fix	Enable creation of suborganisations for client accounts where monitoring is not enabled.
Fix	Fix display of original script text in PDF reports. Previously displaying "box" symbols.

Release 8.0

Released: May 9, 2021

Change	Description
Feature	Improved and modernised user interface.

Change	Description
Feature	Supports screening by Full Name for PEP & Sanction.
Enhancement	IDV - Countries for ID Verification now extends beyond Australia and New Zealand to include Austria, Brazil, Canada, Denmark, Finland, France, Germany, India, Italy, Mexico, Netherlands, Norway, South Africa, Sweden, Switzerland, United Kingdom and United States.

Release Notes for MemberCheck Classic

To view the list of changes in the MemberCheck Classic interface, you can refer to the [Release Notes](https://help2.membercheck.com) available at <https://help2.membercheck.com>.

API Change Log

Deprecated

Fields deprecated or scheduled for deprecation, and will be decommissioned (removed). The columns below show the status of each field per API version: fields decommissioned in **API v3** on the date shown are still **retained in API v2** until v2's future sunset (date to be advised).

Name	API Schema	Deprecation Date	Decommission Date (API v3)	D D (
enterDate	Entity EntityCorp	26 Feb 2023	26 Jul 2026	T
title	Entity	26 Feb 2023	26 Jul 2026	T
NameDetail.title	Entity	26 Feb 2023	26 Jul 2026	T
xmlFurtherInformation	Entity EntityCorp	26 Feb 2023	26 Jul 2026	T
image	Entity	30 Jun 2024	26 Jul 2026	T
originalScriptNames	Entity EntityCorp	30 Jun 2024	26 Jul 2026	T
dates_Urls	Source	30 Jun 2024	26 Jul 2026	T
membersChecked	MonitoringScanHistoryLog MonitoringScanResults	30 Jun 2024	26 Jul 2026	T
companiesChecked	CorpMonitoringScanHistoryLog CorpMonitoringScanResults	30 Jun 2024	26 Jul 2026	T

<code>isIgnoreBlankDobActive</code>	memberScanSettings	16 Nov 2025	26 Jul 2026	T
<code>isIgnoreBlankNationalityActive</code>	memberScanSettings	16 Nov 2025	26 Jul 2026	T
<code>ignoreBlankPolicy</code>	MemberScan CorpScan	6 Sep 2026	TBA	T

Reintroduction of deprecated fields

`originalScriptNames` and `dates_Urls` have been reintroduced into API v3 on August 29, 2026.

Release 10.5.3

Released: Sep 13, 2026

Name	API Schema	Description
<code>matchScopePolicy</code>	POST /api/v3/ member-scans/ single POST /api/v3/ corp-scans/ single POST /api/v3/ member-scans/ batch POST /api/v3/ corp-scans/ batch	New request parameter that sets how widely each screening field narrows the results. It replaces <code>ignoreBlankPolicy</code>. The parameter is an object. Its keys are <code>dob</code>, <code>gender</code>, <code>nationality</code> and <code>idNumber</code> for member scans, and <code>registrationNumber</code> for corporate scans. Accepted values, from the narrowest to the widest, are <code>MatchesOnly</code>, <code>MatchesAndBlanks</code> and <code>Mismatches</code>. Send only the fields you want to set. A field whose organisation setting is not <code>User Defined</code> keeps that setting.

A blank value for a screening field narrows nothing.
No screening field is mandatory.

<code>matchScopePolicy</code>	Every member and corporate scan response, including <code>GET /api/v3/member-scans/single/{id}</code>, <code>GET /api/v3/member-scans/batch</code>, <code>GET /api/v3/member-scans/batch/{id}</code>, <code>GET /api/v3/member-scans/monitoring</code>, <code>GET /api/v3/member-scans/monitoring/{id}</code>, <code>POST /api/v3/member-scans/single/{id}/rescan</code>, the corporate equivalents, <code>GET /api/v3/kyb/{scanId}</code> and the data-management lists	New response parameter that reports the matching scope the scan ran under, so a result can be reproduced. A scan that carried no <code>matchScopePolicy</code> on the request reports the effective organisation setting.
<code>matchScopePolicy</code>	<code>GET /api/v3/organisations/{id}</code> <code>GET /api/v3/organisations/{id}/scan-settings</code>	New parameter in the <code>memberScanSettings</code>, <code>corporateScanSettings</code> and both <code>monitoringSettings</code> blocks. It returns the matching scope held against the organisation for each screening field. The scan settings accept <code>MatchesOnly</code>, <code>MatchesAndBlanks</code>, <code>Mismatches</code> and <code>UserDefined</code>, which hands the choice to the user at screening time The monitoring settings carry no <code>UserDefined</code>, because no user is present to make the choice on a monitoring run.

<code>ignoreBlankPolicy</code>	Every scan method and organisation setting listed above	Deprecated, and retained without change. Existing integrations continue to work and need no change. The parameter behaves as before: it eliminates profiles that hold no value for the field, and its result set is the same as <code>MatchesOnly</code> for that field. Where a request sends both parameters, <code>matchScopePolicy</code> takes precedence for the field it carries. Organisation settings were migrated on upgrade, so results and monitoring volume do not change: <code>Yes</code> became <code>MatchesOnly</code>, <code>No</code> became <code>MatchesAndBlanks</code>, and <code>UserDefined</code> is unchanged
<code>isIgnoreBlankDobActive</code> <code>isIgnoreBlankNationalityActive</code>	<code>GET /api/v2/organisations/{id}</code> <code>GET /api/v2/organisations/{id}/scan-settings</code>	Both remain deprecated, as they have been since release 10.4.5, and are not returned by API v3. The deprecation note now names <code>matchScopePolicy</code> as the replacement in place of <code>ignoreBlankPolicy</code> .

POST /api/v3/id-verification/single/{scanId}/
override

New method. It records or removes an override of the ID Verification outcome. Set `value` to `Verified` or `NotVerified` to record an override, or omit it to remove the current override. `comment` is required on every request and accepts up to 200 characters. The provider result itself is never changed.

The response is an `IdvOverrideResult`, carrying `idvStatus`, the effective outcome after the action; `overridden`, whether that outcome is a user override; `originalIdvStatus`, the provider result before the override; `idvFaceMatchStatus`, the effective FaceMatch outcome; and `originalIdvFaceMatchStatus`, the provider FaceMatch result before the override. An `original` parameter is returned only where the action affects that check.

The override applies to the checks the verification covers. An ID Check verification overrides the ID Check outcome, a FaceMatch verification overrides the FaceMatch outcome, and a combined verification overrides both.

`value` must change the outcome on at least one of those checks. `Pass` and `Verified` carry the same outcome, as do `Fail` and `NotVerified`, so a request that repeats the current outcome is rejected. To restore the original outcome, omit `value`.

GET /api/v3/id-verification/single/{scanId}/
override/history

New method. It returns every action recorded against the verification, most recent first.

Each entry carries `username`, `date`, `newValue`, the value the user chose, and `comment`. The outcome on each side of the action is reported per check: `previousIDCValue` and `afterIDCValue` for ID Check, and `previousFaceMatchValue` and `afterFaceMatchValue` for FaceMatch. `newValue` is absent where the action removed the override.

<code>overridden</code> <code>originalIdvStatus</code> <code>originalIdvFaceMatchStatus</code>	<code>GET /api/v3/id-verification/single/{scanId}</code> <code>GET /api/v3/member-scans/single</code> <code>GET /api/v3/data-management/member-scans</code>	New response parameters. <code>overridden</code> reports whether the outcome returned is a user override, and the <code>original</code> parameters carry the provider result from before the override. Where a single verification outcome is returned, API v3 returns the override in place of the provider result. API v2 is unchanged and continues to return the provider result, so no action is required to keep an existing v2 integration working. A client reading over API v2 records the provider value while the application shows the override. To read the override, move the integration to API v3.
<code>idvOverride</code>	<code>GET /api/v3/member-scans/single</code> <code>GET /api/v3/member-scans/single/report</code>	New filter that selects scans by whether the ID Verification outcome was overridden. The values are <code>All</code>, <code>NotOverridden</code> and <code>Overridden</code>, and <code>All</code> is the default. It applies to the <code>IDVerification</code> scan service, and is accepted on every report format.
<code>POST /api/v3/organisations/{id}/custom-list</code>		Removed from the API reference. It joins the restricted organisation management methods, which are published on a TEST instance only. The method itself is unchanged and continues to work, and <code>GET /api/v3/organisations/{id}/custom-list/{fileId}</code> is unaffected.

Release 10.5.0

Released: Jul 26, 2026

Name	API Schema	Description
<code>/api/v3/</code>		Introduction of API v3. A new major API version is <code>/api/v3/</code>. Authentication, the request payloads of and error-response wording are unchanged from v2 under <code>/api/v2/</code>. The changes listed below apply to <code>ScanResult</code> is shown, in which case the change is:

<code>idvDataSource</code>	<code>POST /api/v3/id-</code>	New input parameters for the modernised ID Verification data source and process, set the required subscriber code, and record the individual verification process. These support Australian government document verification, and biometric facial verification. <code>idvDataSource = AuGovtVerification / AuGovtFacialVerification</code> . <code>verificationProcess = StepByStep / Comprehensive / SingleSource / CrossSource</code> . The optional parameter <code>parentOrigin</code> is the parent window that initiated the verification request.
<code>verificationProcess</code>	<code>verification/single</code>	
<code>idvAssuranceLevel</code>	<code>POST /api/v3/member-scans/single</code>	
<code>subscriberCode</code>	<code>single</code>	
<code>consent</code>		
<code>parentOrigin</code>		
<code>idvSettings.idvDataSource</code>	<code>GET /api/v3/organisations/{id}</code>	New organisation-level ID Verification configuration responses in v3: default data source, verification process, coverage type, the list of countries enabled for international subscriber codes, and the ID Check service-activation country-coverage type (<code>idvCountriesType</code>) is one of <code>SingleSource</code> or <code>CrossSource</code> .
<code>idvSettings.idVerificationProcess</code>	<code>{id}</code>	
<code>idvSettings.idvAssuranceLevel</code>	<code>GET /api/v3/organisations/{id}/scan-settings</code>	
<code>idvSettings.idvCountriesType</code>	<code>{id}/scan-settings</code>	
<code>idvSettings.idvCountries</code>		
<code>idvSettings.subscriberCodes</code>		
<code>isIDCheckActive</code>		
<code>GET /api/v3/id-verification/single/sms-enabled-countries</code>		New v3-only method. Retrieve the list of countries enabled for verification request.
<code>POST /api/v3/id-verification/single</code>		The two ID Verification "verify" methods have been deprecated. <code>verification/single2</code> is no longer part of v3; use <code>POST id-verification/single</code> . In v2 this method returns a string identifier; in v3 it returns a JSON object (<code>IDVResponse</code>) so update your response handling accordingly.
<code>GET /api/v3/id-verification/single/{scanId}/file-url</code>		Narrowed in v3. The <code>type</code> and <code>isCompressed</code> query parameters removed and this method now returns only the live document-image and still-image URL retrieval is no longer supported.
<code>POST /api/v3/id-verification/single/{scanId}/resend</code>		The resend-verification-link method is temporarily deprecated and planned to be reintroduced in a future release . It can be used in <code>api/v2/</code> .

idvStatus	GET /api/v3/ id- verification/ single/ {scanId}	Enriched ID Verification results in v3. idvStatus a ReviewRequired and TechnicalError , and idvFe NotVerified and Verified . Structured result obj verification (idvVerificationResult with driver passportResult , medicareResult , nationalIDRe verification (faceMatchVerificationResult). The deserialiser that ignores unknown fields is recomm
idvFaceMatchStatus		
idvVerificationResult		
faceMatchVerificationResult	POST /api/v3/ member-scans/ single GET /api/v3/ member-scans/ single	
idvCountry.code	POST /api/v3/ id- verification/ single	The list of countries supported for ID Verification h in v3. Newly supported: AE , GH , HK , JP , KE , NG , Swagger for the full list, and use the new GET /api sms-enabled-countries method to check which d of the verification request.
Country.code	POST /api/v3/ member-scans/ single	
firstName	POST /api/v3/ id- verification/ single	Maximum-length validation tightened in both API v 249 characters and <code>lastName</code> from 255 to 251 cha these limits will fail validation.
lastName	POST /api/v3/ member-scans/ single	
scriptNameFullName	POST /api/v3/ id- verification/ single POST /api/v3/ member-scans/ single	Original-script name handling broadened in v3. In v name in its original script) could only be supplied f restriction is removed and it may be provided for ar

fatfJurisdictionRiskResults. fatfBlackGreyRisk	ScanResult CorpScanResult	New response parameter returning FATF Black List information based on the screened entity, whether Available in both API versions.
fatfJurisdictionRiskResult. fatfBlackGreyRisk		
clientId	GET member-scans/single GET member-scans/single/report GET corp-scans/single GET corp-scans/single/report GET member-scans/monitoring/{id} GET corp-scans/monitoring/{id} GET monitoring-lists/member GET monitoring-lists/corp	The <code>clientId</code> filter now supports partial (contains) monitoring lists can be filtered by a Client ID fragment groups of entities. Available in both API versions.

dataSources	POST member-scans/single	New parameter to select which watchlist data source scan. Present as a request-body input on the single filter query parameter on the scan-history requests, the scan, rescan, batch, monitoring and KYB requests. Available in Acuris, LexisNexis and MemberCheck.
	POST corp-scans/single	
	POST member-scans/batch	
	POST corp-scans/batch	
	GET member-scans/single	
	GET corp-scans/single	
	GET member-scans/single/report	
	GET corp-scans/single/report	
	GET member-scans/single/{id}	
	GET corp-scans/single/{id}	
	GET member-scans/batch/{id}	
	GET corp-scans/batch/{id}	
	GET member-scans/monitoring/{id}	

<code>dataSources</code>	GET <code>organisations</code>	New response parameters returning the organisation source(s) and whether the data-source selection can be edited (<code>isDataSourceEditable</code>). Available in both API versions.
<code>isDataSourceEditable</code>	GET <code>organisations/{id}</code>	
	GET <code>organisations/{id}/scan-settings</code>	
Country	GET <code>member-scans/single/report</code>	The Country field is now included in the Individual Scan output, so high-risk countries can be identified for risk assessment (the Corporate Scan Results report already includes generated report content; the report endpoint returns a <code>response-schema</code> field. Available in both API versions.

Release 10.4.7.3

Released: Apr 26, 2026

Name	API Schema	Description
<code>defaultScanResult</code>	GET <code>/api/v2/organisations/{id}</code> GET <code>/api/v2/organisations/{id}/scan-settings</code>	New parameters in response body of the organisation settings for both <code>memberScanSettings</code> and <code>corporateScanSettings</code> .
<code>isCustomList</code>	GET <code>/api/v2/organisations/{id}</code> GET <code>/api/v2/organisations/{id}/scan-settings</code>	New parameter in response body of the organisation risk level settings.
<code>reasonForDeactivation</code>	POST <code>/api/v2/organisations/{id}/deactivate</code>	New optional input parameter (up to 100 characters) to enter a reason for account deactivation, used for account management purposes.

Release 10.4.7

Released: Feb 7, 2026

Name	API Schema	Description
matchType	GET member-scans/ batch	New parameters in response body of the scan policies applied to the batch scan for Individuals.
closeMatchRateThreshold		
whitelist		
residence		
blankAddress		
pepJurisdiction		
excludeDeceasedPersons		
dobTolerance		
ignoreBlankPolicy		
matchType	GET member-scans/ monitoring	New parameters in response body of the scan policies applied to the monitoring scan for Individuals.
closeMatchRateThreshold		
whitelist		
residence		
blankAddress		
pepJurisdiction		
excludeDeceasedPersons		

matchType	GET corp-scans/ batch	New parameters in response body of the scan policies applied to the batch scan for Corporate entities.
closeMatchRateThreshold		
whitelist		
addressPolicy		
blankAddress		
ignoreBlankPolicy		

matchType	GET corp-scans/ monitoring	New parameters in response body of the scan policies applied to the monitoring scan for Corporate entities.
closeMatchRateThreshold		
whitelist		
addressPolicy		
blankAddress		
defaultCountry		

Release 10.4.6

Released: Nov 30, 2025

Name	API Schema	Description
------	------------	-------------

X-Request-Language	GET member-scans/ single/report	New header parameter to specify the language code to generate the report. Supported language codes are EN , FR , ZH , AR , and JA . This is optional and defaults to EN (English) if not specified.
	GET member-scans/ single/{id}/report	
	GET member-scans/ single/results/{id}/ report	
	GET member-scans/ single/{id}/no-results- report	
	...	
	GET corp-scans/single/ {id}/report	
	GET corp-scans/batch/ report	
	GET corp-scans/single/ results/{id}/report	
	...	

Release 10.4.5

Released: Nov 16, 2025

Name	API Schema	Description
------	------------	-------------

ignoreBlankPolicy	POST member-scans/single	New input parameter to define fields to exclude results where watchlist profile fields are blank and have no data e.g., DOB, nationality, gender, identity number.
	POST member-scans/batch	
	POST corp-scans/single	
	POST corp-scans/batch	
ignoreBlankPolicy	GET member-scans/single/{id}	New parameter to indicate which fields in Ignore Blank Policies were applied for the screening, if any.
	GET member-scans/batch	
	GET corp-scans/single/{id}	
	GET corp-scans/batch	
ignoreBlankPolicy	GET organisations/{id}	New parameter to indicate the settings of Ignore Blank Policies applied to the organisation e.g., Yes (exclude blanks), No (include matches where no data is available) or UserDefined (select during screening).
	GET organisations/{id}/scan-settings	
riskAssessmentEnabled	GET organisations/{id}	New parameter to indicate the Risk Assessment service status of the organisation or suborganisation. This will only be valid for organisations with the Risk Assessment check service activated in <code>isRiskAssessmentActive</code> .
	GET organisations/{id}/scan-settings	
	GET organisations/{id}	

Release 10.4.4

Released: Oct 11, 2025

Name	API Schema	Description
users	POST users	Schema and documentation cleaned up to only contain essential and relevant fields. The following redundant fields have been removed: - id - apiKey - mfaType - accessRights.name - assignedOrganisations.name - role.name - role.label - status - creationDate - lastLoginDate - lastActiveDate - failedLoginDate - dateTimeZone

users

PUT

users

Schema and documentation cleaned up to only contain essential and relevant fields.
The following redundant fields have been removed:

- id
- accessRights.name
- assignedOrganisations.name
- role.name
- role.label
- status
- creationDate
- lastLoginDate
- lastActiveDate
- failedLoginDate
- dateTimeZone

Release 10.4.3

Released: Jul 27, 2025

Name	API Schema	Description
sourceofFundsId	POST aml-risk/member-scans	New input parameter for source of funds for the screened individual. This field is optional.
	POST aml-risk/member-scans/{scanId}	

sourceofFundsId	GET aml-risk/member-scans/{scanId}	New parameter to indicate the source of fund ID for the individual.
RiskAssessmentDetail	GET aml-risk/member-scans	New question added for source of funds.
enableEmailNotification	GET organisations/{id} GET organisations/{id}/scan-settings	New parameter to indicate if notifications are sent by email.
webhookNotification	GET organisations/{id}	New parameter and fields for webhook notifications.
enable	GET organisations/{id}/scan-settings	
url		
service		
channelName		

Release 10.4.2

Released: Jul 27, 2025

Name	API Schema	Description
scriptNameFullName	aml-risk/member-scans	New input parameter to enable entry of Script Name or Latin-based Full Name for the standalone Risk Assessment Check.

```
member-scans/single/results/{id}/linked-
individuals/risk-levels
```

New methods to retrieve the recommended risk level of an associated individual or corporate entity based on the organisation risk settings of categories and subcategories.

```
member-scans/single/results/{id}/linked-
companies/risk-levels
```

```
corp-scans/single/results/{id}/linked-
individuals/risk-levels
```

```
corp-scans/single/results/{id}/linked-
companies/risk-levels
```

suggestedRisk

POST member-
scans/single

New parameter returning the recommended risk level of the matched profile based on the organisation risk settings of categories and subcategories.

POST member-
scans/single/
{id}/rescan

GET member-
scans/single/
{id}

POST corp-scans/
single

POST corp-scans/
single/{id}/
rescan

GET corp-scans/
single/{id}

exactMidName	POST corp-scans/ single	Removed supported value for <code>matchType</code> for screening and filtering of Corporate entities as this relates to Individual entities.
	GET corp-scans/ single	
	GET corp-scans/ single/report	

Release 10.4.1

Released: Jun 28, 2025

Name	API Schema	Description
aml-risk/member-scans		New methods to perform and retrieve reports of the AML risk check for individuals and corporate entities.
aml-risk/member-scans/ {scanId}		
aml-risk/member-scans/ {scanId}/report		
aml-risk/corp-scans		
aml-risk/corp-scans/ {scanId}		
aml-risk/corp-scans/ {scanId}/report		
reports/aml-risk-activity		New method to download report of AML Risk check activities.

`member-scans/single` New parameter `includeRiskAssessment` for Risk Assessment Check.

`member-scans/single/{id}/
rescan`

`member-scans/batch`

`member-scans/single/{id}
corp-scans/single`

`corp-scans/single/{id}/
rescan`

`corp-scans/batch`

`corp-scans/single/{id}`

`member-scans/single` New parameter `amlRiskLevel` to indicate AML Risk Level result. New value `RiskAssessment` for parameter `scanService`.

`member-scans/single/report`

`corp-scans/single`

`corp-scans/single/report`

`member-scans/batch/{id}` New parameter `amlRiskLevel` to indicate AML Risk Level result.

`member-scans/monitoring/
{id}`

`corp-scans/batch/{id}`

`corp-scans/monitoring/{id}`

<code>data-management/scans/count</code>	New value for input parameter <code>scanType</code> to reflect the Risk Assessment Check.
<code>data-management/scans</code>	
<code>data-management/member-scans</code>	New value for input parameter <code>scanService</code> to reflect the Risk Assessment Check
<code>data-management/member-documents</code>	
<code>data-management/corp-scans</code>	
<code>data-management/corp-documents</code>	

Release 10.4

Released: Jun 1, 2025

Name	API Schema	Description
<code>includeAdvancedMedia</code>	<code>ScanInputParam</code>	New input parameter to include advanced media search of news articles for the entity during screening.
	<code>CorpScanInputParam</code>	
<code>advancedMediaResults</code>	<code>ScanResult</code>	New parameter that returns the advanced media results.
	<code>CorpScanResult</code>	
<code>advancedMediaSearch</code>	<code>OrgDetails.memberScanSettings</code>	New parameter that returns the advanced media search default setting (Yes/No) for the scan.
	<code>OrgDetails.corporateScanSettings</code>	
<code>advancedMediaSearch</code>	<code>ScanHistoryDetail.scanResult</code>	New parameter that returns the advanced media results.
	<code>CorpScanHistoryDetail.scanResult</code>	

<code>webSearch</code>	<code>OrgDetails.memberScanSettings</code>	New parameters that return the default setting (Yes/No) for the scan for web search (Google), advanced media search and FATF jurisdiction risk search.
<code>advancedMediaSearch</code>	<code>OrgDetails.corporateScanSettings</code>	
<code>fatfJurisdictionRisk</code>		
<code>includeAdvancedMedia</code>	<code>GET /api/v2/member-scans/single</code> <code>GET /api/v2/member-scans/single/report</code> <code>GET /api/v2/corp-scans/single</code> <code>GET /api/v2/corp-scans/single/report</code>	New parameter to filter results where advanced media search was included during screening.
<code>member-scans/advanced-media/bookmark</code>		New method to add or remove bookmarks for advanced media articles within the MemberCheck UI.
<code>corp-scans/advanced-media/bookmark</code>		
<code>clientId</code>	<code>IDVInputParam</code>	New parameter that enables you to record an Account or Customer Reference Number for the ID Verification scan to help search and identify the screened individual.

Release 10.3.4

Released: Apr 13, 2025

Name	API Schema	Description
<code>id-verification/single2</code>		New method to initiate a new ID Verification request that returns a Verification URL to the verification process.

`member-scans/single/
{id}/rescan`

New methods to run a new scan using previously entered details of the entity and scan policies, with the exception of the watchlist, which will be determined by the organisation's current list access scope.

`corp-scans/single/
{id}/rescan`

Rescan requests count toward the organisation's scan activity and usage.

Release 10.3.3

Released: Feb 16, 2025

Name	API Schema	Description
<code>id</code>	<code>scanResult.matchedEntities.resultEntity.sourceDetails</code>	New response parameter for source and adverse media to help identify and indicate if a source media is copyrighted. This <code>id</code> is used in the new methods to request for the asset URL of the copyrighted media.
<code>isCopyrighted</code>		This is available for Acuris data source only.

`member-scans/single/results/{id}/sources/{sourceId}/asset-url`

`corp-scans/single/results/{id}/sources/{sourceId}/asset-url`

New methods. Where a source or adverse media is copyrighted and the cached PDF is not available, you can call this to get the asset file URL of a specific source of the matched member, company, linked individual or linked company to download as PDF. It is recommended to only use this request if the URL is broken or the cached PDF is not available.

This is available for Acuris data source only.

`lookup-values/document-types`

New method to retrieve the complete list of document types for the Supporting Document feature.

`member-scans/single/{id}/documents`

`member-scans/single/{id}/documents/{documentId}/download`

`member-scans/single/{id}/documents/{documentId}/pin`

`member-scans/single/{id}/documents/{documentId}`

`member-scans/single/{id}/documents/history`

New methods for upload, list, download and delete supporting documents for Individual (member) scans.

`corp-scans/single/{id}/documents`

`corp-scans/single/{id}/documents/{documentId}/download`

`corp-scans/single/{id}/documents/{documentId}/pin`

`corp-scans/single/{id}/documents/{documentId}`

`corp-scans/single/{id}/documents/history`

New methods for upload, list, download and delete supporting documents for Corporate scans.

`id-verification/single/{id}/documents`

`id-verification/single/{id}/documents/{documentId}/download`

`id-verification/single/{id}/documents/{documentId}/pin`

`id-verification/single/{id}/documents/{documentId}`

`id-verification/single/{id}/documents/history`

New methods for upload, list, download and delete supporting documents for ID verification.

`kyb/single/{id}/documents``kyb/single/{id}/documents/{documentId}/download``kyb/single/{id}/documents/{documentId}/pin``kyb/single/{id}/documents/{documentId}``kyb/single/{id}/documents/history`

New methods for upload, list, download and delete supporting documents for Know Your Business scans.

`data-management/member-documents``data-management/corp-documents``data-management/single-scans/documents``data-management/documents`

New methods to search and remove supporting documents.

Release 10.3

Released: Dec 1, 2024

Name	API Schema	Description
GET <code>organisations/new</code>		Temporarily removed.
<code>watchlists</code>	ScanInputParam CorpScanInputParam BatchScanInputParam CorpBatchScanInputParam	New input parameter used for setting the watchlist scope for screening. If this is NULL or undefined, the organisation's list access settings will be used by default.

<code>isWatchlistActive</code>	OrgDetails	Indicates if the watchlist selection option is enabled for user selection during screening.
<code>country</code>	ScanInputParam CorpScanInputParam	New input parameter to match for country of residence for individual or operation for corporates. Separate from Address and supports up to 5 countries. Format should be based on ISO 3166-1 alpha-2.
<code>nationality</code>	ScanInputParam	New input parameter to match for nationality or citizenship. Supports up to 5 nationalities. Format should be based on ISO 3166-1 alpha-2.
<code>country</code>	MonitoringListMemberItem MonitoringListCorplItem	Returns the country scanned for the entity.
<code>nationality</code>	MonitoringListMemberItem	Returns the nationality scanned for the individual person.
<code>IsIgnoreBlankNationalityActive</code>	OrgDetails.memberScanSettings	Returns the status of the ignore blank nationality match setting. When turned on, nationality is enforced during screening.
<code>member-scans/batch/{id}/monitor/enable</code> <code>member-scans/batch/{id}/monitor/disable</code> <code>corp-scans/batch/{id}/monitor/enable</code> <code>corp-scans/batch/{id}/monitor/disable</code>		Add (enable) or remove (disable) Member or Corporate batch scans from monitoring.
<code>lastMonitored</code>	MonitoringListMemberItem MonitoringListCorplItem	New parameter of the last monitored date of the entity.

lastMonitoredFrom	MonitoringListMemberItem	New input parameter to search for last monitored date.
lastMonitoredTo	MonitoringListCorpItem	
	monitoring-lists/member/report	
	monitoring-lists/corp/report	

Release 10.2

Released: Oct 27, 2024

Name	API Schema	Description
member-scans/single/{id}/monitor/review corp-scans/single/{id}/monitor/review		If Monitoring Review has been enabled for the organisation by the Compliance Officer via the Organisation Administration UI, you can set review status to track assessment of profile updates during ongoing monitoring. Check for the organisation monitoring review status via <code>monitoringSettings.monitoringReviewEnabled</code> GET <code>organisations/{id}</code> .
reviewStatus	MonitoringScanHistoryLog CorpMonitoringScanHistoryLog	New optional input parameter to filter for monitoring review status.
reviewStatus	MonitoringScanHistoryLog	Returns the overall monitoring review status of the monitoring event with the number of entities completed review for In Progress assessments.
membersReviewed	CorpMonitoringScanHistoryLog	
companiesReviewed		
monitoringReviewStatus	ScanHistoryDetail.scanResult	Returns the completed review status of the monitored entity with detected changes. Summary contains the date time and username to indicate user who has marked the assessment as completed for auditing references.
monitoringReviewSummary	CorpScanHistoryDetail.scanResult	

<code>category</code>	CorpScanHistoryLog	New value <code>S0E</code> added to category for State C Enterprise entities.
<code>scanType</code>		New value <code>AllWithMonitoring</code> added to scan in <code>GET data-management/scans/count</code> and <code>DELETE data-management/scans</code> .
<code>subCategory</code>		New values added for former PEP and former sanctions in <code>GET member-scans/single</code> and <code>corp-scans/single</code>
<code>lookup-values/sso-url/{token}</code>	SsoSettings	New method to return the Single Sign-On (SSO) login and logout URLs
<code>identity</code> <code>clientId</code>	UserDetails.userSsoSettings	The unique identity (e.g. email address) of the user and the unique key of the Identity Provider.

Release 10.1

Released: Jun 30, 2024

Name	API Schema	Description
<code>whitelistPolicy</code>	<code>orgDetails.monitoringSettings.memberScanSettings</code> <code>orgDetails.monitoringSettings.corporateScanSettings</code>	Returns the monitoring whitelist policy setting if due diligence decisions are applied or ignored for continuous monitoring and monitoring rescans.

Release 9.6

Released: May 19, 2024

Name	API Schema	Description
------	------------	-------------

dobTolerance	ScanInputParam	New parameter to specify the number of years allowed for variations in the birthdate.
	BatchScanInputParam	
Note: The organisation administration settings must have the policy enabled.		

Release 9.5

Released: Mar 17, 2024

Name	API Schema	Description
<code>category</code>	RiskResult	New method to retrieve organisation-wide defined risk levels, and overall risk score, for the specific scan result. The risk levels are set by the Compliance Officer within the application Administration screens.
<code>subcategory</code>		
<code>risk</code>		
<code>overallRisk</code>		

Release 9.4.2

Released: Feb 18, 2024

Name	API Schema	Description
<code>companyProfileAvailable</code>	KYBCountryResult	New parameters to indicate if the enhanced company details (including UBO) and registry documents are available for the country jurisdiction.
<code>productAvailable</code>		

companyProfileAvailable	KYBStateResult	New parameters to indicate if the enhanced company details (including UBO) and registry documents are available for the country-state jurisdiction.
productAvailable		
nationalitiesCodes	ScanResult.matchedEntities	2-letter country code of nationality based on ISO 3166-2 standard.
taxHavenCountryResult	ScanResult.matchedEntities	Indicator of tax haven jurisdiction.
	CorpScanResult.matchedEntities	
sanctionedCountryResult	ScanResult.matchedEntities	Indicator of sanctioned jurisdiction.
	CorpScanResult.matchedEntities	
isPrimaryLocation	ScanResult.matchedEntities. taxHavenCountryResults	Additional information of the tax haven jurisdiction and if it applies to the primary location of the entity.
countryCode	CorpScanResult.matchedEntities. taxHavenCountryResults	
comment		
url	ScanResult.matchedEntities. resultEntity.taxHavenCountryResults	
	CorpScanResult.matchedEntities. resultEntity.taxHavenCountryResults	
	ScanResult.matchedEntities. monitoredOldEntity.taxHavenCountryResults	
	CorpScanResult.matchedEntities. monitoredOldEntity.taxHavenCountryResults	

<code>isPrimaryLocation</code>	ScanResult.matchedEntities. sanctionedCountryResults	Additional information of the sanctioned jurisdiction and if it applies to the primary location of the entity.
<code>countryCode</code>		
<code>comment</code>	CorpScanResult.matchedEntities. sanctionedCountryResults	
<code>url</code>		
<code>isBlackList</code>	ScanResult.matchedEntities. resultEntity.sanctionedCountryResults	
<code>isGreyList</code>	CorpScanResult.matchedEntities. resultEntity.sanctionedCountryResults	
	ScanResult.matchedEntities. monitoredOldEntity.sanctionedCountryResults	
	CorpScanResult.matchedEntities. monitoredOldEntity.sanctionedCountryResults	
<code>scanService</code>	ScanHistoryDetail.scanParam CorpScanHistoryDetail.scanParam	New parameter returns the type of scan service.

Release 9.4

Released: Dec 10, 2023

Name	API Schema	Description
<code>comment</code>	ScanResult.matchedEntities. taxHavenCountryResult	New parameters to indicate if the individual's primary country of residence or a company's primary address is considered a tax haven country.
<code>url</code>	CorpScanResult.matchedEntities. taxHavenCountryResult	

<code>comment</code>	<code>ScanResult.matchedEntities. sanctionedCountryResult</code>	New parameters to indicate if the individual's primary country of residence or a company's primary address is considered a sanctioned country, and the associated FATF lists. Countries in the "black list" are considered high risk jurisdictions and "grey lists" are countries under increased monitoring.
<code>url</code>	<code>CorpScanResult.matchedEntities. sanctionedCountryResult</code>	
<code>isBlackList</code>		
<code>isGreyList</code>		
<code>isAIAnalysisActive</code>	<code>OrgInfo</code> <code>OrgDetails</code>	Indicates if the AI Analysis service is enabled for organisation.
<code>isKybActive</code>	<code>OrgInfo</code> <code>OrgDetails.corporateScanSettings</code>	Indicates if the Business check service (KYB) is enabled for organisation.
<code>aiAnalysisQuestionCount</code>	<code>ScanResult.matchedEntities</code> <code>CorpScanResult.matchedEntities</code>	Returns the number of remaining questions or credits for AI queries on a profile.
<code>member-scans/single/results/{id}/questions</code>	New methods available in Individual scans to perform AI Analysis of profiles.	
<code>member-scans/single/results/{id}/questions/{questionId}</code>		
<code>corp-scans/single/results/{id}/questions</code>	New methods available in Corporate scans to perform AI Analysis of profiles.	
<code>corp-scans/single/results/{id}/questions/{questionId}</code>		

kyb/countries		New methods available in business-ubo-checks to support business verifications for Know Your Business (KYB) and Ultimate Beneficial Owner (UBO).
kyb/countries/{countryCode}/states		
kyb/company		
kyb/{scanId}/company/profile		
kyb/{scanId}/products		
kyb/{scanId}/products/order		
kyb/{scanId}/products/status		
kyb/{scanId}/products/{productId}/file		
kyb/{scanId}		
kyb/{scanId}/company/{companyId}/report		
kyb/{scanId}/products/file		
kyb/{scanId}/company/{companyId}/products/file		
kyb/{scanId}/products/sample/{productTitle}/file		
kyb/{scanId}/company/{companyId}/profile/report		
kyb/{scanId}/company/profile/charge		
kyb/{scanId}/products/report		
reports/business-ubo-activity		New method to download report of KYB and UBO activities.
scanType	data-management/scans	Support for KYB scan type.
	data-management/corp-scans	
	data-management/scans/count	

countryCode	CorpScanInputParam.kybParam	New parameters for Business check service (KYB).
registrationNumberSearch		
allowDuplicateKYBScan		
KYBCountry	CorpScanInputParamHistory	Country or country-state code for KYB scan
KYBScanResult	CorpScanResult	Results returned for KYB scan
KYBProductsCount	CorpScanHistoryLog	Returns KYB related information for KYB scans.
KYBCompanyProfileCount		
IsPaS		
IsKYB		
ScanService		

Release 9.3.4

Released: August 6, 2023

Name	API Schema	Description
data-management/member-scans		New method to return a list of Individual scan results and the associated scanId . This provides a subset of functionality to member-scans/single but is specifically catered for API user accounts with data management permissions.
data-management/corp-scans		New method to return a list of Corporate scan results and the associated scanId . This provides a subset of functionality to corp-scans/single but is specifically catered for API user accounts with data management permissions.
data-management/single-scans		New method to delete at a granular level, single scan results for Individual and Corporate entities. This includes PEP, Sanctions & Adverse Media and ID Verification results.

Release 9.3.3

Released: June 25, 2023

Name	API Schema	Description
<code>idNumber</code>	<code>ScanInputParam</code>	Optionally include an ID Number (e.g. Passport Number, National ID, VAT/Tax Number, Professional Registration ID) for screening of the individual to exclude matches that does not contain the entered ID Number.
<code>includeJurisdictionRisk</code>	<code>ScanInputParam</code> <code>BatchScanInputParam</code> <code>CorpScanInputParam</code> <code>CorpBatchScanInputParam</code>	Option to search for FATF jurisdiction risk rating and information for countries associated with matched profiles.
<code>fatfJurisdictionRiskResult.jurisdiction</code>	<code>ScanResult</code> <code>CorpScanResult</code>	Country name of FATF jurisdiction.
<code>fatfJurisdictionRiskResult.effectivenessScore</code>	<code>ScanResult</code> <code>CorpScanResult</code>	Effectiveness score to which the country's measures are effective based on the ratings against the 11 immediate outcomes from FATF.
<code>fatfJurisdictionRiskResult.effectivenessLevel</code>	<code>ScanResult</code> <code>CorpScanResult</code>	Level of effectiveness of the country's measures.
<code>fatfJurisdictionRiskResult.complianceScore</code>	<code>ScanResult</code> <code>CorpScanResult</code>	Compliance score to which the country's implementation of technical requirements of the 40 FATF Recommendations.
<code>fatfJurisdictionRiskResult.complianceLevel</code>	<code>ScanResult</code> <code>CorpScanResult</code>	Level of compliance of the country's technical implementation.
<code>fatfJurisdictionRiskResult.comments</code>	<code>ScanResult</code> <code>CorpScanResult</code>	Summary of compliance with FATF recommendations.
<code>fatfJurisdictionRiskResult.fatfCompliance</code>	<code>ScanResult</code> <code>CorpScanResult</code>	Status of compliance.

<code>fatfJurisdictionRiskResult.fatfComplianceNotes</code>	ScanResult CorpScanResult	Notes on compliance shortcomings.
<code>fatfJurisdictionRiskResult.fatfEffectiveness</code>	ScanResult CorpScanResult	Level of effectiveness of the country's measures.
<code>fatfJurisdictionRiskResult.fatfEffectivenessNotes</code>	ScanResult CorpScanResult	Notes on effectiveness shortcomings.
<code>fatfJurisdictionRiskResult.fatfEffectivenessSubtitles</code>	ScanResult CorpScanResult	Overall level of effectiveness of the country's measures.
<code>fatfJurisdictionRiskResult.countryCode</code>	ScanResult CorpScanResult	Two-letter country code.

Release 9.3.1

Released: May 7, 2023

Name	API Schema	Description
<code>closeMatchRateThreshold</code>	CorpScanInputParam CorpBatchScanInputParam	Specify the close match rate threshold for entity screening (from <code>100</code> % for very close to <code>1</code> % for somewhat similar). This is optional and defaults to <code>80</code> % if not specified.
<code>closeMatchRateThreshold</code>	CorpScanInputParamHistory CorpBatchScanResults CorpMonitoringScanResults	Returns Close Match Rate threshold applied during screening.
<code>matchRate</code>	CorpScanEntity	Returns percentage rate of the matching name of the entity profile.

Release 9.3

Released: February 26, 2023

Name	API Schema	Description
------	------------	-------------

title	Entity	Removed parameter.
NameDetail.title	Entity	Removed parameter.
disqualifiedDirectors	Entity	New parameter for a list of disqualifications for the profile.
nationalities	Entity	New parameter with the nationalities of the profile.
placeOfBirth	Entity	New parameter for the birthplace for the profile.
generalInfo	Entity	Parameter changed to only return the nationality for an individual.
generalInfo	EntityCorp	Parameter changed to return additional information for the company, where available.
enterDate	Entity EntityCorp	Removed parameter.
xmlFurtherInformation	Entity EntityCorp	Removed parameter.
identifiers	Entity EntityCorp	New parameter for a list of registration or ID numbers for the profile.
images	Entity EntityCorp	New parameter with a list of pictures available for the profile.
lastReviewed	Entity EntityCorp	New parameter of date the profile record was last reviewed or updated.
profileOfInterest	Entity EntityCorp	New parameter with detailed profile of interests for the profile.
category	Entity EntityCorp	Parameter includes the new "POI" category of the profile.
categories	Entity EntityCorp	Parameter includes the new "POI" category of the profile.
countryCode	Location	New parameter for the country code of the location.

type	Location	New parameter for the location type.
category	OfficialList	New parameter for the watchlist category of the official list.
measures	OfficialList	New parameter with a list of measures enforced by the official list.
origin	OfficialList	New parameter of the country or region of the official list.
types	OfficialList	New parameter of the type of sanction classified by the official list.
segment	Role	New parameter of the category of in scope positions for the PEP for a particular country.
status	Role	New parameter of the status of the associated role held by the PEP.
details	Source	New parameter with a list of details for the captured source and adverse media.
categories	Source	Changes in the returned values for the category of the source and adverse media.
nameType	NameDetail CorpNameDetail	Change in returned values. Expanded to include more details.
description1	Description	Parameter includes the new "POI" reference for the profile.
description2	Description	Parameter includes the new "Reputational Risk" reference for the profile.
category	AssociatePerson AssociateCorp	Parameter includes the new "POI" reference for the profile.

Release 9.2.1

Released: February 12, 2023

Name	API Schema	Description
------	------------	-------------

<code>emailAddress</code>	IDVInputParam	New parameter to enable the ID Verification request link to be sent to the individual's email address.
<code>birthDate</code>	IDVInputParam	New parameter for the individuals birthdate for ID Verification, if available. Date format: DD/MM/YYYY.
<code>idvSubType</code>	IDVInputParam	New parameter to specify the delivery method and ID Verification type e.g. email/SMS the ID Check, FaceMatch or both.
<code>dataBreachCheckParam.emailAddress</code>	ScanInputParam	New parameter to include the individual's email address to run a compromised information check against a list of known data breaches.
<code>dataBreachCheckResults</code>	ScanResult	New parameter in response body containing a list of email breaches found, if an email address was provided in <code>dataBreachCheckParam.emailAddress</code> .

Release 9.2

Released: December 10, 2022

Name	API Schema	Description
<code>isPepJurisdictionExclude</code>	ScanInputParamHistory BatchScanResults MonitoringScanResults	New parameter to either include or exclude one or more countries for the PEP Jurisdiction policy.
<code>pepJurisdictionCountries</code>	ScanInputParamHistory BatchScanResults MonitoringScanResults	New parameter to specify one or more countries for inclusion or exclusion for PEP Jurisdiction.
<code>pepJurisdictionExclude</code>	ScanInputParamHistory BatchScanResults MonitoringScanResults	Decommission parameter.

Release 9.1.2

Released: October 1, 2022

Name	API Schema	Description
<code>dates</code>	Source	Decommission parameter. Replaced by <code>dates_Urls</code>
<code>dates_Urls</code>	Source	New parameter replacing <code>dates</code> to include link to cached PDF of URL, if available.